

12500 TI Boulevard, MS 8640, Dallas, Texas 75243

Notification# 20220708001.0 **Datasheet for TL431, TL432 Information Only**

Date: July 13, 2022 Newark/Farnell PCN To:

Dear Customer:

This is an information-only announcement of a change to the datasheet for a device that is currently offered by Texas Instruments.

The changes discussed within this notification are for your information only.

Any negotiated alternative change requirements will be provided via the customer's defined process. Customers with previously negotiated, special requirements will be handled separately. Any inquiries should be directed to your local Field Sales Representative.

For questions regarding this notice, contact your local Field Sales Representative or the PCN team (PCN ww admin team@list.ti.com).

Sincerely,

PCN Team SC Business Services

Information Only Attachments

Products Affected:

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

> **DEVICE** TL431CLP TL431IDBVR

CUSTOMER PART NUMBER

null null

Technical details of this Product Change follow on the next page(s).

		<u> 2070800</u>	1.0 Notification	Date:		July 13, 2022		
itle: Datasheet f	1							
ustomer Contact:	PCN Mana	<u>ager</u>		Dep	t:	Quality Services		
Change Type:						<u> </u>		
Assembly Site		Design Data Sheet			Wafer Bump Site			
Assembly Process			rt number change			for Bump Material		
			st Site	$\exists \exists \exists$	Wafer Bump Process Wafer Fab Site			
Packing/Shipping			st Process			fer Fab Materials		
				Wafer Fab Process		fer Fab Process		
Notification Details								
escription of Chan			ncing an information o					
he following change I			d as summarized belo ther details.	w.		TL431, TL432		
Instruments					3Q – A	UGUST 2004 – REVISED JULY 2022		
			o Revision Q (July 2022)			Page		
						the document1		
	Tiarries in the	i iii i unc	ions table					
•			Change From:			nge To:		
•			SLVS543P			nge To: S543Q		
TL431, TL432	e reviewed	at the da	SLVS543P					
TL431, TL432 These changes may be								
TL431, TL432 hese changes may be ttps://www.ti.com/pr	oduct/TL43		SLVS543P					
TL431, TL432 hese changes may be ttps://www.ti.com/pr	oduct/TL43		SLVS543P					
hese changes may be ttps://www.ti.com/prror! Bookmark notes	oduct/TL43	<u>81</u>	SLVS543P stasheet links provided					
hese changes may be ttps://www.ti.com/pr rror! Bookmark no teason for Change: o accurately reflect d	t defined. evice chara	31 octeristics	SLVS543P stasheet links provided	d.	SLVS	5543Q		
TL431, TL432 These changes may be ttps://www.ti.com/pror! Bookmark not change: To accurately reflect denticipated impact of anticipated impact.	t defined. evice chara on Fit, For	octeristics m, Func	SLVS543P stasheet links provided	d.	SLVS	ositive / negative):		
TL431, TL432 These changes may be ttps://www.ti.com/proferor! Bookmark not Reason for Change: To accurately reflect danticipated impact of the actual device.	t defined. evice chara on Fit, For	ncteristics m, Func pecificati	SLVS543P stasheet links provided	d. iability	(po	5543Q		
TL431, TL432 These changes may be ttps://www.ti.com/preserve! Bookmark not teason for Change: To accurately reflect descripted impact of the actual device. The actual device thanges to product	t defined. evice chara on Fit, For	ncteristics m, Func pecificati	SLVS543P stasheet links provided s. tion, Quality or Relion change announcer	d. iability	(po	ositive / negative):		
hese changes may be ttps://www.ti.com/pr rror! Bookmark no eason for Change: o accurately reflect do anticipated impact of the actual device. Thanges to product lone.	t defined. evice chara on Fit, For	ncteristics m, Func pecificati	SLVS543P stasheet links provided s. tion, Quality or Relion change announcer	d. iability	(po	ositive / negative):		
hese changes may be ttps://www.ti.com/prror! Bookmark no eason for Change: o accurately reflect do anticipated impact of the actual device. hanges to product one.	evice chara on Fit, For This is a s	m, Func pecificati	SLVS543P Stasheet links provided Stasheet links provided State on Quality or Reliance announcer State on change announcer State on this not	d. iability	(po	ositive / negative): There are no changes		
hese changes may be ttps://www.ti.com/prror! Bookmark no eason for Change: o accurately reflect do anticipated impact o the actual device. hanges to product one. roduct Affected: TL431CD	evice chara on Fit, For This is a s identification	acteristics m, Func pecificati tion res	SLVS543P Stasheet links provided Stasheet links provided Station, Quality or Relion change announcer Station on this not TL431IDR	d. iability ment or	(po	ositive / negative): There are no changes TL431QDBZTG4		
hese changes may be ttps://www.ti.com/prror! Bookmark no eason for Change: o accurately reflect do anticipated impact of the actual device. hanges to product one. roduct Affected: TL431CD TL431CDBVR	evice chara on Fit, For This is a s identification	m, Function resultion resultion K	SLVS543P Stasheet links provided Stasheet links provided State on Quality or Reliance announcer State on change announcer St	d. iability ment or	(po	Ditive / negative): There are no changes TL431QDBZTG4 TL431QDCKR		
hese changes may be ttps://www.ti.com/prror! Bookmark no eason for Change: o accurately reflect do anticipated impact o the actual device. hanges to product one. roduct Affected: TL431CD TL431CDBVR TL431CDBVT	evice chara on Fit, For This is a s identification TL431CP TL431CP TL431CP	m, Function resultion resultion resulting K	SLVS543P Stasheet links provided Tion, Quality or Reliance announcer Ulting from this not TL431IDR TL431IDRG4 TL431ILP	d. iability ment or	(po	Distive / negative): There are no changes TL431QDBZTG4 TL431QDCKR TL431QDCKT		
hese changes may be ttps://www.ti.com/prror! Bookmark noveleason for Change: o accurately reflect do anticipated impact of the actual device. hanges to product one. TL431CD TL431CDBVR TL431CDBVT TL431CDBVTG4	evice chara on Fit, For This is a s identificat TL431CP TL431CP TL431CP TL431CP	m, Function resultion resultion resultion resulting SR SRG4	SLVS543P Stasheet links provided Stasheet links provided Station, Quality or Reliance announcer Station, Quality or Reliance announcer Station, Quality or Reliance announcer Station, Quality or Reliance TL431IDR TL431IDR TL431IDRG4 TL431ILPR	d. iability ment or	(po	TL431QDBZTG4 TL431QDCKR TL431QDCKT TL431QDR		
hese changes may be ttps://www.ti.com/prror! Bookmark no teason for Change: o accurately reflect do anticipated impact to the actual device. The actual device to the actual device. TL431CD TL431CDBVR TL431CDBVT TL431CDBVTG4 TL431CDBVTG4	roduct/TL43 t defined. evice chara on Fit, For This is a s identificat TL431CP TL431CP TL431CP TL431CP TL431CP TL431CP TL431CP	m, Function resultion resultion resultion resulting SR SRG4	SLVS543P Stasheet links provided Stasheet links provided Station, Quality or Reliance announcer Station, Quality or Reliance announcer Lateral TL431IDR TL431IDR TL431ILP TL431ILPR TL431IP	d. iability ment or	(po	TL431QDBZTG4 TL431QDCKR TL431QDCKT TL431QDR TL431QPK		
hese changes may be ttps://www.ti.com/prror! Bookmark nor change: to accurately reflect do anticipated impact to the actual device. The actual device. TL431CDBVR TL431CDBVT TL431CDBVT TL431CDBVTG4 TL431CDBZR TL431CDBZRG4	roduct/TL43 t defined. evice chara on Fit, For This is a s identificat TL431CP	m, Func m, Func pecificati tion res K KG3 SR SRG4 WR	SLVS543P Stasheet links provided Stasheet links provided Station, Quality or Reliance announcer Station, Quality or Reliance announcer Liting from this not TL431IDR TL431IDRG4 TL431ILP TL431ILPR TL431IPR TL431IPE4	d. iability ment or	(po	TL431QDBZTG4 TL431QDCKR TL431QDCKT TL431QDR TL431QPK TL431QPKG3		
hese changes may be ttps://www.ti.com/prror! Bookmark nor change: to accurately reflect do anticipated impact to the actual device. The actual device. TL431CDBVR TL431CDBVT TL431CDBVT TL431CDBVTG4 TL431CDBZR TL431CDBZRG4	roduct/TL43 t defined. evice chara on Fit, For This is a s identificat TL431CP TL431CP TL431CP TL431CP TL431CP TL431CP TL431CP	m, Func m, Func pecificati tion res K KG3 SR SRG4 WR	SLVS543P Stasheet links provided Stasheet links provided Station, Quality or Reliance announcer Station, Quality or Reliance announcer Lateral TL431IDR TL431IDR TL431ILP TL431ILPR TL431IP	d. iability ment or	(po	TL431QDBZTG4 TL431QDCKR TL431QDCKT TL431QDR TL431QPK		
TL431, TL432 These changes may be ttps://www.ti.com/proferor! Bookmark not the accurately reflect do anticipated impact to the actual device. TL431CD TL431CDBVR TL431CDBVT TL431CDBVT TL431CDBVT TL431CDBZR	roduct/TL43 t defined. evice chara on Fit, For This is a s identificat TL431CP	k K KG3 SR SRG4 WR	SLVS543P Stasheet links provided Stasheet links provided Station, Quality or Reliance announcer Station, Quality or Reliance announcer Liting from this not TL431IDR TL431IDRG4 TL431ILP TL431ILPR TL431IPR TL431IPE4	d. iability ment or	(po	TL431QDBZTG4 TL431QDCKR TL431QDCKT TL431QDR TL431QPK TL431QPKG3		
Reason for Change: To accurately reflect description anticipated impact of the actual device.	roduct/TL43 t defined. evice chara on Fit, For This is a s identificat TL431CP TL431CP TL431CP TL431CP TL431CP TL431CP TL431CP TL431ID TL431ID	m, Func m, Func pecificati tion res K KG3 SR SRG4 WR	SLVS543P Stasheet links provided Stasheet links provided Standard Control C	d. iability ment or	(po	TL431QDBZTG4 TL431QDCKR TL431QDCKT TL431QDR TL431QPK TL431QPK TL431QPKG3 TL432CDBVR		

TL431CDRG4	TL431IDBZR	TL431QDBVRG4	TL432IDBZR
TL431CLP	TL431IDBZRG4	TL431QDBVT	TL432IDBZT
TL431CLPM	TL431IDBZT	TL431QDBZR	TL432IPK
TL431CLPR	TL431IDBZTG4	TL431QDBZRG4	TL432QDBZR
TL431CP	TL431IDG4	TL431QDBZT	TL432QPK
TL431CPE4	TL432QPKG3		

For questions regarding this notice, e-mails can be sent to the contact shown below or your local Field Sales Representative.

Location	E-Mail	
WW PCN Team	PCN www admin_team@list.ti.com	

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (www.ti.com/legal/termsofsale.html) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.