Printed on 07/03/2022 Page n. 1 / 13 Replaced revision:29 (Dated 09/03/2021)

ΕN

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SILCOSET 158 Product name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Adhesive sealant.

1.3. Details of the supplier of the safety data sheet

CHT UK BRIDGWATER LTD Name Full address **Amber House Showground Road**

District and Country TA6 6AJ **Bridgwater** (Somerset)

England

Tel. +44(0)1278411400 +44(0)1278411444

e-mail address of the competent person

responsible for the Safety Data Sheet info.uk@cht.com

CHT Germany GmbH Supplier:

Bismarckstraße 102 72072 Tübingen Germany

1.4. Emergency telephone number

Australia: 0418529118 For urgent inquiries refer to

All other enquiries +44(0)1278 411400

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1 H318 Causes serious eye damage. Skin irritation, category 2 H315 Causes skin irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H318 Causes serious eye damage. H315 Causes skin irritation.

Precautionary statements:

@EPY 11.1.2 - SDS 1004.14



Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 2 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 2. Hazards identification

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Wear protective gloves / eye protection / face protection. P280 Immediately call a POISON CENTER / doctor / . . . P310

P264 Wash ... thoroughly after handling.

METHYLSILANETRIYL-TRIACETATE Contains:

DIACETOXYDI-TERT-BUTOXYSILANE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0.1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.1 Substances

Information not relevant

3.2. Mixtures

Contains:

Classification (EC) 1272/2008 (CLP) Identification x = Conc. %

METHYLSILANETRIYL-TRIACETATE

CAS 4253-34-3 $2.5 \le x < 3$ Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, EUH014

EC 224-221-9 STA Oral: 500 mg/kg

INDEX

REACH Reg. 21-2119987097-22 DIACETOXYDI-TERT-BUTOXYSILANE

CAS 13170-23-5 $1.5 \le x < 2$ Skin Corr. 1B H314, Eye Dam. 1 H318

236-112-3 FC

INDEX

REACH Reg. 01-2119987098-20

ACETIC ACID

64-19-7 $0 \le x < 0.1$ Flam. Liq. 3 H226, Skin Corr. 1A H314, Eye Dam. 1 H318, Classification note CAS

according to Annex VI to the CLP Regulation: B

200-580-7 EC INDEX 607-002-00-6 REACH Reg. 01-2119475328-30 **OCTAMETHYLCYCLOTETRASILOXANE**

556-67-2 $0 \le x < 0.025$ Repr. 2 H361f, Aquatic Chronic 1 H410 M=10 CAS

209-136-7 EC

INDEX

REACH Reg. 01-2119529238-36

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.





Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 3 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 4. First aid measures

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

We recommend, that once opened, the product is used and is not stored

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.



CHT UK BRIDGWATER LTD

SILCOSET 158

Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 4 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 7. Handling and storage .../>>

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb.,
DEU	Davitaabland	kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und
DEU	Deutschland	Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung
		gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
FIN	Suomi	HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH
1 114	Guoini	HÄLSOVÅRDSMINISTERIETS PUBLIKATIONER 2020:25
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki
	3,7 1 1 3	tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i
		arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og
		grenseverdier), 21. august 2018 nr. 1255
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3,
		eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os
		agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os
		riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające
		rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych
		dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru
		modificarea și completarea hotărârii guvernului nr. 1.093/2006
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska
0.44		gränsvärden (AFS 2018:1)
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa
		nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred
		rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení
TUR	Toulding	neskorších predpisov Kimyasal Maddelerle Calısmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik
TUR	Türkiye	12.08.2013 / 28733
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU)
LU	OLL LU	2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive
		2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2021
		7.0011.2021



Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 5 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 8. Exposure controls/personal protection .../>>

			METHVI SII ANI	ETRIYL-TRIAC	ETATE			
Predicted no-effect cor	ncentration		IL IIII LOILAN	LIKITE-IKIAO	LIAIL			
Normal value in fresh	water					1	mg/l	
Normal value in marir	ne water					0.1	mg/l	
Normal value for fres	h water sedi	iment				3.4	mg/kg	
Normal value for mar	ine water se	ediment				0.34	mg/kg	
Normal value for water	er, intermitte	ent release				10	mg/l	
Normal value of STP						10	mg/l	
Normal value for the						0.145	mg/kg	
Health - Derived no-eff		•					0 0	
	Effects of	n consumers			Effects on v	vorkers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
·	local	systemic	local	systemic	local	systemic	local	systemic
Oral		•	VND	1		•		•
				mg/kg bw/d				
Inhalation			5.1	6.3			31	25
			mg/m3	mg/m3			mg/kg	mg/m3
Skin			VND	7.2			VND	14.5
				mg/kg/d				mg/kg
				-				bw/d

			IACETOXYDI-1	TERT-BUTOXYS	BILANE	<u> </u>		
edicted no-effect co	ncentration	- PNEC						
Normal value in fresh	n water					0.02875	mg/l	
Normal value in mari	ne water					0.02875	mg/l	
Normal value for fres	h water sed	iment				0.03279	mg/kg/d	
Normal value for mar	rine water se	ediment				0.00327	mg/kg/d	
						9		
Normal value of STP	microorgan	isms				13.276	mg/l	
ealth - Derived no-eff	ect level - C	ONEL / DMEL					_	
	Effects o	n consumers			Effects on w	vorkers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	10.69				-
				mg/kg bw/d				
			VND	37.2			VND	150.84
Inhalation				mg/m3				mg/m3
Inhalation								
Inhalation Skin			VND	10.69			VND	21.39
			VND				VND	21.39 mg/kg

				ACE	TIC ACID	
Threshold Limit \	/alue					
Type	Country	TWA/8h		STEL/15	min	Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV	CZE	25	10.025	50	20.05	
AGW	DEU	25	10	50 (C)	20 (C)	
MAK	DEU	25	10	50	20	
TLV	DNK	25	10			E
VLA	ESP	25	10	50	20	
VLEP	FRA	25	10	50	20	
HTP	FIN	13	5	25	10	
AK	HUN	25		50		
VLEP	ITA	25	10	50	20	
TLV	NOR	25	10	50	20	
TGG	NLD	25		50		
VLE	PRT	25	10	50	20	
NDS/NDSCh	POL	25		50		
TLV	ROU	25	10	50	20	
NGV/KGV	SWE	13	5	25	10	
NPEL	SVK	25	10	50	20	
ESD	TUR	25	10			
WEL	GBR	25	10	50	20	
OEL	EU	25	10	50	20	
TLV-ACGIH		25	10	37	15	



Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 6 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 8. Exposure controls/personal protection .../>

		_						
		00	CTAMETHYLCY	CLOTETRASI	LOXANE			
Predicted no-effect cor	ncentration	- PNEC						
Normal value in marir	ne water					0.044	mg/l	
Normal value for fres	h water sedir	ment				0.128	mg/kg	
Normal value of STP	microorganis	sms				100	mg/l	
Normal value for the	terrestrial co	mpartment				0.16	mg/kg	
Health - Derived no-effe	ect level - Di	NEL / DMEL						
	Effects on	consumers			Effects on v	workers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation	61	305	61	305				
	mg/m3	mg/m3	mg/m3	mg/m3				

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYÉ PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Partition coefficient: n-octanol/water

Properties	Value	Information
Appearance	paste	
Colour	black	
Odour	pungent	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Flammability	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Flash point	> 150 °C	
Auto-ignition temperature	> 400 °C	
Н	Not available	
Kinematic viscosity	paste	
Solubility	immiscible with water	

Not available





Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 7 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 9. Physical and chemical properties .../>

Vapour pressure Not available Density and/or relative density 1.07

Relative vapour density

Relative vapour density

Not available

Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (volatile carbon) 1.18 % - 12.60 g/litre

SECTION 10. Stability and reactivity

10.1. Reactivity

Information not available

10.2. Chemical stability

Information not available

10.3. Possibility of hazardous reactions

The product may react violently with water.

ACETIC ACID

Risk of explosion on contact with: chromium (VI) oxide,potassium permanganate,sodium peroxide,perchloric acid,phosphorus chloride,hydrogen peroxide. May react dangerously with: alcohols,bromine pentafluoride,chlorosulphuric acid,dichromate-sulphuric acid,ethane diamine,ethylene glycol,potassiun hydroxide,strong bases,sodium hydroxide,strong oxidising agents,nitric acid,ammonium nitrate,potassium tert-butoxide,oleum. Forms explosive mixtures with: air.

10.4. Conditions to avoid

Avoid overheating. Prevent moisture or water from penetrating inside the containers.

ACETIC ACID

Avoid exposure to: sources of heat,naked flames.

10.5. Incompatible materials

ACETIC ACID

Incompatible with: carbonates, hydroxides, phosphates, oxidising substances, bases.

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

Oral LD50 (Rat) >5000 mg/kg; Dermal LD50 (Rabbit) >2000 mg/kg.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

ΕN



CHT UK BRIDGWATER LTD SILCOSET 158

Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 8 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 11. Toxicological information .../>

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

METHYLSILANETRIYL-TRIACETATE

STA (Oral): 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

ACETIC ACID

 LD50 (Dermal):
 1060 mg/kg Rabbit

 LD50 (Oral):
 3310 mg/kg Rat

 LC50 (Inhalation vapours):
 11.4 mg/l/4h Rat

OCTAMETHYLCYCLOTETRASILOXANE

LD50 (Dermal): > 2375 mg/kg Rat LD50 (Oral): 4800 mg/kg Rat, male

LC50 (Inhalation vapours): 36 mg/l/4h Rat, male and female

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation





Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 9 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 11. Toxicological information .../>>

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

DIACETOXYDI-TERT-BUTOXYSILANE

 LC50 - for Fish
 192.34 mg/l/96h

 EC50 - for Algae / Aquatic Plants
 28.75 mg/l/72h

OCTAMETHYLCYCLOTETRASILOXANE

LC50 - for Fish > 0.022 mg/l/96h Oncorhynchus mykiss EC50 - for Crustacea 0.015 mg/l/48h Daphnia magna

EC10 for Algae / Aquatic Plants > 0.022 mg/l/96h Pseudokirchneriella subcapitata

Chronic NOEC for Fish > 0.0044 mg/l Oncorhynchus mykiss
Chronic NOEC for Crustacea > 0.0015 mg/l Daphnia magna

12.2. Persistence and degradability

DIACETOXYDI-TERT-BUTOXYSILANE

Rapidly degradable 79.5% Method: OECD 301 F, Exposure duration: 28 days

ACETIC ACID

Solubility in water > 10000 mg/l

Rapidly degradable

12.3. Bioaccumulative potential

©EPY 11.1.2 - SDS 1004.14





Revision nr.30
Dated 07/03/2022
Printed on 07/03/2022
Page n. 10 / 13
Replaced revision:29 (Dated 09/03/2021)

SECTION 12. Ecological information/>>

ACETIC ACID

Partition coefficient: n-octanol/water -0.17

12.4. Mobility in soil

ACETIC ACID

Partition coefficient: soil/water 1.153

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant



Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 11 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 15. Regulatory information

Austrailia AICS: On or in compliance with the inventory.

Canada DSL Inventory List: On or in compliance with the inventory.

EINECS, ELINCS or NLP: On or in compliance with the inventory.

Japan (ENCS) List: On or in compliance with the inventory.

China Inv. Existing Chemical Substances: On or in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory.

Philippines PICCS: On or in compliance with the inventory.

US TSCA Inventory: On or in compliaince with the inventory.

New Zealand Inventory of Chemicals: On or in compliance with the inventory.

Taiwan Chemical Substance Inventory: On or in compliance with the inventory.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006
Product Point 3 - 40
Contained substance Point 75
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors Not applicable
Substances in Candidate List (Art. 59 REACH) OCTAMETHYLCYCLOTETRASILOXANE REACH Reg.: 01-2119529238-36
Substances subject to authorisation (Annex XIV REACH) None
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None
Substances subject to the Rotterdam Convention: None
Substances subject to the Stockholm Convention: None
Healthcare controls Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.
German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 1: Low hazard to waters

15.2. Chemical safety assessment

 $A\ chemical\ safety\ assessment\ has\ not\ been\ performed\ for\ the\ preparation/for\ the\ substances\ indicated\ in\ section\ 3.$

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3 Flammable liquid, category 3
Repr. 2 Reproductive toxicity, category 2
Acute Tox. 4 Acute toxicity, category 4
Skin Corr. 1A Skin corrosion, category 1A
Eye Dam. 1 Serious eye damage, category 1
Skin Irrit. 2 Skin irritation, category 2

ΕN



CHT UK BRIDGWATER LTD

SILCOSET 158

Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 12 / 13

Page n. 12 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 16. Other information .../>>

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

H226 Flammable liquid and vapour.
H361f Suspected of damaging fertility.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H315 Causes skin irritation.

H410 Very toxic to aquatic life with long lasting effects.

EUH014 Reacts violently with water.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)

ΕN



CHT UK BRIDGWATER LTD SILCOSET 158

Revision nr.30 Dated 07/03/2022 Printed on 07/03/2022 Page n. 13 / 13 Replaced revision:29 (Dated 09/03/2021)

SECTION 16. Other information .../>>

- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 08 / 09 / 11 / 12 / 15 / 16.