SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

SOLDABSORB

of the mixture

Registration number

Synonyms None.

Product code UDS000412BU 22-June-2022 Issue date

1.0 Version number

22-June-2022 **Revision date**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Speciality Uses advised against None known. 1.3. Details of the supplier of the safety data sheet

Company name CRC Industries Europe by

Address Touwslagerstraat 1

> 9240 Zele Belgium

Telephone +32(0)52/45.60.11

> hse@crcind.com www.crcind.com

CRC Industries UK Ltd. Company name

Address Wylds Road

> Castlefield Industrial Estate TA6 4DD Bridgwater Somerset

United Kingdom Telephone +44 1278 727200 +44 1278 425644 hse.uk@crcind.com www.crcind.com

1.4. Emergency telephone

number

Fax E-mail

Website

Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h CET)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

Environmental hazards

Hazardous to the aquatic environment, acute Category 1 H400 - Very toxic to aquatic life.

aquatic hazard

H411 - Toxic to aquatic life with Hazardous to the aquatic environment, Category 2

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Rosin, oligomers

Material name: SOLDABSORB - Kontakt chemie - Europe SDS GREAT BRITAIN

Hazard pictograms



Signal word Warning

Hazard statements

May cause an allergic skin reaction. H317

Very toxic to aquatic life with long lasting effects. H410

Precautionary statements

Prevention

Keep out of reach of children. P102

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

Avoid release to the environment. P273

Wear protective gloves. P280

Response

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313

IF ON SKIN: Wash with plenty of soap and water. P302 + P352

Take off contaminated clothing and wash it before reuse. P362 + P364

Collect spillage. P391 Not assigned. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
copper	>90	7440-50-8 231-159-6	-	029-024-00-X	#
	Classification: Aquatic Ad	cute 1;H400, Aquatic	Chronic 2;H411		
Rosin, oligomers	1 - 3	65997-05-9 500-163-2	-	-	
	Classification: Skin Sens	s. 1;H317			

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#: This substance has been assigned Union workplace exposure limit(s).

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion 4.2. Most important symptoms

and effects, both acute and

delayed

May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Material name: SOLDABSORB - Kontakt chemie - Europe UDS000412BU Version #: 1.0 Revision date: 22-June-2022 Issue date: 22-June-2022

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Powder. Dry sand.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

This product is miscible in water. Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

Storage class (TRGS 510): 13 (Non-combustible solids that cannot be assigned to any of the

above storage classes)

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK FH40 Workplace Exposure Limits (WFLs)

Components	Туре	Value	Form
copper (CAS 7440-50-8)	STEL	2 mg/m3	Inhalable dusts and mists.
	TWA	1 mg/m3	Inhalable dusts and mists.
		0.2 mg/m3	Fume.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Follow standard monitoring procedures.

procedures

Derived no effect levels (DNELs)

General Population

Components	Value	Assessment factor	Notes
copper (CAS 7440-50-8)			
Short-term, Systemic, Dermal	273 mg/kg bw/day	50	Repeated dose toxicity
Rosin, oligomers (CAS 65997-05-9)			
Long-term, Systemic, Dermal	1.065 mg/kg	200	Repeated dose toxicity
Long-term, Systemic, Oral	1.065 mg/kg	200	Repeated dose toxicity

Material name: SOLDABSORB - Kontakt chemie - Europe UDS000412BU Version #: 1.0 Revision date: 22-June-2022 Issue date: 22-June-2022

W	IO	rk	е	rs

73 mg/kg bw/day	Assessment factor 50	Repeated dose toxicity
) mg/m3	50	Repeated dose toxicity
) mg/m3	50	Repeated dose toxicity
•		
•		
131 mg/kg	100	Repeated dose toxicity
alue	Assessment factor	Notes
8 μg/l	1	
7 mg/kg	1	
5 mg/kg	1	
30 µg/l	1	
002 mg/l	1000	
007 mg/kg		
mg/kg		
000 mg/l	10	
	alue 8 μg/l 7 mg/kg 5 mg/kg 30 μg/l 002 mg/l 007 mg/kg mg/kg 000 mg/l	8 μg/l 1 7 mg/kg 1 5 mg/kg 1 30 μg/l 1 002 mg/l 1000 007 mg/kg mg/kg

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166. Eye/face protection

Skin protection

- Hand protection When handling the product wear chemical-resistant gloves (standard EN 374). The breakthrough

time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Suitable gloves can be

recommended by the glove supplier.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Solid. **Physical state**

Not available. Form Colour Copper. Odour Odourless. **Odour threshold** Not available. Not applicable. Melting point/freezing point Not applicable. Initial boiling point and boiling Not applicable.

range

Flash point Not applicable. Not applicable. **Evaporation rate**

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Jpper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper Not a

(%)

Not available.

Vapour pressureNot applicable.Vapour densityNot applicable.Relative densityNot applicable.

Solubility(ies)

Solubility (water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not applicable.

Not applicable.

Not available.

Explosive properties

Not explosive.

Oxidising properties

Not oxidising.

9.2. Other information

Aerosol spray enclosed space

Deflagration density Not applicable.

Aerosol spray ignition Not applicable.

distance

Heat of combustion Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability
Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Not available.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause an allergic skin reaction.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

copper (CAS 7440-50-8)

<u>Acute</u>

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat > 2500 mg/kg

Skin corrosion/irritationBased on available data, the classification criteria are not met. **Serious eye damage/eye**Based on available data, the classification criteria are not met.

irritation

Respiratory sensitisationBased on available data, the classification criteria are not met.

Material name: SOLDABSORB - Kontakt chemie - Europe

UDS000412BU Version #: 1.0 Revision date: 22-June-2022 Issue date: 22-June-2022

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicityBased on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Reproductive toxicity

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

SECTION 12: Ecological information

12.1. Toxicity Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Components Species Test Results

copper (CAS 7440-50-8)

Aquatic

Acute

Algae EC50 Algae > $0.1 - \le 1 \text{ mg/l}$, 72 hours Crustacea EC50 Daphnia > $0.1 - \le 1 \text{ mg/l}$, 48 hours Fish LC50 Fish 0.193 mg/l, 96 hours

Chronic Crustacea

NOEC Daphnia > 0.1 - <= 1 mg/l, 21 days

Fish NOEC Fish 0.188 mg/l, 30 days

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Not available.

Partition coefficient

n-octanol/water (log Kow)

Not available.

Bioconcentration factor (BCF) 12.4. Mobility in soil

No data available.

No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

SDS GREAT BRITAIN

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not applicable.

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended copper (CAS 7440-50-8)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended copper (CAS 7440-50-8)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value.

CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

GWP: Global Warming Potential.

IATA: International Air Transport Association.

Material name: SOLDABSORB - Kontakt chemie - Europe

SDS GREAT BRITAIN

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. VOC: Volatile organic compounds.

vPvB: Very persistent and very bioaccumulative.

STEL: Short-term Exposure Limit.

Not available.

Information on evaluation method leading to the classification of mixture

References

Full text of any H-statements not written out in full under Sections 2 to 15

Revision information Training information Disclaimer The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

None.

Follow training instructions when handling this material.

CRC Industries Europe byba cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

UDS000412BU Version #: 1.0 Revision date: 22-June-2022 Issue date: 22-June-2022