



Specifications

Material	Legend	Colour	Legend Colour	Length	External Depth	External Length/Height	External Width	Height	Part Number		
Self Adhesive	Push Bar To Open	Green	White	50	250	-	-	-	S218J		
	Fire Exit (Arrow Up)			150	450	150	450	-	S180FE - SAV		
				250	850	250	850	-	S180L - SAV		
	Fire Exit (Arrow Down)			150	450	150	450	-	S102FE		
				250	850	250	850	-	S102L - SAV		
	Fire Exit (Arrow Right)			150	450	150	450	-	S104FE - SAV		
				250	850	250	850	-	S104L - SAV		
	Fire Exit (Arrow Left)			150	450	150	450	-	S103FE - SAV		
				250	850	250	850	-	S103L - SAV		
	Fire Exit (Arrow Down Left)			150	450	150	450	-	S181FE - SAV		
	Fire Exit (Arrow Down Right)			-	-	-	-	-	-	S182FE - SAV	
	Fire Exit (Arrow Up)			250	850	250	850	-	S182L - SAV		
	Fire Exit Down/Left			850	250	250	850	-	S105L		
	Fire Exit (Arrow Up)			125	525	125	525	-	S210K - SAV		
				250	850	250	850	-	S210L - SAV		
	Fire Exit (Arrow Down)			125	525	125	525	-	S91K - SAV		
				250	850	250	850	-	S91L - SAV		
	Fire Exit Right			125	525	125	525	-	S60K - SAV		
				250	850	250	850	-	S60L - SAV		
	Fire Exit Left			125	525	125	525	-	S62K - SAV		
				250	850	250	850	-	S62L - SAV		
	Fire Exit			125	525	125	525	-	S63K - SAV		
				250	850	250	850	-	S63L - SAV		
	Fire Exit			-	-	525	-	125	525	125	S64K - SAV
	Fire Exit left			Green	White	850	-	250	850	250	S64L - SAV
	Fire Exit					525	-	125	525	125	S61K - SAV
						850	-	250	850	250	S61L - SAV
525		-	125			525	125	S211K - SAV			
850		-	250			850	250	S211L - SAV			
150		300	150			300	-	S73DD - SAV			

Dimensions : Millimetres

Specifications

Material	Legend	Colour	Legend Colour	Length	External Depth	External Length/Height	External Width	Height	Part Number			
Self Adhesive	Fire Exit	Green		250	350	250	350	-	S73HH - SAV			
				300	-	150	300	150	S75DD - SAV			
				350	-	250	350	250	S75HH - SAV			
	(Arrow Down)								-	S107DD - SAV		
	(Arrow Left)					150	300	150	300	-	S108DD - SAV	
	(Arrow Right)									-	S109DD - SAV	
	Fire Exit, Keep Clear			Green and Blue			300	600	300	600	-	S112WW - SAV
Emergency Stop Push Button				250	200	250	200	-	S150T - SAV			
Rigid Plastic	Fire Exit (Arrow Up)	Green	White	150	450	150	450	-	S180FE - RP			
	Fire Exit (Arrow Down)			250	850	250	850	-	S180L - RP			
								-	S102L - RP			
	Fire Exit (Arrow Right)			150	450	150	450	-	S104FE - RP			
	Fire Exit (Arrow Left)			250	850	250	850	-	S104L - RP			
								-	S103FE - RP			
	Fire Exit (Arrow Down Left)			250	850	250	850	-	S103L - RP			
	Fire Exit (Arrow Down Right)							-	S181L - RP			
	Fire Exit (Arrow Right)							-	S182L - RP			
	Fire Exit Down/Left						850	250	250	850	-	S101L - RP
	Fire Exit (Arrow Up)						125	525	125	525	-	S105L - RP
	Self Adhesive			Fire Exit (Arrow Down)			250	850	250	850	-	S210K - RP
							125	525	125	525	-	S210L - RP
Rigid Plastic	Fire Exit Right			125	525	125	525	-	S91K - RP			
				250	850	250	850	-	S91L - RP			
Self Adhesive	Fire Exit Left			125	525	125	525	-	S60K - RP			
				250	850	250	850	-	S60L - RP			
Rigid Plastic	Fire Exit			125	525	125	525	-	S62K - RP			
				250	850	250	850	-	S62L - RP			
	Fire exit	-	-	525	-	125	525	125	S63K - RP			
	Fire Exit Left	Green	White	850	-	250	850	250	S64L - RP			
	Fire Exit	Green	White	525	-	125	525	125	S61K - RP			
				850	-	250	850	250	S61L - RP			

Dimensions : Millimetres

Specifications

Material	Legend	Colour	Legend Colour	Length	External Depth	External Length/Height	External Width	Height	Part Number	
Rigid Plastic	Fire Exit	Green	White	525	-	125	525	125	S211K - RP	
				850	-	250	850	250	S211L - RP	
				150	300	150	300	-	S73DD - RP	
				250	350	250	350	-	S73HH - RP	
				300	-	150	300	150	S75DD - RP	
				350	-	250	350	250	S75HH - RP	
	(Arrow Down) (Arrow Left) (Arrow Right)				300	-	150	300	150	S212DD - RP
					150	300			-	S107DD - RP
					150				-	S108DD - RP
					150				-	S109DD - RP
	Fire Exit, Keep Clear		Green and Blue		300	600	300	600	-	S112WW - RP
	Emergency Stop Push Button		Green		250	200	250	200	-	S150T - RP

Dimensions : Millimetres

Notes:

International Sales Offices:



AUSTRALIA – Farnell InOne
Tel No: ++ 61 2 9645 8888
Fax No: ++ 61 2 9644 7898



FINLAND – Farnell InOne
Tel No: ++ 358 9 560 7780
Fax No: ++ 358 9 345 5411



NETHERLANDS – Farnell InOne
Tel No: ++ 31 30 241 7373
Fax No: ++ 31 30 241 7333



SWITZERLAND – Farnell InOne
Tel No: ++ 41 1 204 64 64
Fax No: ++ 41 1 204 64 54



AUSTRIA – Farnell InOne
Tel No: ++ 43 662 2180 680
Fax No: ++ 43 662 2180 670



FRANCE – Farnell InOne
Tel No: ++ 33 474 68 99 99
Fax No: ++ 33 474 68 99 90



NEW ZEALAND – Farnell InOne
Tel No: ++ 64 9 357 0646
Fax No: ++ 64 9 357 0656



UK – Farnell InOne
Tel No: ++ 44 8701 200 200
Fax No: ++ 44 8701 200 201



BELGIUM – Farnell InOne
Tel No: ++ 32 3 475 2810
Fax No: ++ 32 3 227 3648



GERMANY – Farnell InOne
Tel No: ++ 49 89 61 39 39 39
Fax No: ++ 49 89 613 59 01



NORWAY – Farnell InOne
Tel No: ++ 45 44 53 66 66
Fax No: ++ 45 44 53 66 02



UK – BuckHickman InOne
++ 44 8450 510 150
++ 44 8450 510 130



BRAZIL – Farnell-Newark InOne
Tel No: ++ 55 11 4066 9400
Fax No: ++ 55 11 4066 9410



HONG KONG – Farnell-Newark InOne
Tel No: ++ 852 2268 9888
Fax No: ++ 852 2268 9899



PORTUGAL – Farnell InOne
Tel No: ++ 34 93 475 8804
Fax No: ++ 34 93 474 5288



UK – CPC
++ 44 8701 202 530
++ 44 8701 202 531



CHINA – Farnell-Newark InOne
Tel No: ++86 10 6238 5152
Fax No: ++86 10 6238 5022



IRELAND – Farnell InOne
Tel No: ++ 353 1 830 9277
Fax No: ++ 353 1 830 9016



SINGAPORE – Farnell-Newark InOne
Tel No: ++ 65 6788 0200
Fax No: ++ 65 6788 0300



export Tel No: ++ 44 8701 200 208
Fax No: ++ 44 8701 200 209

For enquiries from all other markets



DENMARK – Farnell InOne
Tel No: ++ 45 44 53 66 44
Fax No: ++ 45 44 53 66 06



ITALY – Farnell InOne
Tel No: ++ 39 02 93 995 200
Fax No: ++ 39 02 93 995 300



SPAIN – Farnell InOne
Tel No: ++ 34 93 475 8805
Fax No: ++ 34 93 474 5107



ESTONIA – Farnell InOne
Tel No: ++ 358 9 560 7780
Fax No: ++ 358 9 345 5411



MALAYSIA – Farnell-Newark InOne
Tel No: ++ 60 3 7873 8000
Fax No: ++ 60 3 7873 7000



SWEDEN – Farnell InOne
Tel No: ++ 46 8 730 50 00
Fax No: ++ 46 8 83 52 62

<http://www.farnellinone.com>

<http://www.buckhickmaninone.com>

<http://www.cpc.co.uk>

Disclaimer This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. DURATOOL is the registered trademark of the Group. © Premier Farnell plc 2008.