




Terminals & Splices > Automotive Terminals > ROUND CONNECTOR SYSTEM, PIN AND SOCKET



Terminal Type: **Socket**

Mating Pin Diameter: **2.5 mm [.098 in]**

Terminal Transmits: **25 – 40 A (Power)**

Wire Size: **1 – 2.5 mm²**

[All Round Connector System, Pin and Socket \(74\)](#)

Features

Product Type Features

Receptacle Style	180°
Sealable	Yes
Primary Locking Feature	Locking Lance

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Contact Features

Contact Size	2.5mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Crimp Type	F-Crimp
Terminal Type	Socket
Mating Pin Diameter	2.5 mm[.098 in]
Interface Plating	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

--	--



Accepts Wire Insulation Diameter Range	2.2 – 3 mm[.086 – .118 in]
Wire Size	1 – 2.5 mm²
Wire Size Search	13 AWG, 14 AWG, 15 AWG, 16 AWG, 17 AWG

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C[176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Agency/Standard	AK
-----------------	----

Packaging Features

Packaging Quantity	500
Packaging Method	Box

Other

Terminal Transmits	25 – 40 A (Power)
--------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 58606-1 PROCrimp 1.5 & 2.5mm Pin/Seal	TE Part # 1-1579007-8 EXTRACTION TOOL	TE Part # 2063561-1 SDE P&S ROUND 12-14AWG ASSY	TE Part # 2063561-2 SDE P&S ROUND 12-14AWG DIE SET
TE Part # 58606-2 PC DIE 1.5 & 2.5 PIN W/S	TE Part # 539679-2 MATRIZE 2,5 MM D	TE Part # 1579024-5 HT33-SDE HAND TOOL 1.5, 2.5 DIA. CONTACT	

Also in the Series | Round Connector System

Automotive Connector Caps & Covers (5)	Automotive Housings(16)	Automotive Seals & Cavity Plugs(3)	Automotive Terminals(74)
---	--------------------------------	---	---------------------------------



Insertion & Extraction Tools(8)

Customers Also Bought



TE Part #1-968968-1
2,5MM BU-GEH ASSY4P




TE Part #K1140667
Push button switch TS-211-GN32



TE Part #163307-4
MATE-N-LOK PIN



TE Part #40660
RING 164(4.17 MM) TERMINAL 18-14
AWG BR



TE Part #927882-8
POS LOCK RECEPTACLE 6,3




TE Part #K1041106
Relay 85-220-S-005



TE Part #1241381-3
AMP MCP 1.5K, CONTACT, SWS, (LP)



TE Part #962999-1
1,5MMD SOCKET CONTACT



TE Part #962981-1
2,5MMD SOCKET CONTACT



TE Part #EP77432001
SCL-NMS-1-0-STK

Documents

Product Drawings

2,5 MMD SOCKET CONTACT

English

2,5 MMD SOCKET CONTACT

English

CAD Files

Customer View Model

ENG_CVM_962982-1_A5.3d_igs.zip



English

Customer View Model

[ENG_CVM_962982-1_A5.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_962982-1_A5.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Product Specification](#)

English