

ICCON

TE Internal #: 2358715-1 Power Terminals, Pin, Terminates To Printed Circuit Board, 1 Position, Board-to-Board, Power, Uninsulated, Right Angle, Silver, Silver, ICCON

View on TE.com >

Terminals & Splices > Power Terminals



Power Terminal Type: Pin

Product Terminates To: Printed Circuit Board

Number of Positions: 1

Contact Current Rating (Max): 350 A

Connector System: Board-to-Board

Features



Product Type Features

Terminal Style	Pin
Power Terminal Type	Pin
Connector System	Board-to-Board
Sealable	No
Configuration Features	
Number of Positions	1
PCB Mount Orientation	Right Angle
Body Features	
Plating Material Finish	Bright
Contact Features	
PCB Contact Termination Area Plating Material Finish	Matte
Contact Mating Area Plating Material Finish	Bright
Contact Underplating Material	Nickel
	INICKEI

Power Terminals, Pin, Terminates To Printed Circuit Board, 1 Position, Board-to-Board, Power, Uninsulated, Right Angle, Silver, Silver, ICCON



Contact Mating Area Plating Material	Silver
Contact Mating Area Plating Material Thickness	3 μm[120 μin]
PCB Contact Termination Area Plating Material	Silver
PCB Contact Termination Area Plating Material Thickness	3 μm[120 μin]
Contact Base Material	Copper Alloy
Terminal Orientation	Straight
Contact Design	Contact Band
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Product Terminates To	Printed Circuit Board
Mechanical Attachment	
Carrier Strip Mount Orientation	End Feed
Contact Mating Retention Type	Spring
Screw Size	M4
Housing Features	
Housing Material	Thermoplastic

Dimensions

PCB Thickness (Recommended)	2 mm[.079 in]
Mating Pin Diameter	10.3 mm[.406 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 – 105 °C
Operation/Application	
Circuit Application	Power
Packaging Features	
Packaging Method	Bag & Box
Packaging Quantity	1000
Other	
Insulation Material	Nylon

Product Compliance

For compliance documentation, visit the product page on TE.com>

Power Terminals, Pin, Terminates To Printed Circuit Board, 1 Position, Board-to-Board, Power, Uninsulated, Right Angle, Silver, Silver, ICCON



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts




Also in the Series ICCON

Power Terminals, Pin, Terminates To Printed Circuit Board, 1 Position, Board-to-Board, Power, Uninsulated, Right Angle, Silver, Silver, ICCON







Customers Also Bought



TE Part #1892801-4 TE Part #1-2379397-7 TE Part #2322124-9 TE Part #2331296-3 MCIO INTERGRATED CONN, V/T,8X, MBXL VERT HDR 16S+2p MBXL VERT HDR STR 7ACP, HF PCI-E CARD EDGE, 36 POS, 30U", T&R SMT TYPE = TE = TE TE Part #2331814-3 TE Part #6-2371900-8 TE Part #2-1775210-2 TE Part #1-2418107-8 CABLE REC ASSY, 84 P, RA, SLIVER 2.0 PCIE G5 CONN,164P,ASSY,30",SLIM, D-SUB 5.08mm,9 POS PLUG OVER 15 ASSY STR 168P 083 SLIVER longer tail NO RIDGE POS RCPT

TE Part #2327671-8 RECEPT ASSY, RA, 84 POS, SLIVER 2.0

Documents

Power Terminals, Pin, Terminates To Printed Circuit Board, 1 Position, Board-to-Board, Power, Uninsulated, Right Angle, Silver, Silver, ICCON



Product Drawings ICCON BLOCK SIZE 10.3mm SOCKET

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2358715-1_2.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2358715-1_2.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2358715-1_2.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

English

Product Environmental Compliance Product Compliance

English

Product Compliance

English