

Product Discontinuation Notice

Issue Date
March, 2023

Product Discontinuation

Pushbutton Switches and Indicators

Neon lamp separately

Model A16-1NRN

Model A16-1NGN

Model A16-2NRN

Model A16-2NGN



Operation unit for neon lamp separately

Model A16□L-□□N



Recommended Replacement

Pushbutton Switches and Indicators

Set model

Model A16□L-□R□-T1-□

Model A16□L-□G□-T1-□

Model A16□L-□R□-T2-2S

Model A16□L-□G□-T2-2S

Set model

Model A16□L-□□□-T□-□

[Final order entry date]

The end of December, 2023

[Date of The Last Shipping]

The end of June, 2024

[Caution on recommended replacement]

Only the lamp part and only the operation part cannot be replaced.
When replacing, please purchase the set type and replace the entire switch.
It will be changed from neon lamp to LED, and the lighting state will change.

[Difference from discontinued product]

Recommended replacement Model	Body Color	Dimensions	Wire connection	Mounting Dimensions	Characteristics	Operation ratings	Operation methods
A16□L-□R□-T1-□	--	--	*	--	--	**	**
A16□L-□G□-T1-□	--	--	*	--	--	**	**
A16□L-□R□-T2-2S	--	--	*	--	--	**	**
A16□L-□G□-T2-2S	--	--	*	--	--	**	**
A16□L-□□□-T□-□	--	--	*	--	--	**	**

** : Compatible

* : The change is a little/Almost compatible

-- : Not compatible

- : No corresponding specification

[Product Discontinuation and recommended replacement]

Product discontinuation		Single product type used in combination with discontinued products		Recommended replacement
Pushbutton	Lamp	Case	Socket	Set model
A16L-JGN	A16-1NGN	A16-CJM	A16-1	A16L-JGM-T1-1
A165L-AGN	A16-1NGN	A165-CAA	A16-1	A165L-AGA-T1-1
A165L-AGN	A16-1NGN	A165-CAM	A16-1	A165L-AGM-T1-1
A165L-JGN	A16-1NGN	A165-CJA	A16-1	A165L-JGA-T1-1
A165L-JGN	A16-1NGN	A165-CJM	A16-1	A165L-JGM-T1-1
A165L-TGN	A16-1NGN	A165-CTA	A16-1	A165L-TGA-T1-1
A165L-TGN	A16-1NGN	A165-CTM	A16-1	A165L-TGM-T1-1
A16L-JGN	A16-1NGN	A16-CJA	A16-1	A16L-JGA-T1-1
A16L-TGN	A16-1NGN	A16-CTA	A16-1	A16L-TGA-T1-1
A16L-TGN	A16-1NGN	A16-CTM	A16-1	A16L-TGM-T1-1
A165L-AGN	A16-1NGN	A165-CAA	A16-2	A165L-AGA-T1-2
A165L-AGN	A16-1NGN	A165-CAM	A16-2	A165L-AGM-T1-2
A165L-JGN	A16-1NGN	A165-CJA	A16-2	A165L-JGA-T1-2
A165L-JGN	A16-1NGN	A165-CJM	A16-2	A165L-JGM-T1-2
A165L-TGN	A16-1NGN	A165-CTA	A16-2	A165L-TGA-T1-2
A165L-TGN	A16-1NGN	A165-CTM	A16-2	A165L-TGM-T1-2
A16L-JGN	A16-1NGN	A16-CJA	A16-2	A16L-JGA-T1-2
A16L-JGN	A16-1NGN	A16-CJM	A16-2	A16L-JGM-T1-2
A16L-TGN	A16-1NGN	A16-CTA	A16-2	A16L-TGA-T1-2
A16L-TGN	A16-1NGN	A16-CTM	A16-2	A16L-TGM-T1-2
A165L-AGN	A16-1NGN	A165-CAA	A16-2S	A165L-AGA-T1-2S
A165L-AGN	A16-1NGN	A165-CAM	A16-2S	A165L-AGM-T1-2S
A165L-JGN	A16-1NGN	A165-CJA	A16-2S	A165L-JGA-T1-2S
A165L-JGN	A16-1NGN	A165-CJM	A16-2S	A165L-JGM-T1-2S
A165L-TGN	A16-1NGN	A165-CTA	A16-2S	A165L-TGA-T1-2S
A165L-TGN	A16-1NGN	A165-CTM	A16-2S	A165L-TGM-T1-2S
A165L-AGN	A16-1NGN	A16-CAA	A16-2S	A16L-AGA-T1-2S
A165L-AGN	A16-1NGN	A16-CAM	A16-2S	A16L-AGM-T1-2S
A16L-JGN	A16-1NGN	A16-CJA	A16-2S	A16L-JGA-T1-2S
A16L-JGN	A16-1NGN	A16-CJM	A16-2S	A16L-JGM-T1-2S
A16L-TGN	A16-1NGN	A16-CTA	A16-2S	A16L-TGA-T1-2S
A16L-TGN	A16-1NGN	A16-CTM	A16-2S	A16L-TGM-T1-2S
A165L-AGN	A16-2NGN	A165-CAA	A16-2S	A165L-AGA-T2-2S
A165L-AGN	A16-2NGN	A165-CAM	A16-2S	A165L-AGM-T2-2S
A165L-JGN	A16-2NGN	A165-CJA	A16-2S	A165L-JGA-T2-2S
A165L-JGN	A16-2NGN	A165-CJM	A16-2S	A165L-JGM-T2-2S
A165L-TGN	A16-2NGN	A165-CTA	A16-2S	A165L-TGA-T2-2S
A165L-TGN	A16-2NGN	A165-CTM	A16-2S	A165L-TGM-T2-2S
A16L-JGN	A16-2NGN	A16-CJA	A16-2S	A16L-JGA-T2-2S
A16L-JGN	A16-2NGN	A16-CJM	A16-2S	A16L-JGM-T2-2S
A16L-TGN	A16-2NGN	A16-CTA	A16-2S	A16L-TGA-T2-2S
A16L-TGN	A16-2NGN	A16-CTM	A16-2S	A16L-TGM-T2-2S
A165L-JRN	A16-1NRN	A165-CJA	A16-1	A165L-JRA-T1-1
A165L-JRN	A16-1NRN	A165-CJM	A16-1	A165L-JRM-T1-1
A165L-TRN	A16-1NRN	A165-CTA	A16-1	A165L-TRA-T1-1
A165L-TRN	A16-1NRN	A165-CTM	A16-1	A165L-TRM-T1-1
A16L-JRN	A16-1NRN	A16-CJA	A16-1	A16L-JRA-T1-1
A16L-JRN	A16-1NRN	A16-CJM	A16-1	A16L-JRM-T1-1
A16L-TRN	A16-1NRN	A16-CTA	A16-1	A16L-TRA-T1-1
A16L-TRN	A16-1NRN	A16-CTM	A16-1	A16L-TRM-T1-1
A165L-JRN	A16-1NRN	A165-CJA	A16-2	A165L-JRA-T1-2

Product discontinuation		Single product type used in combination with discontinued products		Recommended replacement
Pushbutton	Lamp	Case	Socket	Set model
A165L-JRN	A16-1NRN	A165-CJM	A16-2	A165L-JRM-T1-2
A165L-TRN	A16-1NRN	A165-CTA	A16-2	A165L-TRA-T1-2
A165L-TRN	A16-1NRN	A165-CTM	A16-2	A165L-TRM-T1-2
A16L-JRN	A16-1NRN	A16-CJA	A16-2	A16L-JRA-T1-2
A16L-JRN	A16-1NRN	A16-CJM	A16-2	A16L-JRM-T1-2
A16L-TRN	A16-1NRN	A16-CTA	A16-2	A16L-TRA-T1-2
A16L-TRN	A16-1NRN	A16-CTM	A16-2	A16L-TRM-T1-2
A165L-JRN	A16-1NRN	A165-CJA	A16-2S	A165L-JRA-T1-2S
A165L-JRN	A16-1NRN	A165-CJM	A16-2S	A165L-JRM-T1-2S
A165L-TRN	A16-1NRN	A165-CTA	A16-2S	A165L-TRA-T1-2S
A165L-TRN	A16-1NRN	A165-CTM	A16-2S	A165L-TRM-T1-2S
A16L-JRN	A16-1NRN	A16-CJA	A16-2S	A16L-JRA-T1-2S
A16L-JRN	A16-1NRN	A16-CJM	A16-2S	A16L-JRM-T1-2S
A16L-TRN	A16-1NRN	A16-CTA	A16-2S	A16L-TRA-T1-2S
A16L-TRN	A16-1NRN	A16-CTM	A16-2S	A16L-TRM-T1-2S
A165L-JRN	A16-2NRN	A165-CJA	A16-2S	A165L-JRA-T2-2S
A165L-JRN	A16-2NRN	A165-CJM	A16-2S	A165L-JRM-T2-2S
A165L-TRN	A16-2NRN	A165-CTA	A16-2S	A165L-TRA-T2-2S
A165L-TRN	A16-2NRN	A165-CTM	A16-2S	A165L-TRM-T2-2S
A16L-JRN	A16-2NRN	A16-CJA	A16-2S	A16L-JRA-T2-2S
A16L-JRN	A16-2NRN	A16-CJM	A16-2S	A16L-JRM-T2-2S
A16L-TRN	A16-2NRN	A16-CTA	A16-2S	A16L-TRA-T2-2S
A16L-TRN	A16-2NRN	A16-CTM	A16-2S	A16L-TRM-T2-2S
A165L-AGN	A16-1NGN	A165-CAM	A16-1	A165L-AGM-T1-1
A165L-AGN	A16-1NGN	A165-CAM	A16-2	A165L-AGM-T1-2
A165L-AGN	A16-1NGN	A165-CAM	A16-2S	A165L-AGM-T1-2S
A165L-AGN	A16-1NGN	A165-CAA	A16-1	A165L-AGA-T1-1
A165L-AGN	A16-1NGN	A165-CAA	A16-2	A165L-AGA-T1-2
A165L-AGN	A16-1NGN	A165-CAA	A16-2S	A165L-AGA-T1-2S
A165L-AGN	A16-2NGN	A165-CAM	A16-2S	A165L-AGM-T2-2S
A165L-AGN	A16-2NGN	A165-CAA	A16-2S	A165L-AGA-T2-2S
A165L-JGN	A16-1NGN	A165-CJM	A16-1	A165L-JGM-T1-1
A165L-JGN	A16-1NGN	A165-CJM	A16-2	A165L-JGM-T1-2
A165L-JGN	A16-1NGN	A165-CJM	A16-2S	A165L-JGM-T1-2S
A165L-JGN	A16-1NGN	A165-CJA	A16-1	A165L-JGA-T1-1
A165L-JGN	A16-1NGN	A165-CJA	A16-2	A165L-JGA-T1-2
A165L-JGN	A16-1NGN	A165-CJA	A16-2S	A165L-JGA-T1-2S
A165L-JGN	A16-2NGN	A165-CJM	A16-2S	A165L-JGM-T2-2S
A165L-JGN	A16-2NGN	A165-CJA	A16-2S	A165L-JGA-T2-2S
A165L-JRN	A16-1NRN	A165-CJM	A16-1	A165L-JRM-T1-1
A165L-JRN	A16-1NRN	A165-CJM	A16-2	A165L-JRM-T1-2
A165L-JRN	A16-1NRN	A165-CJM	A16-2S	A165L-JRM-T1-2S
A165L-JRN	A16-1NRN	A165-CJA	A16-1	A165L-JRA-T1-1
A165L-JRN	A16-1NRN	A165-CJA	A16-2	A165L-JRA-T1-2
A165L-JRN	A16-1NRN	A165-CJA	A16-2S	A165L-JRA-T1-2S
A165L-JRN	A16-2NRN	A165-CJM	A16-2S	A165L-JRM-T2-2S
A165L-JRN	A16-2NRN	A165-CJA	A16-2S	A165L-JRA-T2-2S
A165L-TGN	A16-1NGN	A165-CTM	A16-1	A165L-TGM-T1-1
A165L-TGN	A16-1NGN	A165-CTM	A16-2	A165L-TGM-T1-2
A165L-TGN	A16-1NGN	A165-CTM	A16-2S	A165L-TGM-T1-2S
A165L-TGN	A16-1NGN	A165-CTA	A16-1	A165L-TGA-T1-1
A165L-TGN	A16-1NGN	A165-CTA	A16-2	A165L-TGA-T1-2
A165L-TGN	A16-1NGN	A165-CTA	A16-2S	A165L-TGA-T1-2S




Product discontinuation		Single product type used in combination with discontinued products		Recommended replacement
Pushbutton	Lamp	Case	Socket	Set model
A165L-TGN	A16-2NGN	A165-CTM	A16-2S	A165L-TGM-T2-2S
A165L-TGN	A16-2NGN	A165-CTA	A16-2S	A165L-TGA-T2-2S
A165L-TRN	A16-1NRN	A165-CTM	A16-1	A165L-TRM-T1-1
A165L-TRN	A16-1NRN	A165-CTM	A16-2	A165L-TRM-T1-2
A165L-TRN	A16-1NRN	A165-CTM	A16-2S	A165L-TRM-T1-2S
A165L-TRN	A16-1NRN	A165-CTA	A16-1	A165L-TRA-T1-1
A165L-TRN	A16-1NRN	A165-CTA	A16-2	A165L-TRA-T1-2
A165L-TRN	A16-1NRN	A165-CTA	A16-2S	A165L-TRA-T1-2S
A165L-TRN	A16-2NRN	A165-CTM	A16-2S	A165L-TRM-T2-2S
A165L-TRN	A16-2NRN	A165-CTA	A16-2S	A165L-TRA-T2-2S
A165L-TWN	A16-1NRN	A165-CTM	A16-1	A165L-TRM-T1-1
A165L-TWN	A16-1NGN	A165-CTM	A16-1	A165L-TGM-T1-1
A165L-TWN	A16-1NRN	A165-CTM	A16-2	A165L-TRM-T1-2
A165L-TWN	A16-1NGN	A165-CTM	A16-2	A165L-TGM-T1-2
A165L-TWN	A16-1NRN	A165-CTM	A16-2S	A165L-TRM-T1-2S
A165L-TWN	A16-1NGN	A165-CTM	A16-2S	A165L-TGM-T1-2S
A165L-TWN	A16-1NRN	A165-CTA	A16-1	A165L-TRA-T1-1
A165L-TWN	A16-1NGN	A165-CTA	A16-1	A165L-TGA-T1-1
A165L-TWN	A16-1NRN	A165-CTA	A16-2	A165L-TRA-T1-2
A165L-TWN	A16-1NGN	A165-CTA	A16-2	A165L-TGA-T1-2
A165L-TWN	A16-1NRN	A165-CTA	A16-2S	A165L-TRA-T1-2S
A165L-TWN	A16-1NGN	A165-CTA	A16-2S	A165L-TGA-T1-2S
A165L-TWN	A16-2NRN	A165-CTM	A16-2S	A165L-TRM-T2-2S
A165L-TWN	A16-2NGN	A165-CTM	A16-2S	A165L-TGM-T2-2S
A165L-TWN	A16-2NRN	A165-CTA	A16-2S	A165L-TRA-T2-2S
A165L-TWN	A16-2NGN	A165-CTA	A16-2S	A165L-TGA-T2-2S
A16L-JGN	A16-1NGN	A16-CJM	A16-1	A16L-JGM-T1-1
A16L-JGN	A16-1NGN	A16-CJM	A16-2	A16L-JGM-T1-2
A16L-JGN	A16-1NGN	A16-CJM	A16-2S	A16L-JGM-T1-2S
A16L-JGN	A16-1NGN	A16-CJA	A16-1	A16L-JGA-T1-1
A16L-JGN	A16-1NGN	A16-CJA	A16-2	A16L-JGA-T1-2
A16L-JGN	A16-1NGN	A16-CJA	A16-2S	A16L-JGA-T1-2S
A16L-JGN	A16-2NGN	A16-CJM	A16-2S	A16L-JGM-T2-2S
A16L-JGN	A16-2NGN	A16-CJA	A16-2S	A16L-JGA-T2-2S
A16L-JRN	A16-1NRN	A16-CJM	A16-1	A16L-JRM-T1-1
A16L-JRN	A16-1NRN	A16-CJM	A16-2	A16L-JRM-T1-2
A16L-JRN	A16-1NRN	A16-CJM	A16-2S	A16L-JRM-T1-2S
A16L-JRN	A16-1NRN	A16-CJA	A16-1	A16L-JRA-T1-1
A16L-JRN	A16-1NRN	A16-CJA	A16-2	A16L-JRA-T1-2
A16L-JRN	A16-1NRN	A16-CJA	A16-2S	A16L-JRA-T1-2S
A16L-JRN	A16-2NRN	A16-CJM	A16-2S	A16L-JRM-T2-2S
A16L-JRN	A16-2NRN	A16-CJA	A16-2S	A16L-JRA-T2-2S
A16L-TGN	A16-1NGN	A16-CTM	A16-1	A16L-TGM-T1-1
A16L-TGN	A16-1NGN	A16-CTM	A16-2	A16L-TGM-T1-2
A16L-TGN	A16-1NGN	A16-CTM	A16-2S	A16L-TGM-T1-2S
A16L-TGN	A16-1NGN	A16-CTA	A16-1	A16L-TGA-T1-1
A16L-TGN	A16-1NGN	A16-CTA	A16-2	A16L-TGA-T1-2
A16L-TGN	A16-1NGN	A16-CTA	A16-2S	A16L-TGA-T1-2S
A16L-TGN	A16-2NGN	A16-CTM	A16-2S	A16L-TGM-T2-2S
A16L-TGN	A16-2NGN	A16-CTA	A16-2S	A16L-TGA-T2-2S
A16L-TRN	A16-1NRN	A16-CTM	A16-1	A16L-TRM-T1-1
A16L-TRN	A16-1NRN	A16-CTM	A16-2	A16L-TRM-T1-2
A16L-TRN	A16-1NRN	A16-CTM	A16-2S	A16L-TRM-T1-2S

Product discontinuation		Single product type used in combination with discontinued products		Recommended replacement
Pushbutton	Lamp	Case	Socket	Set model
A16L-TRN	A16-1NRN	A16-CTA	A16-1	A16L-TRA-T1-1
A16L-TRN	A16-1NRN	A16-CTA	A16-2	A16L-TRA-T1-2
A16L-TRN	A16-1NRN	A16-CTA	A16-2S	A16L-TRA-T1-2S
A16L-TRN	A16-2NRN	A16-CTM	A16-2S	A16L-TRM-T2-2S
A16L-TRN	A16-2NRN	A16-CTA	A16-2S	A16L-TRA-T2-2S
A16L-TWN	A16-1NRN	A16-CTM	A16-1	A16L-TRM-T1-1
A16L-TWN	A16-1NGN	A16-CTM	A16-1	A16L-TGM-T1-1
A16L-TWN	A16-1NRN	A16-CTM	A16-2	A16L-TRM-T1-2
A16L-TWN	A16-1NGN	A16-CTM	A16-2	A16L-TGM-T1-2
A16L-TWN	A16-1NRN	A16-CTM	A16-2S	A16L-TRM-T1-2S
A16L-TWN	A16-1NGN	A16-CTM	A16-2S	A16L-TGM-T1-2S
A16L-TWN	A16-1NRN	A16-CTA	A16-1	A16L-TRA-T1-1
A16L-TWN	A16-1NGN	A16-CTA	A16-1	A16L-TGA-T1-1
A16L-TWN	A16-1NRN	A16-CTA	A16-2	A16L-TRA-T1-2
A16L-TWN	A16-1NGN	A16-CTA	A16-2	A16L-TGA-T1-2
A16L-TWN	A16-1NRN	A16-CTA	A16-2S	A16L-TRA-T1-2S
A16L-TWN	A16-1NGN	A16-CTA	A16-2S	A16L-TGA-T1-2S
A16L-TWN	A16-2NRN	A16-CTM	A16-2S	A16L-TRM-T2-2S
A16L-TWN	A16-2NGN	A16-CTM	A16-2S	A16L-TGM-T2-2S
A16L-TWN	A16-2NRN	A16-CTA	A16-2S	A16L-TRA-T2-2S
A16L-TWN	A16-2NGN	A16-CTA	A16-2S	A16L-TGA-T2-2S






[Body color]

<p>Product discontinuation Model A16-□N□N Model A16□L-□□N</p>	<p>Recommendable replacement Model A16□L-□□□-T□-□</p>								
<p>A16-1NRN A16□L-□RN Light source : Neon lamp</p> <table border="1" data-bbox="233 430 708 725"> <tr> <td data-bbox="233 430 367 577">Light OFF</td> <td data-bbox="367 430 708 577"></td> </tr> <tr> <td data-bbox="233 577 367 725">Light ON</td> <td data-bbox="367 577 708 725"></td> </tr> </table>	Light OFF		Light ON		<p>A16□L-□R□-T1-□ Light source : LED It will be brighter than a neon lamp.</p> <table border="1" data-bbox="924 430 1383 725"> <tr> <td data-bbox="924 430 1038 577">Light OFF</td> <td data-bbox="1038 430 1383 577"></td> </tr> <tr> <td data-bbox="924 577 1038 725">Light ON</td> <td data-bbox="1038 577 1383 725"></td> </tr> </table>	Light OFF		Light ON	
Light OFF									
Light ON									
Light OFF									
Light ON									
<p>A16-1NGN A16□L-□GN Light source : Neon lamp</p> <table border="1" data-bbox="233 878 708 1173"> <tr> <td data-bbox="233 878 367 1025">Light OFF</td> <td data-bbox="367 878 708 1025"></td> </tr> <tr> <td data-bbox="233 1025 367 1173">Light ON</td> <td data-bbox="367 1025 708 1173"></td> </tr> </table>	Light OFF		Light ON		<p>A16□L-□G□-T1-□ Light source : LED It will be brighter than a neon lamp.</p> <table border="1" data-bbox="924 878 1383 1173"> <tr> <td data-bbox="924 878 1038 1025">Light OFF</td> <td data-bbox="1038 878 1383 1025"></td> </tr> <tr> <td data-bbox="924 1025 1038 1173">Light ON</td> <td data-bbox="1038 1025 1383 1173"></td> </tr> </table>	Light OFF		Light ON	
Light OFF									
Light ON									
Light OFF									
Light ON									
<p>A16-2NRN A16□L-□RN Light source : Neon lamp</p> <table border="1" data-bbox="233 1326 708 1621"> <tr> <td data-bbox="233 1326 367 1473">Light OFF</td> <td data-bbox="367 1326 708 1473"></td> </tr> <tr> <td data-bbox="233 1473 367 1621">Light ON</td> <td data-bbox="367 1473 708 1621"></td> </tr> </table>	Light OFF		Light ON		<p>A16□L-□R□-T2-2S Light source : LED It will be brighter than a neon lamp</p> <table border="1" data-bbox="924 1326 1383 1621"> <tr> <td data-bbox="924 1326 1038 1473">Light OFF</td> <td data-bbox="1038 1326 1383 1473"></td> </tr> <tr> <td data-bbox="924 1473 1038 1621">Light ON</td> <td data-bbox="1038 1473 1383 1621"></td> </tr> </table>	Light OFF		Light ON	
Light OFF									
Light ON									
Light OFF									
Light ON									
<p>A16-2NGN A16□L-□GN Light source : Neon lamp</p> <table border="1" data-bbox="233 1756 708 2051"> <tr> <td data-bbox="233 1756 367 1904">Light OFF</td> <td data-bbox="367 1756 708 1904"></td> </tr> <tr> <td data-bbox="233 1904 367 2051">Light ON</td> <td data-bbox="367 1904 708 2051"></td> </tr> </table>	Light OFF		Light ON		<p>A16□L-□G□-T2-2S Light source : LED It will be brighter than a neon lamp</p> <table border="1" data-bbox="924 1756 1383 2051"> <tr> <td data-bbox="924 1756 1038 1904">Light OFF</td> <td data-bbox="1038 1756 1383 1904"></td> </tr> <tr> <td data-bbox="924 1904 1038 2051">Light ON</td> <td data-bbox="1038 1904 1383 2051"></td> </tr> </table>	Light OFF		Light ON	
Light OFF									
Light ON									
Light OFF									
Light ON									







【Dimensions】

<p align="center">Product discontinuation Model A16-□N□N Model A16□L-□□N</p>	<p align="center">Recommendable replacement Model A16□L-□□□-T□-□</p>
<p>Pushbutton: A16□L-J□N, Lamp: A16-□N□N, Case: A16□-CJ□, Socket: A16-□ Soldering terminal When using a combination</p> 	<p>Set model : A16□L-J□□-T1-□ Soldering terminal The depth from the mounting surface is 21.6mm longer.</p> 
	<p>Set model : A16□L-J□□-T□-2S Quick connector The depth from the mounting surface is 22.4mm longer.</p> 

[Wire connection]

<p>Product discontinuation Model A16-□N□N Model A16□L-□□N</p>	<p>Recommendable replacement Model A16□L-□□□-T□-□</p>
<p>Pushbutton: A16□L-□□□, Lamp: A16-□N□N, Case: A16□-C□□, Socket: A16-1 Soldering terminal When using a combination</p> 	<p>Set model : A16□L-□□□-T1-1 It has a built-in decompression circuit.</p> 
<p>Pushbutton: A16□L-□□□, Lamp: A16-□N□N, Case: A16□-C□□, Socket: A16-2 Soldering terminal When using a combination</p> 	<p>Set model : A16□L-□□□-T1-2 It has a built-in decompression circuit.</p> 
	<p>Set model : A16□L-□□□-T□-2S It has a built-in decompression circuit.</p> 

【Mounting Dimensions】

<p align="center">Product discontinuation Model A16-□N□N Model A16□L-□□N</p>	<p align="center">Recommendable replacement Model A16□L-□□□-T□-□</p>
<p>Pushbutton: A16□L-J□N, Lamp: A16-□N□N, Case: A16□-CJ□, Socket: A16-□ Soldering terminal When using a combination</p> 	<p>Set model : A16□L-J□□-T1-□ Soldering terminal The mounting pitch in the vertical direction is 4mm longer.</p> 
<p>Pushbutton: A16□L-A□N, Lamp: A16-□N□N, Case: A16□-CA□, Socket: A16-□ Soldering terminal When using a combination Pushbutton: A16□L-T□N, Lamp: A16-□N□N, Case: A16□-CT□, Socket: A16-□ Soldering terminal When using a combination</p> 	<p>Set model : A16□L-A□□-T1-□ Soldering terminal A16□L-T□□-T1-□ Soldering terminal The mounting pitch in the vertical direction is 4mm longer.</p> 
<p>Set model : A16□L-A□□-T2-2S Quick connector A16□L-T□□-T2-2S Quick connector The mounting pitch in the vertical direction is 14mm longer. The mounting pitch in the left-right direction is 6mm longer.</p> 	<p>Set model : A16□L-A□□-T2-2S Quick connector A16□L-T□□-T2-2S Quick connector The mounting pitch in the vertical direction is 14mm longer. The mounting pitch in the left-right direction is 6mm longer.</p> 

[Characteristics]

Item	Product discontinuation Model A16-□N□N	Recommendable replacement Model A16□L-□□□-T□-□
Rated voltage (Working voltage range)	A16-1N□N: AC110V (AC99~121V) A16-2N□N: AC220V (AC198~242V)	A16□L-□R□-T1-□: AC/DC110V (AC/DC90~121V) A16□L-□□□-T2-2S: AC/DC220V (AC/DC180~242V)
Rated current	A16-1N□N: About 1.5mA A16-2N□N: About 1.5mA	A16□L-□□□-T1-□: 15mA max A16□L-□□□-T2-2S: 15mA max

Specifications and prices in this product news are as of the issue date and are subject to change without notice. Only main changes in specifications are described in this document. Please be sure to read the relevant catalogs, datasheets, product specifications, instructions, and manuals for precautions and necessary information when using products.