

PCN# 20230515000.2 Qualification of new BOM for select package Devices Change Notification / Sample Request

Date: May 17, 2023 To: PREMIER FARNELL PCN

Dear Customer:

This is an announcement of a change to a device that is currently offered by Texas Instruments. The details of this change are on the following pages.

Texas Instruments requires acknowledgement of receipt of this notification within **30** days of the date of this notice. Lack of acknowledgement of this notice within 30 days constitutes acceptance of the change. If samples or additional data are required, requests must be received within **30 days** of this notification.

The changes discussed within this PCN will not take effect any earlier than the proposed first ship date on Page 3 of this notification, unless customer agreement has been reached on an earlier implementation of the change.

This notice does not change the end-of-life status of any product. Should product affected be on a previously issued product withdrawal/discontinuance notice, this notification does not extend the life of that product or change the life time buy offering/discontinuance plan.

For questions regarding this notice or to provide acknowledgement of this PCN, you may contact your local Field Sales Representative or the PCN Team (<u>PCN ww admin team@list.ti.com</u>). For sample requests or sample related questions, contact your local Field Sales Representative.

Sincerely,

PCN Team SC Business Services

20230515000.2 Attachment: 1

Products Affected:

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

DEVICE

TL331IDBVR

CUSTOMER PART NUMBER

null

Technical details of this Product Change follow on the next page(s).

| PCN Number: 20230515000.2 | | | | | | | Ρ | CN Date: | May 17, 2023 | | |
|--|-------------|-------------|---------------------------------------|---------------|---------------------------------|------------|--------|---------------------|--------------|--|--|
| Title: | Qualifica | ation of | of new BOM for select package Devices | | | | | | | | |
| Custon | er Contact | :: <u>P</u> | CN Manage | <u>Dept</u> : | | Quality Se | ervice | vices | | | |
| Proposed 1 st Ship Date | | | Nov 16, | 2023 | Sample requests accepted until: | | | June 16, 2023* | | | |
| *Sample requests received after June 16, 2023 will not be supported. | | | | | | | | | | | |
| Change Type: | | | | | | | | | | | |
| As | sembly Site | | | | Design | | | Wafer Bump Site | | | |
| | sembly Proc | | | Data | Data Sheet | | | Wafer Bump Material | | | |
| | sembly Mat | | P | | Part number change | | | Wafer Bump Process | | | |
| | chanical Sp | | | | Test Site | | | Wafer Fab Site | | | |
| L Pa | cking/Shipp | ing/Lat | beling | L Test | Test Process | | Ш | Wafer Fab Materials | | | |
| | | | | | | | | Wafer Fab Process | | | |
| PCN Details | | | | | | | | | | | |
| Descrip | tion of Ch | ange: | | | | | | | | | |
| Texas Instruments Incorporated is announcing the qualification of new material set for the devices listed in the "Product Affected" Section. Devices will remain at current location. Material Difference: | | | | | | | | | | | |
| | | | Current | | Propos | ed | | | | | |
| Lea | d finish | | NiPdAu | | Matte Sn | | | | | | |
| Upon expiration of this PCN, TI will combine lead free solutions in a single <u>standard part</u> <u>number</u>, for example; <u>TL331IDBVR</u> - can ship with both Matte Sn and NiPdAu. Example: Customer order for 7500 units of SN566230RJER with 2500 units SPQ (Standard Pack Quantity per Reel). TI can satisfy the above order in one of the following ways. I. 3 Reels of NiPdAu finish. II. 3 Reels of Matte Sn finish III. 2 Reels of Matte Sn and 1 reel of NiPdAu finish. IV. 2 Reels of NiPdAu and 1 reel of Matte Sn finish. | | | | | | | | | | | |
| Reason for Change: | | | | | | | | | | | |
| Continuity of supply. | | | | | | | | | | | |
| Anticipated impact on Form, Fit, Function, Quality or Reliability (positive / negative): | | | | | | | | | | | |
| None | | | | | | | | | | | |
| Impact on Environmental Ratings | | | | | | | | | | | |
| Checked boxes indicate the status of environmental ratings following implementation of this | | | | | | | | | | | |
| change. If below boxes are checked, there are no changes to the associated environmental ratings. | | | | | | | | | | | |
| | RoHS | | R | EACH | | Green Stat | us | IEC | C 62474 | | |
| No No | Change | | No Cha | - | | lo Change | - | No Cl | | | |

| Changes to product identification resulting from this PCN: | | | | | | | |
|---|------------------|---|--|--|--|--|--|
| Sample product shipping TEXAS INSTRUMENTS MADE IN: Malaysia 2DC: 20: MSL '2 /260C/1 YEAR SEAL MSL 1 /235C/UNLIM 03/28 OPT: ITEM: 39 LBL: 5A (L)T0:17 | G4 DT 0/04 | Ct label) G4 = NiPdAu G3 = Matte Sn (1P) SN74LS07NSR (Q) 2000 (D) 0336 (31T)LOT: 3959047MLA (4W) TKY (1T) 7523483SI2 (P) (2P) REV: (V) 0033317 (20L) CS0: SHE (21L) CC0:USA (22L) AS0: MLA (23L) AC0: MYS | | | | | |
| Product Affected: | | | | | | | |
| TL331IDBVR | TL331IDBVT | TL331KDBVR | | | | | |

Qualification Report Approve Date 03-Apr- 2023

Qualification Results

Data Displayed as: Number of lots / Total sample size / Total failed

| Туре | # | Test Name | Condition | Duration | Qual Device: <u>TPS76933DBVR</u> | Qual Device: TL331IDBVRG4 | Qual Device: <u>TLV9051SIDBVR</u> | Qual Device: TPS2553DDBVR | Qual Device: <u>LV3842XDBVR</u> | QBS Reference: <u>TLV9061IDBVR</u> |
|-------|----|-------------------------------------|--|---------------|-------------------------------------|------------------------------|--------------------------------------|------------------------------|------------------------------------|--|
| HAST | A2 | Biased HAST | 130C/85%RH | 96 Hours | - | - | - | - | - | 3/231/0 |
| UHAST | A3 | Unbiased HAST | 130C/85%RH | 96 Hours | 3/231/0 | 3/231/0 | 3/231/0 | 3/231/0 | 3/231/0 | 3/231/0 |
| тс | A4 | Temperature Cycle | -65C/150C | 500 Cycles | 3/231/0 | 3/231/0 | 3/231/0 | 3/231/0 | - | 3/231/0 |
| тс | A4 | Temperature Cycle | -65C/150C | 500 Cycles | - | - | - | - | 3/231/0 | - |
| HTSL | A6 | High Temperature Storage Life | 150C | 1000 Hours | 3/231/0 | 3/231/0 | 3/231/0 | 3/231/0 | 3/231/0 | - |
| HTSL | A6 | High Temperature Storage Life | 170C | 420 Hours | - | - | - | - | - | 3/231/0 |
| HTOL | В1 | Life Test | 150C | 300 Hours | - | - | - | - | - | 3/231/0 |
| WBS | C1 | Ball Shear | 76 balls, 3 units min | Wires | - | - | - | - | - | 3/228/0 |
| WBP | C2 | Bond Pull | 76 Wires, 3 units min | Wires | - | - | - | - | - | 3/228/0 |
| SD | СЗ | PB-Free Solderability | Precondition w.155C Dry Bake (4 hrs +/- 15 minutes); PB- Free Solder; | - | 1/22/0 | 1/22/0 | 1/22/0 | 1/22/0 | 1/22/0 | 3/66/0 |
| PD | C4 | Physical Dimensions | (per mechanical drawing) | - | - | - | - | - | - | 3/15/0 |
| FTY | E6 | Final Test Yield | - | - | - | - | - | - | - | 3/3/0 |

QBS: Qual By Similarity

Qual Device TPS76933DBVR is qualified at MSL1 260C

Qual Device TL3311DBVRG4 is qualified at MSL1 260C Qual Device TLV9051SIDBVR is qualified at MSL1 260C Qual Device TPS2553DDBVR is qualified at MSL1 260C Qual Device LV3842XDBVR is qualified at MSL1 260C Preconditioning was performed for Autoclave, Unbiased HAST, THB/Biased HAST, Temperature Cycle, Thermal Shock, and HTSL, as applicable The following are equivalent HTOL options based on an activation energy of 0.7eV : 125C/1k Hours, 140C/480 Hours, 150C/300 Hours, and 155C/240 Hours The following are equivalent HTSL options based on an activation energy of 0.7eV : 150C/1k Hours, and 170C/420 Hours The following are equivalent Temp Cycle options per JESD47 : -55C/125C/700 Cycles and -65C/150C/500 Cycles Quality and Environmental data is available at TI's external Web site: http://www.ti.com/ Green/Pb-free Status: Qualified Pb-Free(SMT) and Green

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

| Location | E-Mail | | | | |
|---------------------------|-------------------------------|--|--|--|--|
| WW Change Management Team | PCN ww admin team@list.ti.com | | | | |

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (<u>www.ti.com/legal/termsofsale.html</u>) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.