# SAFETY DATA SHEET



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

**PUR 400** 

Registration number

**Synonyms** None

UDS000478BU **Product code** 18-November-2022 Issue date

1 0 Version number

18-November-2022 **Revision date** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Release Agents Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

CRC Industries UK Ltd. Company name

**Address** Wylds Road

> Castlefield Industrial Estate TA6 4DD Bridgwater Somerset

United Kingdom

Telephone +44 1278 727200 Fax +44 1278 425644 hse.uk@crcind.com E-mail Website www.crcind.com

CRC Industries Europe by Company name

**Address** Touwslagerstraat 1

> 9240 Zele Belgium

+32(0)52/45.60.11 Telephone +32(0)52/45.00.34 Fax E-mail hse@crcind.com Website www.crcind.com

1.4. Emergency telephone

Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h GMT)

number

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification

## Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids H225 - Highly flammable liquid and Category 2

vapour.

**Health hazards** 

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Specific target organ toxicity - single Category 3 narcotic effects H336 - May cause drowsiness or

exposure dizziness.

Aspiration hazard Category 1 H304 - May be fatal if swallowed

and enters airways.

**Environmental hazards** 

Material name: PUR 400 - Ambersil - europe

Hazardous to the aquatic environment, H411 - Toxic to aquatic life with Category 2

long-term aquatic hazard long lasting effects.

SDS GREAT BRITAIN

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Hydrocarbons, C7, n-alkanes, isoalkanes, cyclic, xylene

**Hazard pictograms** 



Signal word Danger

**Hazard statements** 

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

Prevention

P<sub>101</sub> If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P271 Use only outdoors or in a well-ventilated area.

Response

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

P331 Do NOT induce vomiting.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **General information**

Chemical name		%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes	
Hydrocarbons, C7, n-alkanes,isoalkanes,	-	0 - 100	- 927-510-4	01-2119475515-33	649-328-00-1		
Classification: Flam. Liq. 2;H225, Skin Irrit. 2;H315, STOT SE 3;H336, Asp. Tox. 1;H304, Aquatic Chronic 2;H411							
xylene		1 - 5	1330-20-7-5 215-535-7	01-21194488216-32	601-022-00-9		
Classification: Acute Tox. 4;H312, Acute Tox. 4;H332, Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335, STOT RE 2;H373, Asp. Tox. 1;H304, Aquatic Chronic 3;H412							

# List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

### **SECTION 4: First aid measures**

General information Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the

material(s) involved, and take precautions to protect themselves. Wash contaminated clothing

before reuse.

Material name: PUR 400 - Ambersil - europe SDS GREAT BRITAIN

### 4.1. Description of first aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison

centre or doctor/physician if you feel unwell.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation

occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Get medical attention if irritation develops and persists.

**Ingestion** Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and delayed Aspiration may cause pulmonary oedema and pneumonitis. May cause drowsiness or dizziness. Headache. Nausea, vomiting. Direct contact with eyes may cause temporary irritation. Skin irritation. May cause redness and pain.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

# **SECTION 5: Firefighting measures**

General fire hazards Highly flammable liquid and vapour.

5.1. Extinguishing media

**Suitable extinguishing** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). **media** 

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Avoid breathing mist/vapours. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. The product is immiscible with water and will spread on the water surface. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

Material name: PUR 400 - Ambersil - europe SDS GREAT BRITAIN

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with

sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 3 (Flammable liquids)

7.3. Specific end use(s) Not available.

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits 
No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an exposure limits are processed to the processed and the processed are processed as a control of the processed and the processed are processed as a pr

acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.

Skin protection

- Hand protection When handling the product wear chemical-resistant gloves (standard EN 374). The breakthrough

time of the glove should be longer than the total duration of product use. If work lasts longer than

the breakthrough time, gloves should be changed part-way through. Nitrile gloves are

recommended. Suitable gloves can be recommended by the glove supplier.

- Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with

organic vapour cartridge and full facepiece. (Filter type A)

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

**Environmental exposure** 

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Colour Colourless.
Odour Solvent.
Odour threshold Not available.

Material name: PUR 400 - Ambersil - europe SDS GREAT BRITAIN

UDS000478BU Version #: 1.0 Revision date: 18-November-2022 Issue date: 18-November-2022

pH Not applicable.

Melting point/freezing point Not available.

Initial boiling point and boiling 94 °C (201.2 °F)

range

Flash point -4.0 °C (24.8 °F) Closed cup

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) 1.1 % Explosive limit - upper 7 %

(%)

Vapour pressureNot available.Vapour densityNot available.Relative density0.74 g/cm3 20 °C

Solubility(ies)

Solubility (water) Insoluble in water

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature > 200 °C (> 392 °F)

Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.

9.2. Other information

Aerosol spray enclosed space

Deflagration density Not available.

Aerosol spray ignition Not available.

distance

Heat of combustion Not available.

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

**10.6. Hazardous** Not available.

decomposition products

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause drowsiness or dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be

harmful.

**Skin contact** Causes skin irritation.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia.

**Symptoms** Aspiration may cause pulmonary oedema and pneumonitis. May cause drowsiness or dizziness.

Headache. Nausea, vomiting. Skin irritation. May cause redness and pain.

11.1. Information on toxicological effects

**Acute toxicity** May be fatal if swallowed and enters airways.

Material name: PUR 400 - Ambersil - europe SDS GREAT BRITAIN

Product	Species		Test Results			
PUR 400						
<u>Acute</u>						
Dermal			00050 5 # 1			
ATEmix			86956.5 mg/kg bw			
Inhalation						
<i>Vapour</i> ATEmix			960 FGF mall			
	Species		869.565 mg/l Test Results			
Components Hydrocarbons, C7, n-alkanes,isoa	Species		rest results			
Acute	aikanes, cyclic					
<u>Prouto</u> Dermal						
LD50	Rat		2920 mg/kg			
Inhalation						
LC50	Rat		23.3 mg/l			
Oral			- -			
LD50	Rat		5840 mg/kg			
xylene						
<u>Acute</u>						
Dermal						
LD50	Rabbit		12126 mg/kg			
Inhalation						
LC50	Rat		27124 mg/l			
Oral						
LD50	Rat		3532 mg/kg			
Skin corrosion/irritation	Causes skir					
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.					
Respiratory sensitisation	Based on available data, the classification criteria are not met.					
Skin sensitisation	Based on available data, the classification criteria are not met.					
Germ cell mutagenicity	Based on available data, the classification criteria are not met.					
Carcinogenicity	Based on available data, the classification criteria are not met.					
Reproductive toxicity	Based on available data, the classification criteria are not met.					
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.					
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.					
Aspiration hazard	May be fatal if swallowed and enters airways.					
Mixture versus substance information	Not available.					
SECTION 12: Ecological i	information					
•			facts			
2.1. Toxicity  Toxic to aquatic life with long later and the second seco		-	Test Results			
Hydrocarbons, C7, n-alkanes,isoa	alkanes cyclic	opecies	i ear iveanira			
Aquatic	ainarios, cyclic					
Acute						
Crustacea	EC50	Daphnia	3 mg/l, 48 hours			
Fish	LC50	Fish	> 13.4 mg/l, 96 hours			
Chronic			<b>.</b>			
Crustacea	NOEC	Daphnia	0.17 mg/l, 21 days			
xylene		•	<u>.</u>			
Acuto						

Selenastrum capricornutum (new name 2.2 mg/l, 73 hours Pseudokirchneriella subcapitata)

Acute

EC50

Components Species Test Results

Aquatic

Acute

Crustacea LC50 Daphnia magna 1 mg/l, 24 hours
Fish LC50 Rainbow trout 2.6 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

**12.3. Bioaccumulative potential** No data available.

Partition coefficient

Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

**12.6. Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU waste code**The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

**Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Special precautions** Dispose in accordance with all applicable regulations.

#### **SECTION 14: Transport information**

**ADR** 

**14.1. UN number** UN3295

14.2. UN proper shipping

name

HYDROCARBONS, LIQUID, N.O.S. (heptanes, xylene)

14.3. Transport hazard class(es)

Class 3 Subsidiary risk -

Hazard No. (ADR) Not assigned.

**Tunnel restriction code** D/E **ADR/RID - Classification** F1

code:

**14.4. Packing group** II **14.5. Environmental hazards** Yes

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

**RID** 

**14.1. UN number** UN1993

**14.2. UN proper shipping** HYDROCARBONS, LIQUID, N.O.S. (heptanes, xylene)

name

14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
14.4. Packing group

14.5. Environmental hazards Yes

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

**14.1. UN number** UN1993

14.2. UN proper shipping HYDROCARBONS, LIQUID, N.O.S. (heptanes, xylene)

name

14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
14.4. Packing group ||
14.5. Environmental hazards Yes

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

**14.1. UN number** UN3295

**14.2. UN proper shipping** HYDROCARBONS, LIQUID, N.O.S. (heptanes, xylene)

Not established.

name

14.3. Transport hazard class(es)

Class 3
Subsidiary risk 
14.4. Packing group ||

14.5. Environmental hazards Yes

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

**IMDG** 

**14.1. UN number** UN3295

14.2. UN proper shipping HYDROCARBONS, LIQUID, N.O.S. (heptanes, xylene), MARINE POLLUTANT

name

14.3. Transport hazard class(es)

Class 3
Subsidiary risk 14.4. Packing group II
14.5. Environmental hazards
Marine pollutant Yes

EmS F-E,S-D

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

14.7. Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC

Code

ADN; ADR; IATA; IMDG; RID



## Marine pollutant



General information IMDG Regulated Marine Pollutant.

# **SECTION 15: Regulatory information**

Material name: PUR 400 - Ambersil - europe

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Retained direct EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed.

### Other regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

### **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value.

CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

GWP: Global Warming Potential.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent. bioaccumulative and toxic.

REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).

RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit.

TLV: Threshold Limit Value.

TWA: Time Weighted Average.

VLE: Exposure Limit Value.

VME: Exposure Average Value.

VOC: Volatile organic compounds.

Material name: PUR 400 - Ambersil - europe

vPvB: Very persistent and very bioaccumulative.

STEL: Short-term Exposure Limit.

References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

None.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

**Revision information** 

**Training information** 

Disclaimer

Follow training instructions when handling this material.

CRC Industries Europe UK Limited cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.

Material name: PUR 400 - Ambersil - europe

10 / 10