

TGR-BT-CHG-35A - Suitable for Lead-Acid, Lithium & LiFePO4

Features:

- Suitable for 12V or 24V Lead Acid, Lithium or LiFePO4 Batteries (Lead Acid charging includes AGM, GEL, SLA, VRLA, EFB)
- Safety Approved and supplied with UK power cord
- Rated at 35 amp at 12V / 18 amp at 24V
- Can also be set to 12V 10A, 12V 20A, 24V 5A and 24V 10A
- 4 modes select between Lithium, AGM/Lead Acid, LifePo4 or repair mode
- Automatically adjusts charging voltage to prevent over/ under tharging
- Adjustable charge current to suit wide selection of battery ratings
- Repair mode adopts pulse technology for automatic desulf
- Auto detect voltage and battery health
- · Trickle charge function for battery maintenance









TGR-BT-CHG-35A - Suitable for Lead-Acid, Lithium & LiFePO4



TIGER POWER PRODUCTS - QUALITY & RELIABILITY

This specification is not for general release or circulation. Tiger Power reserves the right to make changes to spec. or product without notice or liability. All information is a guide only. Tiger Power Supplies cannot be held responsible for use of this and it is recommended a professional electrician should be consulted



TGR-BT-CHG-35A - Suitable for Lead-Acid, Lithium & LiFePO4




TIGER POWER PRODUCTS - QUALITY & RELIABILITY

This specification is not for general release or circulation. Tiger Power reserves the right to make changes to spec. or product without notice or liability. All information is a guide only. Tiger Power Supplies cannot be held responsible for use of this and it is recommended a professional electrician should be consulted



TGR-BT-CHG-35A - Suitable for Lead-Acid, Lithium & LiFePO4





TIGER POWER PRODUCTS - QUALITY & RELIABILITY

This specification is not for general release or circulation. Tiger Power reserves the right to make changes to spec. or product without notice or liability. All information is a guide only. Tiger Power Supplies cannot be held responsible for use of this and it is recommended a professional electrician should be consulted