

# SAFETY DATA SHEET

# Ultrasonic Cleaner Solution For Oxidation and Rust Removal

**Revision date:** 02/03/2022

**SECTION 1** 

## **Product & Supplier Identification**

#### 1.1 Product identifier

**Product Name:** Ultrasonic Fluid for Oxidation and Rust Removal

**Product Code:** UTOXI01, UTOXI05

**Commodity Code:** 34029090 **UFI:** W4T2-208E-R009-G69A

## 1.2 Relevant identified uses of the substance or mixture and advised against:

Relevant uses: Chemical cleaning products. For professional users/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

## 1.3 Detail of the supplier of the safety data sheet:

Company: Shesto Ltd

Address: Sunley House, Olds Approach, Watford WD18 9TB, United Kingdom

Telephone: +44 (0)20 8451 6188

# 1.4 Emergency telephone number

Emergency telephone number: 999

#### **SECTION 2**

## **Hazards Identification**

#### 2.1 Classification of the mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1: Skin corrosion, Category 1, H314

#### 2.2 Label elements:

## CLP Regulation (EC) No 1272/2008:

# **Danger**



#### **Hazard statements:**

Skin Corr. 1: H314 - Causes severe skin burns and eye damage.

#### **Precautionary statements:**

 $P280: We ar \ protective \ gloves/protective \ clothing/eye \ protection/protective \ footwear.$ 

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

+44 (0) 20 8451 6188 Shesto Ltd.

 Sales@shesto.co.uk Sunley House, Olds Approach
 Watford, Herts. WD18 9TB. UK
 Registered in England No. 428331

Craft, Model & Hobby Supplies

Tools & Equipment for Precision Engineering

Lighting & Magnification Solutions

Cake Crafting & Decorating Supplies



P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a poison center/doctor.

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

#### **SECTION 3**

#### **Composition/Information on Ingredient**

#### 3.1 Substance:

Non-applicable

# 3.2 Mixture:

Chemical description: Mixture of substances

# **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification					
CAS:		Citric Acid monohidra	ated <sup>(1)</sup>	Self-classified				
	611-842-9 Non-applicable 01-2119457026-42- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	1>	5 - <15 %			

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

#### SECTION 4 First Aid Measures

**4.1 Description of First Aid Measures:** Request medical assistance immediately, showing the SDS of this product.


**By inhalation:** This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

**By skin contact:** Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

**By eye contact:** Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

## By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they







may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

## 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

## 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

**SECTION 5** 

## **Fire Fighting Measures**

## 5.1 Extinguishing Media

## Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

## Unsuitable extinguishing media:

Non-applicable

## 5.2 Special Hazards arising from the substance or mixture

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

## **5.3** Advice for Fire Fighters

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

## **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**SECTION 6** 

#### **Accidental Release Measures**

# **6.1** Personal precautions, protective equipment and emergency procedures For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

## For emergency responders:

See section 8.

#### **6.2 Environmental precautions**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

#### 6.3 Methods and material for containment and cleaning up

It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### **6.4 Reference to other sections**

See sections 8 and 13.







#### **Handling & Storage**

## 7.1 Precautions for safe handling

## A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

## B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

# C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

# D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

## 7.2 Conditions for safe storage, including any incompatibilities

A.- Technical measures for storage

Minimum Temp.: 0 °C Maximum Temp.: 40 °C Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

#### **SECTION 8**

#### **Exposure Control/ Personal Protection**

#### **8.1** Control parameters

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

## **DNEL** (Workers):

Non-applicable

#### **DNEL** (General population):

Non-applicable

#### **PNEC:**

Identification				
Citric Acid monohidrated	STP	1000 mg/L	Fresh water	0,44 mg/L
CAS: 5949-29-1	Soil	33,1 mg/kg	Marine water	0,044 mg/L
EC: 611-842-9	Intermittent	Non-applicable	Sediment (Fresh water)	34,6 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	3,46 mg/kg

## **8.2** Exposure controls

## A.- Individual protection measures, such as personal protective equipment

<b>44</b> (0) 20 8451 6188	Shesto Ltd.
sales@shesto.co.uk	Sunley House, Olds Approach
www.shesto.com	Watford, Herts. WD18 9TB. UK
	Registered in England No. 428331





As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

## **B.- Respiratory protection**

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

## C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CE		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

#### D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

#### E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

# F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Fmorsoney shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewasii stations	

#### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental


spillage of both the product and its container. For additional information see subsection 7.1.D

# **Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 0 % weight

V.O.C. density at 20 °C: 0 kg/m³ (0 g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable







#### **Physical & Chemical Properties**

## 9.1 Information on basic physical and chemical properties

**Appearance:** 

Physical state at 20 °C:

Appearance:

Colour:

Liquid

Fluid

Yellow

Odour: Characteristic
Odour threshold: Non-applicable \*

Volatility:

Boiling point at atmospheric pressure: 100 °C Vapour pressure at 20 °C: 2350 Pa

Vapour pressure at 50 °C: 12381,01 Pa (12,38 kPa)

Evaporation rate at 20 °C: Non-applicable \*

**Product description:** 

Density at 20 °C: 1040 kg/m<sup>3</sup>

Relative density at 20 °C: 1,04

Dynamic viscosity at 20 °C:

Kinematic viscosity at 20 °C:

Kinematic viscosity at 40 °C:

Non-applicable \*

Non-applicable \*

Non-applicable \*

Non-applicable \*

pH: 1-3

Vapour density at 20 °C:

Partition coefficient n-octanol/water 20 °C:

Solubility in water at 20 °C:

Non-applicable \*

Non-applicable \*

Non-applicable \*

Decomposition temperature:

Melting point/freezing point:

Non-applicable \*

Non-applicable \*

Flammability:

Flash Point: Non Flammable (>60 °C)

Flammability (solid, gas):

Autoignition temperature:

Lower flammability limit:

Upper flammability limit:

Non-applicable \*

Non-applicable \*

Non-applicable \*

**Particle characteristics:** 

Median equivalent diameter: Non-applicable

**9.2 Other information:** 

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable components:

Non-applicable \*

Non-applicable \*

Non-applicable \*

Non-applicable \*

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Non-applicable \*

Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

+44 (0) 20 8451 6188 Shesto Ltd.

 Sales@shesto.co.uk Sunley House, Olds Approach
 Watford, Herts. WD18 9TB. UK
 Registered in England No. 428331











#### **Stability & Reactivity**

#### **10.1 Reactivity**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

## 10.2 Chemical stability

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid

Applicable for handling and storage at room temperature:

_ 1 1	<u> </u>	1		
Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

## 10.5 Incompatible materials

Acids	Water	Oxidising materials	Combustible materials	Others
Not applicable	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

## 10.6 Hazardous decomposition products

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

**SECTION 11** 

#### **Toxicological Information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

The experimental information related to the toxicological properties of the product itself is not available **Dangerous health implications:** 

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

#### **A- Ingestion (acute effect):**


- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.

## **B-Inhalation (acute effect):**

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

#### C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
- Contact with the eyes: Produces serious eye damage after contact.







## D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Non-applicable - Mutagenicity: Based on available data, the classification criteria are not met, as it

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances

classified as hazardous for this effect. For more information see section 3.

#### **E- Sensitizing effects:**

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as

hazardous for this effect. For more information see section 3.

# F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### **G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### **H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### Other information:

Non-applicable

**Specific toxicology information on the substances:** 

Identification	Acut	Genus	
Citric Acid monohidrated	LD50 oral	3000 mg/kg	Rat
CAS: 5949-29-1	LD50 dermal	>5000 mg/kg	Rat
EC: 611-842-9	LC50 inhalation	Non-applicable	

#### 11.2 Information on other hazards:

#### **Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

#### Other information

Non-applicable

The experimental information related to the eco-toxicological properties of the product itself is not available



#### **Ecological Information**

# 12.1 Toxicity:

## **Acute toxicity:**

Identification	Concentration		Species	Genus
Citric Acid monohidrated	LC50	1516 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 5949-29-1	EC50	120 mg/L (48 h)	Daphnia magna	Crustacean
EC: 611-842-9	EC50	Non-applicable		

#### 12.2 Persistence and degradability

Identification	Degradability		Biodegradab	ility
Citric Acid monohidrated	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 5949-29-1	COD	Non-applicable	Period	5 days
EC: 611-842-9	BOD5/COD	Non-applicable	% Biodegradable	72 %

#### 12.3 Bioaccumulative potential

· · · · · · · · · · · · · · · · · · ·				
Identification	Bioaccumulation potential			
Citric Acid monohidrated	BCF	3		
CAS: 5949-29-1	Pow Log	-1.64		
EC: 611-842-9	Potential	Low		

## 12.4 Mobility in soil

Identification	Absorption/desorption		Volatility	
Citric Acid monohidrated	Koc	3.1	Henry	4,3E-14 Pa·m³/mol
CAS: 5949-29-1	Conclusion	Very High	Dry soil	No
EC: 611-842-9	Surface tension	Non-applicable	Moist soil	No

## 12.5 Results of PBT and vPvB assessment

Product fails to meet PBT/vPvB criteria

## 12.6 Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

## 12.7 Other adverse effects

Not described

SECTION 13	Disposal Considerations
0 0 0 1 1 0 1 1 0 0	= 10 p = 0 11

#### 13.1 Waste treatment methods

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

## Type of waste (Regulation (EU) No 1357/2014):


**HP8** Corrosive

#### **Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014







#### **Transport Information**

# Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

**14.1 UN number or ID number:** UN1760

**14.2 UN proper shipping name:** CORROSIVE LIQUID, N.O.S.

14.3 Transport hazard class(es): 8Labels: 814.4 Packing group: II

**14.5 Environmental hazards:** No

**14.6** Special precautions for user

Special regulations: 274
Tunnel restriction code: E

Physico-Chemical properties: see section 9

Limited quantities: 1 L

14.7 Maritime transport in bulk according to IMO

instruments:

Non-applicable

## Transport of dangerous goods by sea:

With regard to IMDG 39-18:



**14.1 UN number or ID number:** UN1760

**14.2 UN proper shipping name:** CORROSIVE LIQUID, N.O.S.

14.3 Transport hazard class(es): 8Labels: 814.4 Packing group: II

**14.5 Marine pollutant:** No

14.6 Special precautions for user

Special regulations: 274
EmS Codes: F-A, S-B
Physico-Chemical properties: see section 9

Limited quantities: 1 L Segregation group: SGG1

14.7 Maritime transport in bulk according to IMO

instruments:

Non-applicable

#### Transport of dangerous goods by air:

With regard to IATA/ICAO 2022:



**14.1 UN number or ID number:** UN1760

**14.2 UN proper shipping name:** CORROSIVE LIQUID, N.O.S.

14.3 Transport hazard class(es): 8Labels: 814.4 Packing group: II

14.5 Environmental hazards: No

14.6 Special precautions for user

Physico-Chemical properties: see section 9

14.7 Maritime transport in bulk according to IMO

instruments:

Non-applicable

**44** (0) 20 8451 6188

sales@shesto.co.uk

Sunley House, Olds Approach

Shesto Ltd.

www.shesto.com Watford, H

Watford, Herts. WD18 9TB. UK

Registered in England No. 428331



Craft, Model & Hobby Supplies



Tools & Equipment for Precision Engineering



Lighting & Magnification Solutions





#### **Regulatory Information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

# Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) n°648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

#### **Labelling for contents:**

Component	Concentration interval
Amphoteric surfactants	% (w/w) < 5

Seveso III: Non-applicable

# Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ···.):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- —tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

# **Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:


The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

#### **15.2 Chemical Safety Assessment**

The supplier has not carried out evaluation of chemical safety.

## Legislation related to safety data sheets:







The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

# Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- · Pictograms
- · Hazard statements
- · Precautionary statements

## TRANSPORT INFORMATION (SECTION 14):

- · UN number
- · Packing group

## Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage.

H314: Causes severe skin burns and eye damage.

Texts of the legislative phrases mentioned in section 3:

#### **SECTION 16**

#### **Other Information**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

## CLP Regulation (EC) No 1272/2008:

Eye Irrit. 2: H319 - Causes serious eye irritation.

### **Classification procedure:**

Eye Dam. 1: Calculation method Skin Corr. 1: Calculation method

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

## Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

# Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

+44 (0) 20 8451 6188 Shesto Ltd.

 ■ sales@shesto.co.uk Sunley House, Olds Approach
 Www.shesto.com
 Watford, Herts. WD18 9TB. UK
 Registered in England No. 428331







