RS422 RS485 Serial DB9 to Terminal Block Adapter

Product ID: DB92422

The DB92422 DB 9 to Terminal Block adapter converts an RS-422 or RS-485 DB 9 male serial connector to a terminal block connector.

The 5-pin 3.5mm Terminal Block connector supports screw-type wiring to meet the standard for industrial wiring applications.Backed by Lifetime warranty.

Certifications, Reports and Compatibility

RoHS Compliant | WEEE/GK0063TV | TAA COMPLIANT | CE

Applications

• Perfect for controlling/diagnosing manufacturing machines(CNC, Process Control Equipment, Bar Code Scanners, Serial Printers)

• Security device control (key panels, cameras, card readers)

• Convert RS422/485 DB9 to a terminal block for extended connections

• Industrial wiring applications

• Ideal in office, warehouse, or other environments where RS-422 and RS-485 are used

Features

• Converts a DB9 male RS422/485 port to a 5 pin terminal block

• Supports four wire RS422, RS485, and two wire RS485 modes

• Meets Screw-type industrial wireing standards

• Supports 3.5mm 5 pin terminal blocks

• Signal Ground over Terminal blocks supported

Connector(s)		
	Warranty	2 Years
	Connector Type(s)	1 - DB-9 (9 pin, D-Sub)
		1 - Terminal Block (5 Wire)
Environmental		
	Operating Temperature	-40C to 85C (-40F to 185F)
	Storage Temperature	-40C to 85C (-40F to 185F)
	Humidity	0~95% RH
Physical Characteristics		
	Color	Black
	Product Length	1.9 in [48.9 mm]
	Product Width	1.3 in [34.2 mm]
	Product Height	0.6 in [1.5 cm]
	Weight of Product	0.8 oz [23 g]
Packaging Information		
	Package Quantity	1
	Package Length	5.7 in [14.4 cm]
	Package Width	4.0 in [10.2 cm]
	Package Height	1.4 in [35 mm]
	Shipping (Package) Weight	1.9 oz [53 g]

What's in the Box

Included in Package	1 - DB9 female to terminal block

*Product appearance and specifications are subject to change without notice.