

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Supercedes Date: 14-Dec-2021

Revision date 04-Oct-2022 Revision Number 3.01

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants

Uses advised against

Not to be used in articles intended for direct or prolonged skin contact Not to be used in

production of toys or childcare articles Fabrics, textiles and apparel: bedding and clothing Gloves Footwear (shoes, boots) Paper products: tissue, towels, disposable dinnerware,

nappies, feminine hygiene products, adult incontinence products, writing paper

Reason why uses advised against Restricted substance per REACH Annex XVII

### 1.3. Details of the supplier of the safety data sheet

### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### **EU Specific Hazard Statements**

United Kingdom - BE Page 1 / 17

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Revision date 04-Oct-2022 Supercedes Date: 14-Dec-2021 Revision Number 3.01

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine & N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine & Dioctyltinbis(acetylacetonate). May produce an allergic reaction EUH210 - Safety data sheet available on request

# 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Diisononyl phthalate	249-079-5	28553-12-0	10 - <20	[1]	-	01-2119430798- 28-XXXX
Trimethoxyvinylsilane	220-449-8 (014-049-00- 0)	2768-02-7	1 - <2.5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
Titanium dioxide	236-675-5 (022-006-00- 2)	13463-67-7	0.1- <1	[C]	-	01-2119489379- 17-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine	217-164-6	1760-24-3	0.1- <1	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)	-	01-2119970215- 39-XXXX
Dioctyltinbis(acetylaceto nate)	483-270-6	54068-28-9	0.1 - <0.5	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	01-000020199- 67-XXXX
N-[3-(Dimethoxymethylsi lyl)propyl]-ethylenediami ne		3069-29-2	0.1 - <0.5	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	-	01-2119963926- 21-xxxx

United Kingdom - BE Page 2/17

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Revision date 04-Oct-2022 Supercedes Date: 14-Dec-2021 **Revision Number** 3.01

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

[I] - Restricted substance per REACH Annex XVII

## Full text of H- and EUH-phrases: see section 16

Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Methyl alcohol 67-56-1	200-659-6 (603-001-00-X)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-	01-2119433307- 44-XXXX

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **Notes**

See section 16 for more information

Chemical name	Notes
Titanium dioxide - 13463-67-7	V,W,10

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Show this safety data sheet to the doctor in attendance. If medical advice is needed, **General advice** 

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

**Eve contact** Consult an ophthalmologist. Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Small amounts of toxic methanol are released by hydrolysis. Small amounts of toxic Ingestion

methanol are released by hydrolysis. Call a doctor immediately. Never give anything by

mouth to an unconscious person. Rinse mouth thoroughly with water.

# 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

**Effects of Exposure** No information available.

United Kingdom - BE Page 3/17

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Revision date 04-Oct-2022 Supercedes Date: 14-Dec-2021 Revision Number 3.01

#### 4.3. Indication of any immediate medical attention and special treatment needed

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon Note to doctors

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Suitable Extinguishing Media

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.

5.3. Advice for firefighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Do not get **Personal precautions** 

in eyes, on skin, or on clothing.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section **Environmental precautions** 

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

United Kingdom - BE Page 4 / 17

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Revision date 04-Oct-2022 Supercedes Date: 14-Dec-2021 **Revision Number** 3.01

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Adhesives and/or sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Observe technical data sheet. Other information

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Exposure Limits** 

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Diisononyl phthalate	-	TWA: 5 mg/m <sup>3</sup>
28553-12-0		STEL: 15 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 250 ppm
		STEL: 333 mg/m <sup>3</sup>
		Sk*
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Dioctyltinbis(acetylacetonate)	-	TWA: 0.1 mg/m <sup>3</sup>
54068-28-9		STEL: 0.2 mg/m <sup>3</sup>
		Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

No information available **Derived No Effect Level (DNEL)** 

Derived No Effect Level (DNEL)						
Diisononyl phthalate (28553-	·12-0)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	51.72 mg/m³				
worker Long term Systemic health effects	Dermal	366 mg/kg bw/d				

Trimethoxyvinylsilane (2768-02-7)						
Туре		Derived No Effect Level (DNEL)	Safety factor			
worker Systemic health effects	Inhalation	27,6 mg/m³				

United Kingdom - BE Page 5/17

# OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE

Revision date 04-Oct-2022

Supercedes Date: 14-Dec-2	021	) <u>C</u>	Revision Number 3.0
Long term			
worker	Dermal	3,9 mg/kg bw/d	
Systemic health effects		3. 3	
Long term			
		<u> </u>	
Titanium dioxide (13463-67-	7)		
Type	Exposure route	Derived No Effect Level	Safety factor
	•	(DNEL)	
worker	Inhalation	10 mg/m <sup>3</sup>	
Long term			
Local health effects			
N-(3-(trimethoxysilyl)propyl)			
Type	Exposure route	Derived No Effect Level	Safety factor
	lieb eleties	(DNEL)	
worker	Inhalation	35.5 mg/m³	
Systemic health effects			
Long term	Descri	F	
worker	Dermal	5 mg/kg bw/d	
Systemic health effects			
Long term			
Dioctyltinbis(acetylacetonat	a) (54069-28-0)		
Type	Exposure route	Derived No Effect Level	Safety factor
Туре	Exposure route	(DNEL)	Salety factor
Long torm	Dermal	0.07 mg/kg bw/d	+
Long term Systemic health effects	Deimai	0.07 mg/kg bw/d	
worker			
Long term	Inhalation	84 mg/m³	
Systemic health effects	malation	O+ mg/m	
worker			
Short term	Inhalation	84 mg/m³	
Systemic health effects	malation	S i mg/m	
worker			
Long term	Inhalation	0.091 mg/m <sup>3</sup>	
Short term		[	
Local health effects			
worker			
N-[3-(Dimethoxymethylsilyl)			
Type	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
worker	Inhalation	12 mg/m³	
Long term			
Systemic health effects		4.7 0	
worker	Dermal	1.7 mg/kg bw/d	
Long term			
Systemic health effects		L	
Derived No Effect Level (DN	FI \		
Trimethoxyvinylsilane (2768			
Type	Exposure route	Derived No Effect Level	Safety factor
1,750	Exposure route	(DNEL)	Carety ractor
Consumer	Inhalation	18,9 mg/m³	
Systemic health effects		10,0 1119/111	
Long term			
Consumer	Dermal	7,8 mg/kg bw/d	
		. ,	

United Kingdom - BE Page 6/17

Long term

Systemic health effects

# OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE

Supercedes Date: 14-Dec-2021

Revision date 04-Oct-2022 Revision Number 3.01

Systemic health effects	Oral	0,3 mg/kg bw/d	
Long term			

Titanium dioxide (13463-67-7)					
Type	Exposure route	Derived No Effect Level	Safety factor		
	·	(DNEL)	-		
Consumer	Oral	700 mg/kg bw/d			
Long term					
Systemic health effects					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d			
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m <sup>3</sup>			
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d			

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer	Inhalation	2.9 mg/m <sup>3</sup>			
Long term					
Systemic health effects					
Consumer	Dermal	0.83 mg/kg bw/d			
Long term					
Systemic health effects					
Consumer	Oral	0.83 mg/kg bw/d			
Long term					
Systemic health effects					

# Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.062 mg/l

United Kingdom - BE Page 7 / 17

#### **OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE**

Supercedes Date: 14-Dec-2021

Revision date 04-Oct-2022 **Revision Number** 3.01

Marine water	0.0062 mg/l
Sewage treatment plant	25 mg/l

Dioctyltinbis(acetylacetonate) (54068-28-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	26 μg/l
Marine water	2.6 μg/l
Freshwater - intermittent	260 μg/l
Sewage treatment plant	1 mg/l
Freshwater sediment	0.155 mg/kg dry weight
Marine sediment	0.0155 mg/kg dry weight
Soil	0.0158 mg/kg dry weight

N-[3-(Dimethoxymethylsilyl)propyl]-ethylene	ediamine (3069-29-2)
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.062 mg/l
Marine water	0.006 mg/l
Sewage treatment plant	25 mg/l
Freshwater sediment	0.24 mg/kg dry weight
Marine sediment	0.024 mg/kg dry weight
Soil	0.01 mg/kg dry weight

## 8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. **Engineering controls** 

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber. Hand protection

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection

None under normal use conditions.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Paste **Appearance** Colour Beige Odour Characteristic.

**Values** Remarks • Method **Property** 

No data available Melting point / freezing point Initial boiling point and boiling No data available

range

**Flammability** No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

> 61 °C Flash point **Autoignition temperature** No data available

United Kingdom - BE Page 8 / 17

Revision date 04-Oct-2022

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Supercedes Date: 14-Dec-2021 **Revision Number** 3.01

@ 40°C

**Decomposition temperature** None known Reacts with water.

No data available pH (as aqueous solution)

Kinematic viscosity  $> 21 \text{ mm}^2/\text{s}$ 

No data available Dynamic viscosity

Water solubility Reacts with water. Product cures

with moisture

Solubility(ies) No data available **Partition coefficient** No data available Vapour pressure No data available Relative density No data available **Bulk Density** No data available Density ca. 1.58 g/cm<sup>3</sup> Relative vapour density No data available

Particle characteristics

No information available **Particle Size Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

No data available **VOC** content

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

# **SECTION 10: Stability and reactivity**

10.1. Reactivity

Product cures with moisture. Reactivity

10.2. Chemical stability

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are Hazardous decomposition

United Kingdom - BE Page 9/17

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Revision date 04-Oct-2022 Supercedes Date: 14-Dec-2021 **Revision Number** 3.01

formed by hydrolysis and released upon curing. products

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Information on likely routes of exposure

#### **Product Information**

Inhalation Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Eye contact

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg ATEmix (dermal) >5000 mg/kg >20000 ppm ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) >5 mg/l ATEmix (inhalation-vapour) 732.50 mg/l

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diisononyl phthalate	>9750 mg/kg (Rattus)	>3160 mg/Kg (Oryctolagus	>4.4 mg/L (Rattus) 4 h
		cuniculus)	
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h
			-
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air
Dioctyltinbis(acetylacetonate)	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	= 5.1 mg/L (Rat) 4 h
N-[3-(Dimethoxymethylsilyl)pro	=200 - 2000 mg/Kg (Rattus)	>5000 mg/Kg (Oryctolagus	> 5.2 mg/L (Rattus) 4 h
pyl]-ethylenediamine	(OECD 401)	cuniculus)	(OECD 403)
		(OECD 402)	

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

#### Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					

United Kingdom - BE Page 10 / 17

# OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE

Mutation Test

Revision date 04-Oct-2022 Supercedes Date: 14-Dec-2021 **Revision Number** 3.01

Irritation/Corrosion							
N-(3-(trimethoxysilyl)pro	pvl)ethvlene	ediamine (	1760-24-3)				
Method	Species	7 (	Exposure route	Effective dose	Exposur	e time	Results
OECD Test No. 404:	Rabbit		=xpoodio routo			<u> </u>	Mild skin irritant
Acute Dermal							
Irritation/Corrosion							
Serious eye damage/e		Based o	on available data, th	e classification crite	eria are not	met.	
Titanium dioxide (13463			Evnesure reute	Effective door	Evnesur	a 4ima	Results
	Species		Exposure route	Effective dose	Exposur	e time	
OECD Test No. 405:	Rabbit		Eye				Non-irritant
Acute Eye							
Irritation/Corrosion							
N-(3-(trimethoxysilyl)pro	pvl)ethvlene	ediamine (	1760-24-3)				
Method	Species	(	Exposure route	Effective dose	Exposur	e time	Results
OECD Test No. 405:	Rabbit		eye				Eye Damage
Acute Eye							
Irritation/Corrosion							
Product Information			ation responses we ive negative data. N				
Method			Species	Exposure	route	Τ	Results
OECD Test No. 40	6: Skin	Guinea pig		Derma		No sen	sitisation responses
Sensitisation			. •			V	vere observed
Titanium dioxide (13463	67.7)						
Method	1-07-7)	Species		Exposure route		Results	
OECD Test No. 406: Sk	rin	Guinea p		Dermal			in sensitiser
Sensitisation	air i	Ouiriea p	ng .	Dermai		I VOL & SK	iii serisitisei
OECD Test No. 429: Sk	rin	Mouse		Dermal		Not a sk	in sensitiser
Sensitisation: Local Lym		Modeo					
Assay							
Dioctyltinbis(acetylaceto		0 00 0/					
_ ` ` `	mate) (5406			Evnosuro routo		Results	
Method OECD Test No. 429: Sk	rin	Species		Exposure route  Dermal			ensitising
Sensitisation: Local Lym				Demiai		2 0 /0 56	risitisiriy
Assay	ipii i vode						
N-[3-(Dimethoxymethyls Germ cell mutagenicity Component Information Trimethoxyvinylsilane (2	y		amine (3069-29-2) on available data, th	e classification crite	eria are not i	met.	
Method	55 52 1)		Species		Results		
OECD Test No. 471: Bacterial Reverse		in vitro		Not mutagenic			
Mutation Test					i tot mate	2901110	
N-(3-(trimethoxysilyl)pro	pyl)ethylene	ediamine (	1760-24-3)				
Method	, .		Species		Results		
OECD Test No. 471: Bacterial Rever		rse			Negative		

United Kingdom - BE Page 11 / 17

Negative

OECD Test No. 476: In vitro Mammalian Cell Mammalian cells in vitro

Revision date 04-Oct-2022

Revision Number 3.01

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Supercedes Date: 14-Dec-2021

Gene Mutation Test

**Carcinogenicity** Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Titanium dioxide	Carc. 2

Reproductive toxicity

Based on available data, the classification criteria are not met.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat Oral	NOAEL >500 mg/Kg
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Subacute oral		28 days	NOAEL >500 mg/kg
Combined Repeated Dose		toxicity gavage			
Toxicity Study with the					
Reproduction/Developme					
ntal Toxicity Screening					
Test					

**Aspiration hazard** Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## 11.2.1. Endocrine disrupting properties

# **Endocrine disrupting properties**

### 11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

United Kingdom - BE Page 12/17

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Supercedes Date: 14-Dec-2021 Revision Number 3.01

Revision date 04-Oct-2022

## **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor
Diisononyl phthalate 28553-12-0	EC50: >500mg/L (72h, Desmodesmus subspicatus) EC50: >1.8mg/L (96h,	mg/L (Brachydanio rerio semi-static)	-	EC50: >500mg/L (48h, Daphnia magna) EC50: >0.06mg/L (48h, Daphnia magna)		(long-term)
	Pseudokirchneri ella subcapitata)			Daprilla magna)		
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)		
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		
N-(3-(trimethoxysilyI)pr opyI)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static		
Dioctyltinbis(acetylacet onate) 54068-28-9	-	LC50 (96h) =86 mg/L (Static)	-	EC50 (48h) =58.6 mg/L (Daphnia magna)		

# 12.2. Persistence and degradability

**Persistence and degradability** No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			_

# 12.3. Bioaccumulative potential

## **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient	
Diisononyl phthalate	9.7	
Trimethoxyvinylsilane	1.1	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3	

## 12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

threshold of declaration.

Chemical name	PBT and vPvB assessment
---------------	-------------------------

United Kingdom - BE Page 13 / 17

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Revision date 04-Oct-2022 Supercedes Date: 14-Dec-2021 **Revision Number** 3.01

Diisononyl phthalate	The substance is not PBT / vPvB
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB
Dioctyltinbis(acetylacetonate)	The substance is not PBT / vPvB
N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine	The substance is not PBT / vPvB

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Handle contaminated packages in the same way as the product itself. Contaminated packaging

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 **European Waste Catalogue** 

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated Not regulated 14.2 UN proper shipping name 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

**IMDG** 

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant NP

14.6 Special precautions for user

**Special Provisions** None

14.7 Maritime transport in bulk

according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

# Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated Not applicable 14.5 Environmental hazards

United Kingdom - BE Page 14/17

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Supercedes Date: 14-Dec-2021

Revision date 04-Oct-2022 Revision Number 3.01

# 14.6 Special precautions for user Special Provisions None

# Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Diisononyl phthalate	28553-12-0	52[a].
Dioctyltinbis(acetylacetonate)	54068-28-9	20.

20 (6) DOT. 52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex	
	Number	
Dioctyltinbis(acetylacetonate)	1.1	

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### **Persistent Organic Pollutants**

Not applicable

### National regulations

## 15.2. Chemical safety assessment

United Kingdom - BE Page 15 / 17

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE** 

Revision date 04-Oct-2022 Supercedes Date: 14-Dec-2021 Revision Number 3.01

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. Chemical Safety Assessment has been carried out for this mixture

# SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eve damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H371 - May cause damage to organs

### Notes relating to the identification, classification and labelling of substances

Note V: If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

#### Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm

Legend

**TWA** TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit)

Ceiling Limit Value Ceiling Skin designation Sk\*

**SVHC** Substance(s) of Very High Concern

**PBT** Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

Specific target organ toxicity - Repeated exposure STOT RE STOT SE Specific target organ toxicity - Single exposure

**EWC** European Waste Catalogue

European Agreement concerning the International Carriage of Dangerous Goods by **ADR** 

Road

**IMDG** International Maritime Dangerous Goods (IMDG) International Air Transport Association (IATA) IATA

RID Regulations concerning the International Transport of Dangerous Goods by Rail

#### Key literature references and sources for data

No information available

Product Safety & Regulatory Affairs **Prepared By** 

**Revision date** 04-Oct-2022

Indication of changes

**Revision note** SDS sections updated. No information available **Training Advice Further information** No information available

# This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

United Kingdom - BE Page 16 / 17

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BEIGE

Supercedes Date: 14-Dec-2021

Revision date 04-Oct-2022 Revision Number 3.01

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 17 / 17