

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR Supercedes Date: 03-Dec-2021

Revision date 24-Oct-2022 Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useAdhesives and/or sealantsUses advised againstNone known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine & N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine. May produce an allergic reaction EUH210 - Safety data sheet available on request

2.3. Other hazards

United Kingdom - BE

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Diisononyl phthalate	249-079-5	28553-12-0	>25 - <40	[1]	-	01-2119430798- 28-XXXX
Trimethoxyvinylsilane	(014-049-00- 0) 220-449-8	2768-02-7	1 - <5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine	217-164-6	1760-24-3	0.1- <1	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)	-	01-2119970215- 39-XXXX
Dioctyltin oxide	212-791-1	870-08-6	0.1- <1	STOT SE 2 (H371)	-	01-2119971268- 27-xxxx
N-[3-(Dimethoxymethylsi lyl)propyl]-ethylenediami ne	221-336-6	3069-29-2	0.1- <1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	-	01-2119963926- 21-xxxx

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR

Supercedes Date: 03-Dec-2021

4.1. Description of first aid measur	'es
General advice	If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.
Skin contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Do NOT induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis. Call a doctor or poison control centre immediately.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	None known.
4.3. Indication of any immediate m	edical attention and special treatment needed
Note to doctors	Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.
Unsuitable extinguishing media	Full water jet.
5.2. Special hazards arising from t	he substance or mixture
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapours.
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2).
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protecti	ive equipment and emergency procedures
Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	

6.3. Methods and material for containment and cleaning up

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR Supercedes Date: 03-Dec-2021

Methods for containment	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.			
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.			
Prevention of secondary hazards	Clean contar	ninated objects and areas thoroughly o	observing environmental regulations.	
6.4. Reference to other sections				
Reference to other sections	See section	8 for more information. See section 13	for more information.	
SECTION 7: Handling and st	torage			
7.1. Precautions for safe handling	_			
Advice on safe handling	Ensure adeq eyes or cloth	uate ventilation. Use personal protection ing.	on equipment. Avoid contact with skin,	
General hygiene considerations		Irink or smoke when using this product ff all contaminated clothing and wash		
7.2. Conditions for safe storage, in	cluding any i	ncompatibilities		
Storage Conditions	Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from food, drink and animal feedingstuffs.			
Recommended storage temperature	Keep at temperatures between 10 and 35 $^\circ \text{C}.$ Keep at temperatures between 10 and 35 $^\circ \text{C}.$			
7.3. Specific end use(s)				
Specific use(s) Adhesives and/or sealants.				
Risk Management Methods (RMM)	The informat	ion required is contained in this Safety	Data Sheet.	
Other information	Observe tec	nnical data sheet.		
SECTION 8: Exposure control	ols/person	al protection		
8.1. Control parameters				
Exposure Limits	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing			
Chemical name		European Union	United Kingdom	
Diisononyl phthalate		-	TWA: 5 mg/m ³	
28553-12-0			STEL: 15 mg/m ³	

Chemical name	European Union	United Kingdom
Diisononyl phthalate	-	TWA: 5 mg/m ³
28553-12-0		STEL: 15 mg/m ³
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 266 mg/m ³
	*	STEL: 250 ppm
		STEL: 333 mg/m ³
		Sk*
Dioctyltin oxide	-	TWA: 0.1 mg/m ³
870-08-6		STEL: 0.2 mg/m ³
		Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR

Revision date 24-Oct-2022 Revision Number 3

Supercedes Date:	03-Dec-2021
------------------	-------------

Diisononyl phthalate (28553-12-0)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	51.72 mg/m³	
worker Long term Systemic health effects	Dermal	366 mg/kg bw/d	

Trimethoxyvinylsilane (2768-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects Long term	Inhalation	27,6 mg/m³		
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d		

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects Long term	Inhalation	35.5 mg/m³		
worker Systemic health effects Long term	Dermal	5 mg/kg bw/d		

Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Dermal	0.05 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	0.004 mg/m³	

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)			
Туре		Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	12 mg/m³	
worker Long term Systemic health effects	Dermal	1.7 mg/kg bw/d	

Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768-02-7				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³		
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d		

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR

Supercedes Date: 03-Dec-2021

Revision date 24-Oct-2022 Revision Number 3

Consumer	Oral	0,3 mg/kg bw/d	
Systemic health effects			
Long term			

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d	
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m³	
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d	

Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	0.0005 mg/kg bw/d	
Consumer Long term Systemic health effects	Dermal	0.025 mg/kg bw/d	
Consumer Long term Systemic health effects	Inhalation	0.0009 mg/m³	

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	2.9 mg/m³	
Consumer Long term Systemic health effects	Dermal	0.83 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	0.83 mg/kg bw/d	

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.062 mg/l	
Marine water	0.0062 mg/l	
Sewage treatment plant	25 mg/l	

Dioctyltin oxide (870-08-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR

Supercedes Date: 03-Dec-2021

Revision date 24-Oct-2022 Revision Number 3

Freshwater sediment	0.02798 mg/kg dry weight
Marine sediment	0.002798 mg/kg dry weight
Microorganisms in sewage treatment	100 mg/l

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.062 mg/l	
Marine water	0.006 mg/l	
Sewage treatment plant	25 mg/l	
Freshwater sediment	0.24 mg/kg dry weight	
Marine sediment	0.024 mg/kg dry weight	
Soil	0.01 mg/kg dry weight	

8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Wear suitable gloves. Recommended Use:. Neoprene [™] . Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves must conform to standard EN 374
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better.
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387. White. Brown.
Environmental exposure controls	Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical	and chemical properties	
Physical state	Solid	
Appearance	Paste	
Colour	Colourless	
Odour	Characteristic.	
Odour threshold	No information available	
Property_	Values	Remarks • Method
Melting point / freezing point	No data available	
Initial boiling point and boiling	No data available	
range		
Flammability	No data available	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	> 60 °C	CC (closed cup)
Autoignition temperature	No data available	
Decomposition temperature		None known
рН	.:	Insoluble in water.
pH (as aqueous solution)	No data available	0
Kinematic viscosity	> 21 mm²/s	@ 40°C
Dynamic viscosity	No data available	
Water solubility	Insoluble in water. Product cures	
	with moisture	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Vapour pressure	No data available	

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR Supercedes Date: 03-Dec-2021

Relative density	1.05 - 1.07
Bulk Density	No data available
Density	1,05 - 1.07 g/cm³
Relative vapour density	No data available
Particle characteristics	
Particle Size	No information available
Particle Size Distribution	No information available
9.2. Other information Solid content (%) VOC content	No information available No data available
9.2.1. Information with regards Not applicable	to physical hazard classes

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and re	Pactivity			
	saotrity			
10.1. Reactivity				
Reactivity	Product cures with moisture.			
10.2. Chemical stability				
Stability	Stable under normal conditions.			
Explosion data				
Sensitivity to mechanical	None.			
impact Sensitivity to static discharge	None.			
10.3. Possibility of hazardous react	tions			
Possibility of hazardous reactions	None under normal processing.			
10.4. Conditions to avoid				
Conditions to avoid	Product cures with moisture. Protect from moisture.			
10.5. Incompatible materials				
Incompatible materials	None known based on information supplied.			
10.6. Hazardous decomposition pro	oducts			
Hazardous decomposition products	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.			
SECTION 11: Toxicological information				
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Information on likely routes of exposure				
Product Information				

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR

Supercedes Date: 03-Dec-2021

Skin contact	Based on available data, the classification criteria are not met.		
Ingestion	Based on available data, the classification criteria are not met.		
Symptoms related to the physical, chemical and toxicological characteristics			
Symptoms	No information available.		

Acute toxicity

Numerical measures of toxicity

The following values are calculated	based on chapter 3.1 of the GHS document
ATEmix (inhalation-vapour)	554.5940 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diisononyl phthalate	>9750 mg/kg (Rattus)	>3160 mg/Kg (Oryctolagus	>4.4 mg/L (Rattus) 4 h
		cuniculus)	
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
-		OECD 402	
N-[3-(Dimethoxymethylsilyl)pro	=200 - 2000 mg/Kg (Rattus)	>5000 mg/Kg (Oryctolagus	> 5.2 mg/L (Rat)4 h
pyl]-ethylenediamine	(OECD 401)	cuniculus)	
	-	(OECD 402)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

 Method
 Species
 Exposure route
 Effective dose
 Exposure time
 Results

 Rabbit
 Dermal
 0.5 mL
 24 hours
 Non-irritant

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit				Eye Damage
Acute Eye					
Irritation/Corrosion					

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR

Supercedes Date: 03-Dec-2021

Respiratory or skin sensitisation

May produce an allergic reaction. OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitising
Sensitisation. Buehler test			-

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig		Sensitizing
Sensitisation			

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Thinethoxyvinyisilane (2706-02-7)			
Method	Species	Results	
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic	
Mutation Test			

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

STOT - single exposure

Based on available data, the classification criteria are not met.

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated Dose					bw/d May cause
Toxicity Study with the					damage to the
Reproduction/Developme					following organs:
ntal Toxicity Screening					Immune system
Test					

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (276	68-02-7)				
Method	Species	Exposure route	Effective dose	Exposure time	Results

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR

Supercedes Date: 03-Dec-2021

Revision date 24-Oct-2022 Revision Number 3

OECD Test No. 413:	Rat	Inhalation vapour	90 days	0.058 NOAEL
Sub-chronic Inhalation			-	
Toxicity: 90-day Study				

Dioctyltin oxide (870-08-6)

Method Spec	cies Exposure r	oute Effective dose Expo	osure time Results
Rat R	Rabbit	28 da	ays 0.3 -0.5 mg/kg bw/d

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties

11.2.2. Other information

Other adverse effects

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Diisononyl phthalate 28553-12-0	EC50: >500mg/L (72h, Desmodesmus subspicatus) EC50: >1.8mg/L (96h, Pseudokirchneri ella subcapitata)		-	EC50: >500mg/L (48h, Daphnia magna) EC50: >0.06mg/L (48h, Daphnia magna)		
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)		
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static		
Dioctyltin oxide 870-08-6	EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge, Respiration Inhibition Test)	LC50 (96hr) >0,09 mg/l (Brachydanio rerio (zebra)) (Acute Toxicity Test)	-	EC50 (48Hr) >0,21 mg/l (Daphnia magna (Dappnia magna)) (Daphnia sp. Acute Immobilisation Test)		

12.2. Persistence and degradability

Persistence and degradability

No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR

Supercedes Date: 03-Dec-2021

Revision date 24-Oct-2022 Revision Number 3

Biodegradability: Manometric Respirometry Test (TG 301 F)	biodegradable

Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric			%
Respirometry Test (TG 301 F)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Diisononyl phthalate	9.7
Trimethoxyvinylsilane	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
Dioctyltin oxide	6

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Diisononyl phthalate	The substance is not PBT / vPvB PBT assessment does
	not apply
Trimethoxyvinylsilane	The substance is not PBT / vPvB
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB
Dioctyltin oxide	The substance is not PBT / vPvB
N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR Supercedes Date: 03-Dec-2021

Revision date 24-Oct-2022 Revision Number 3

Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None		
IMDG_			
14.1 UN number or ID number	Not regulated		
14.2 Proper Shipping Name	Not regulated		
14.3 Transport hazard class(es)	Not regulated		
14.4 Packing group	Not regulated		
14.5 Marine pollutant	NP		
14.6 Special Provisions	None		
14.7 Maritime transport in bulk	Not applicable		
according to IMO instruments			
<u>Air transport (ICAO-TI / IATA-DGR)</u>			
14.1 UN number or ID number	Not regulated		
14.2 Proper Shipping Name	Not regulated		

		riocrogalatoa
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Diisononyl phthalate	28553-12-0	52[a].
Dioctyltin oxide	870-08-6	20.

52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR

Supercedes Date: 03-Dec-2021

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Dioctyltin oxide	l.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H226 Flammable liquid and vapour
- H302 Harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H332 Harmful if inhaled
- H335 May cause respiratory irritation

Legend

Legena	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data No information available

Prepared By

Product Safety & Regulatory Affairs

OB1 MULTI-SURFACE SEALANT AND ADHESIVE CLEAR Supercedes Date: 03-Dec-2021

Revision date	24-Oct-2022
Indication of changes	
Revision note	SDS sections updated, 3, 15.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet