

This safety data sheet complies with the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

### **OB41 POWERFUL PLASTIC CLEANER**

Supercedes Date: 15-Mar-2023

Revision date 05-Jun-2023

Revision Number 1.01

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product Name	OB41 POWERFUL PLASTIC CLEANER	
Pure substance/mixture	Mixture	
1.2. Relevant identified uses of th	e substance or mixture and uses advised agains	<u>t</u>
Recommended use	Consumer use	
Uses advised against	None known	
1.3. Details of the supplier of the s	safety data sheet	
<b>Company Name</b> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36		
E-mail address	SDS.box-EU@bostik.com	
1.4. Emergency telephone numbe	<u>r</u>	
United Kingdom	Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111	
SECTION 2: Hazards identif	ication	
2.1. Classification of the substand	e or mixture	
GB CLP (SI 2020/1567 as amended		
Aspiration hazard		Category 1 - (H304)
Skin corrosion/irritation		Category 2 - (H315)
		Category 1 - (H317)
Reproductive toxicity		Category 2 - (H361)
Specific target organ toxicity — single exposure		Category 3 - (H336)

### 2.2. Label elements

Aerosols

Chronic aquatic toxicity

Category 3 Narcotic effects

Contains Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, Orange, sweet, extract, Hexane

Category 2 - (H411) Category 1 - (H222, H229)

### **OB41 POWERFUL PLASTIC CLEANER**

Supercedes Date: 15-Mar-2023

Revision date 05-Jun-2023

Revision Number 1.01



Signal word Danger

#### **Hazard statements**

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H336 May cause drowsiness or dizziness.
- H361 Suspected of damaging fertility or the unborn child.
- H411 Toxic to aquatic life with long lasting effects.
- H222 Extremely flammable aerosol.
- H229 Pressurised container: May burst if heated.

#### Precautionary Statements - EU (§28, 1272/2008)

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P211 Do not spray on an open flame or other ignition source
- P251 Do not pierce or burn, even after use
- P261 Avoid breathing vapours/spray
- P271 Use only outdoors or in a well-ventilated area
- P273 Avoid release to the environment
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P312 Call a POISON CENTER or doctor if you feel unwell
- P331 Do NOT induce vomiting
- P332 + P313 If skin irritation occurs: Get medical advice/attention
- P391 Collect spillage
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up
- P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
- P501 Dispose of contents/ container to an approved waste disposal plant

## Additional information

This product requires tactile warnings if supplied to the general public.

### 2.3. Other hazards

Harmful to aquatic life. In case of insufficient ventilation and/or through use, the formation of a explosive/highly flammable mixture is possible.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

United Kingdom - BE

## **OB41 POWERFUL PLASTIC CLEANER**

Revision date 05-Jun-2023

Supercedes Date: 15-Mar-2023

Revision Number 1.01

# 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Petroleum gases, liquefied <0.1% w/w 1,3 Butadiene	(649-202-00- 6) 270-704-2	68476-85-7	40 - <80	Flam. Gas 1 (H220) Press. Gas (H280)	-	-
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	927-510-4	64742-49-0	>25 - <40	STOT SE 3 (H336) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Aquatic Chronic 2 (H411) Flam. Liq. 2 (H225)	-	01-2119475515- 33-xxxx
Orange, sweet, extract	232-433-8	8028-48-6	1 - <5	Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411) Flam. Liq. 3 (H226)	_	01-2119493353- 35-XXXX
Hexane	(601-037-00- 0) 203-777-6	110-54-3	1 - <5	Skin Irrit. 2 (H315) Repr. 2 (H361f) STOT SE 3 (H336) STOT RE 2 (H373) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) Flam. Liq. 2 (H225)	STOT RE 2 :: C>=5%	01-2119480412- 44-XXXX

# Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	EC No (EU Index No)	CAS No	SVHC candidates
Petroleum gases, liquefied <0.1%	(649-202-00-6)	68476-85-7	
w/w 1,3 Butadiene	270-704-2		
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	927-510-4	64742-49-0	
Orange, sweet, extract	232-433-8	8028-48-6	
Hexane	(601-037-00-0)	110-54-3	
	203-777-6		

# **OB41 POWERFUL PLASTIC CLEANER**

Revision date 05-Jun-2023

Supercedes Date: 15-Mar-2023

Revision Number 1.01

## Notes

See section 16 for more information

Chemical name	Notes
Petroleum gases, liquefied <0.1% w/w 1,3 Butadiene - 68476-85-7	K,S,U
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics - 64742-49-0	Р

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
4.3. Indication of any immediate me	edical attention and special treatment needed
Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically. Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.

# SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray.
------------------------------	--

#### **OB41 POWERFUL PLASTIC CLEANER**

Supercedes Date: 15-Mar-2023

Revision date 05-Jun-2023

Revision Number 1.01

# Unsuitable extinguishing media DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED. 5.2. Special hazards arising from the substance or mixture Specific hazards arising from the Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated chemical fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Product is or contains a sensitiser. May cause sensitisation by skin contact. Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). 5.3. Advice for firefighters Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout precautions for fire-fighters gear. Use personal protection equipment. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures **Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray. Ventilate the area. Refer to protective measures listed in Sections 7 and 8. Other information For emergency responders Use personal protection recommended in Section 8. 6.2. Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or **Environmental precautions** spillage if safe to do so. Prevent product from entering drains. 6.3. Methods and material for containment and cleaning up Keep out of drains, sewers, ditches and waterways. Stop leak if you can do it without Methods for containment risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Flood with water to complete polymerization and scrape off floor. Take precautionary measures against static discharges. Dam up. Soak up with inert Methods for cleaning up absorbent material. Pick up and transfer to properly labelled containers. Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards 6.4. Reference to other sections Reference to other sections See section 8 for more information. See section 13 for more information. SECTION 7: Handling and storage 7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might

#### **OB41 POWERFUL PLASTIC CLEANER**

Supercedes Date: 15-Mar-2023

Revision date 05-Jun-2023

Revision Number 1.01

cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapours or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Remove contaminated clothing and shoes.
General hygiene considerations
Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.
7.2. Conditions for safe storage, including any incompatibilities
Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition

**Storage Conditions** Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals. Store locked up. Keep out of the reach of children. Store away from other materials. Keep/store only in original container. Store in a dry place. Store in a closed container.

#### 7.3. Specific end use(s)

Specific use(s) Consumer use.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information

Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Exposure Limits**

Chemical name	European Union	United Kingdom
Petroleum gases, liquefied <0.1% w/w 1,3 Butadiene	-	TWA: 1000 ppm
68476-85-7		TWA: 1750 mg/m <sup>3</sup>
		STEL: 1250 ppm
		STEL: 2180 mg/m <sup>3</sup>
Hexane	TWA: 20 ppm	TWA: 20 ppm
110-54-3	TWA: 72 mg/m <sup>3</sup>	TWA: 72 mg/m <sup>3</sup>
		STEL: 60 ppm
		STEL: 216 mg/m <sup>3</sup>

Chemical name	European Union	Ireland	United Kingdom
Hexane	-	0.4 mg/L (urine - 2,5-Hexanedione	-
110-54-3		end of shift at end of workweek)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)			
Туре		Derived No Effect Level (DNEL)	Safety factor
worker	Inhalation	2085 mg/m³	

### **OB41 POWERFUL PLASTIC CLEANER**

Revision date 05-Jun-2023

Supercedes Date: 15-Mar-2023

Revision Number 1.01

Long term			
Systemic health effects			
worker	Dermal	300 mg/kg bw/d	
Long term			
Systemic health effects			

Derived No Effect Level (DNEL)			
Hydrocarbons, C7, n-alkanes, is	oalkanes, cyclics (64742-49	9-0)	
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer	Inhalation	447 mg/m³	
Long term			
Systemic health effects			
Consumer	Dermal	149 mg/kg bw/d	
Long term			
Systemic health effects			
Consumer	Oral	149 mg/kg bw/d	
Long term			
Systemic health effects			

# Predicted No Effect Concentration No information available. (PNEC)

## 8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.
Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Wear suitable gloves. Glove thickness > 0.7mm. Butyl rubber. Nitrile rubber. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374
Skin and body protection	Wear appropriate personal protective clothing to prevent skin contact.
Respiratory protection	Ensure adequate respiratory protection during spray applications. In case of insufficient ventilation, wear suitable respiratory equipment.
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387. Wear a respirator conforming to EN 140 with Type A filter or better.

Environmental exposure controls No information available.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Aerosol
Colour	Colourless
Odour	Characteristi
Odour threshold	No information

Property Melting point / freezing point Initial boiling point and boiling range Flammability Aerosol Colourless Characteristic. No information available

<u>Values</u> No data available Not applicable, Aerosol .

Not applicable for liquids .

<u>Remarks • Method</u> None known Not applicable, Aerosol

None known

# **OB41 POWERFUL PLASTIC CLEANER**

Supercedes Date: 15-Mar-2023

Revision date 05-Jun-2023

Revision Number 1.01

Flammability Limit in Air Upper flammability or explosive	No data available	N	lone known
limits Lower flammability or explosive			
limits			
Flash point	Not applicable, Aerosol	. N	lot applicable, Aerosol
Autoignition temperature	No data available		lone known
Decomposition temperature		N	lone known
рН	No data available	N	lot applicable. Insoluble in water.
pH (as aqueous solution)	No data available	N	lone known
Kinematic viscosity	No data available	N	lone known
Dynamic viscosity	No data available		
Water solubility	Miscible in water.		lone known
Solubility(ies)	No data available		lone known
Partition coefficient	No data available		lone known
Vapour pressure	No data available		lone known
Relative density	No data available	N	lone known
Bulk Density	No data available		
Liquid Density	No data available		
Relative vapour density	No data available	N	lone known
Particle characteristics			
Particle Size Particle Size Distribution	No information available No information available		
Particle Size Distribution	No mormation available		
9.2. Other information Solid content (%) VOC content	No information available	No data availa	able
9.2.1. Information with regards to p Not applicable	physical hazard classes		

9.2.2. Other safety characteristics No information available

10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.
10.3. Possibility of hazardous reac	tions
Possibility of hazardous reactions	Heating causes rise in pressure with risk of bursting.
10.4. Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition. Extremes of temperature and direct sunlight.
10.5. Incompatible materials	

#### **OB41 POWERFUL PLASTIC CLEANER**

Supercedes Date: 15-Mar-2023

Revision date 05-Jun-2023

Revision Number 1.01

Incompatible materials Strong acids. Strong bases. Strong oxidising agents. Incompatible with oxidising agents.

#### 10.6. Hazardous decomposition products

Hazardous decomposition None under normal use conditions. Stable under recommended storage conditions. products

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

Inhalation	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.
Skin contact	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Repeated exposure may cause skin dryness or cracking. Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms related to the physical	, chemical and toxicological characteristics
Symptoms	Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapour

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

Acute toxicity

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)>5000 mg/kgATEmix (dermal)>5000 mg/kgATEmix (inhalation-gas)>20000 ppmATEmix (inhalation-dust/mist)>5 mg/lATEmix (inhalation-vapour)4,229.2025 mg/l

vomiting.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum gases, liquefied	-	-	LD50 (4h) >20 mg/l (rattus)
<0.1% w/w 1,3 Butadiene			-
Hydrocarbons, C7, n-alkanes,	LD50 >5840 mg/kg Rattus	LD50 >2920 mg/kg (Rattus)	LC50 >23.3 mg/L (4h)(Rat,
isoalkanes, cyclics			vapour)
			(OECD 403)

### **OB41 POWERFUL PLASTIC CLEANER**

#### Revision date 05-Jun-2023

Supercedes Date: 15-Mar-2023

Revision Number 1.01

Orange, sweet, extract	>5000 mg/kg (Rattus)	LD50 > 5000 mg/kg (Oryctolagus cuniculus)	-
Hexane	=25 g/kg (Rattus)	= 3000 mg/kg (Oryctolagus cuniculus)	=48000 ppm (Rattus) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes skin irritation.

#### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Irritant.
Acute Dermal					Read-across
Irritation/Corrosion					

Hexane (110-54-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal		24 hours	irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	Did not cause sensitisation on
Sensitisation			laboratory animals

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

**Component Information** 

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	Salmonella typhimurium, in vitro	Not mutagenic in AMES Test
Mutation Test		

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Petroleum gases, liquefied <0.1% w/w 1,3 Butadiene	Muta. 1B

Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Petroleum gases, liquefied <0.1% w/w 1,3 Butadiene	Carc. 1A

#### **Reproductive toxicity**

Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. Suspected of damaging fertility or the unborn child.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Hexane	Repr. 2

### **OB41 POWERFUL PLASTIC CLEANER**

Supercedes Date: 15-Mar-2023

Revision date 05-Jun-2023

Revision Number 1.01

STOT - single exposure	May cause drowsiness or dizziness.	
STOT - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	May be fatal if swallowed and enters airways.	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
Endocrine disrupting properties	No information available.	
11.2.2. Other information		
Other adverse effects	No information available.	

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecotoxicity

Toxic to aquatic life with long lasting effects. Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 64742-49-0	ErL50 (72h) = 10-30 mg/L (Pseudokirchner iella subcapitata)	•	-	EL50 (48h) = 3.0 mg/L (Daphnia magna)	1	1
Orange, sweet, extract 8028-48-6		LL50 (96h)= 5.65 mg/L (Danio rerio) OECD 203		EL50 (48h) = 1.1 mg/L (Daphnia magna) OECD 202	1	1
Hexane 110-54-3	-	LC50: 2.1 - 2.98mg/L (96h, Pimephales promelas)	-	EC50: >1000mg/L (24h, Daphnia magna)	1	1

# 12.2. Persistence and degradability

Persistence and degradability No information available.

## Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	98%	Readily biodegradable
Biodegradability: Manometric	-		
Respirometry Test (TG 301 F)			

## 12.3. Bioaccumulative potential

#### **Bioaccumulation**

Component Information	
Chemical name	Partition coefficient

# **OB41 POWERFUL PLASTIC CLEANER**

Revision date 05-Jun-2023

Supercedes Date: 15-Mar-2023

Revision Number 1.01

Petroleum gases, liquefied <0.1% w/w 1,3 Butadiene	2.8
Hexane	4

## 12.4. Mobility in soil

Mobility in soil No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Petroleum gases, liquefied <0.1% w/w 1,3 Butadiene	The substance is not PBT / vPvB
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	The substance is not PBT / vPvB
Orange, sweet, extract	The substance is not PBT / vPvB PBT assessment does
	not apply
Hexane	The substance is not PBT / vPvB

### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

## 12.7. Other adverse effects

No information available.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.
European Waste Catalogue	16 05 04* gases in pressure containers (including halons) containing dangerous substances 15 01 04 metallic packaging
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

# **SECTION 14: Transport information**

Land transport (ADR/RID) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) Labels 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special precautions for user	UN1950 Aerosols 2 2.1 Not regulated UN1950, Aerosols, 2, (D), Environmentally Hazardous Yes
Special Provisions Classification code	190, 327, 344, 625 5F

#### **OB41 POWERFUL PLASTIC CLEANER**

Supercedes Date: 15-Mar-2023

**Tunnel restriction code** 

Revision date 05-Jun-2023

Revision Number 1.01

Limited quantity (LQ)	ÌĹ
IMDG	
14.1 UN number or ID number	UN1950
14.2 UN proper shipping name	Aerosols
14.3 Transport hazard class(es)	2.1
14.4 Packing group	Not regulated
Description	UN1950, Aerosols, 2.1, Marine Pollutant
14.5 Marine pollutant	Р
14.6 Special precautions for user	
Special Provisions	63,190, 277, 327, 344, 381, 959
Limited Quantity (LQ)	See SP277
EmS-No.	F-D, S-U
14.7 Maritime transport in bulk	
according to IMO instruments	
Transport in bulk according to	Annex II of MARPOL and the IBC Code Not applicable
Air transport (ICAO-TI / IATA-DGR)	
14.1 UN number or ID number	UN1950
14.2 UN proper shipping name	Aerosols, flammable
14.3 Transport hazard class(es)	2.1
14.4 Packing group	Not regulated

(D)

Description	UN1950, Aerosols, flammable, 2.1
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	A145, A167, A802
Limited quantity (LQ)	30 kg G
ERG Code	10L

# Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

### Dangerous substance category per Seveso Directive (2012/18/EU)

P3a - FLAMMABLE AEROSOLS

P3b - FLAMMABLE AEROSOLS E2 - Hazardous to the Aquatic Environment in Category Chronic 2

### **OB41 POWERFUL PLASTIC CLEANER**

Revision date 05-Jun-2023

Supercedes Date: 15-Mar-2023

Revision Number 1.01

#### Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Petroleum gases, liquefied <0.1% w/w 1,3 Butadiene -	50	200
68476-85-7		
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics -		25000
64742-49-0		

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### **Persistent Organic Pollutants**

Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

- H226 Flammable liquid and vapour
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation

H317 - May cause an allergic skin reaction

H336 - May cause drowsiness or dizziness

H361f - Suspected of damaging fertility

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

### Notes relating to the identification, classification and labelling of substances

**Note K:** The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w 1,3- butadiene (Einecs No 203-450-8), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 shall apply

**Note P:** The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes.

Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements

(P102-)P260-P262-P301 + P310-P331 shall apply

Note S: This substance may not require a label according to Article 17 (see Section 1.3 of Annex I) (Table 3)

**Note U (Table 3):** When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2) Legend TWA TWA (time-weighted average) STEL STEL STEL (Short Term Exposure Limit) Ceiling Ceiling Limit Value

# **OB41 POWERFUL PLASTIC CLEANER**

Supercedes Date: 15-Mar-2023

Revision date 05-Jun-2023

Revision Number 1.01

*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sou No information available	irces for data
Prepared By	Product Safety & Regulatory Affairs
Revision date	05-Jun-2023
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with requirements of UK REACH Regulations (SI 2019/758 as amended)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet