multicomp PRO

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name

: Solvent Cleaner

1.2. Details of the supplier of the safety data sheet

Premier Farnell 150 Armley Road Leeds LS12 2QQ Tel. : +44 (0) 8701 202530

Emergency telephone number

+44 1865 407333

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1: H222; H229Skin corrosion/irritation, Category 2: H315Specific target organ toxicity – Singleexposure, Category 3, Narcosis: H336Hazardous to the aquatic environment –Chronic Hazard, Category 2: H411Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	
	GHS02 GHS07 GHS09
Signal word (CLP)	: Danger
Contains	: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane; n-hexane
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H315 - Causes skin irritation.
	H336 - May cause drowsiness or dizziness.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P261 - Avoid breathing spray, fume, vapours.
	P391 - Collect spillage.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C.

2.3. Other hazards

PBT: not relevant – no registration required vPvB: not relevant – no registration required



Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	EC-No.: 921-024-6	≥ 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6	≥ 5 – <10	Flam. Liq. 2, H225 Eye Irrit. 2, H319
CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0		≥ 1 – <5	Flam. Liq. 2, H225 Repr. 2, H361f Asp. Tox. 1, H304 STOT RE 2, H373 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411

Specific concentration limits: Name	Product identifier	Specific concentration limits (%)
n-hexane	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0	(5 ≤ C ≤ 100) STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general
First-aid measures after inhalation

: Call a poison center or a doctor if you feel unwell.

- First-aid measures after inhalation
- : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

First-aid measures after ingestion

- First-aid measures after eye contact : Rinse eyes with water as a precaution.
 - : Call a poison centre or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

: May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Symptoms/effects



multicomp PRO

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the	5.2. Special hazards arising from the substance or mixture	
Fire hazard	: Extremely flammable aerosol.	
Explosion hazard	: Pressurised container: May burst if heated.	
Hazardous decomposition products		
in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	inment and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage	, including any incompatibilities
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
7.3. Specific end use(s)	

No additional information available



multicomp PRO

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

- No additional information available
- 8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls
Appropriate engineering controls : Ensure good ventilation of the work station.
8.2.2. Personal protection equipment
Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection	
Eye protection	: Safety glasses
8.2.2.2. Skin protection	
Skin and body protection	: Wear suitable protective clothing
Hand protection	: Protective gloves
8.2.2.3. Respiratory protection	
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment
8.2.2.4. Thermal hazards	
No additional information available	
8.2.3. Environmental exposure control	S
Environmental exposure controls	: Avoid release to the environment.
OFOTION OF Divisional and a	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: clear.
Appearance	: Aerosol.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Extremely flammable aerosol.
Explosive properties	: Pressurised container: May burst if heated.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: < -40°C

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

multicomp PRO

multicomp PRO

Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: <20.5mm²/s
Solubility	: Not available
Partition coefficient n-octanol/water	
(Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	
LD50 dermal rat	2800 – 3100 mg/kg bodyweight Animal: rat, Remarks on results: other:
LC50 Inhalation - Rat	> 25.2 mg/l air Animal: rat
Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 9720 - 11380



Skin corrosion/irritation	Causes skin irritation.			
Serious eye damage/irritation	Not classified			
Respiratory or skin sensitisation	Not classified			
Germ cell mutagenicity	Not classified			
Carcinogenicity	Not classified			
Reproductive toxicity	Not classified			
STOT-single exposure	May cause drowsiness or dizziness.			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane				
STOT-single exposure	May cause drowsiness or dizziness.			
n-hexane (110-54-3)				
STOT-single exposure	May cause drowsiness or dizziness.			
STOT-repeated exposure	Not classified			
Ethanol (64-17-5)				
LOAEL (oral, rat, 90 days)	3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)			
NOAEL (oral, rat, 90 days)	1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:			
n-hexane (110-54-3)				
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.			
Aspiration hazard	Not classified			
Solvent Cleaner				
Viscosity, kinematic	< 20.5mm²/s			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane				
Viscosity, kinematic	0.7mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'			

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic	
environment, short–term (acute)	: Not classified
Hazardous to the aquatic	
environment, long–term (chronic)	: Toxic to aquatic life with long lasting effects.
Not rapidly degradable	

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (142-82-5)			
LOEC (chronic)	0.32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic) 0.17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'			
Ethanol (64-17-5)			
EC50 - Crustacea [1]	> 10000 mg/l Test organisms (species): Daphnia magna		
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		



multicomp PRO

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Solvent Cleaner

PBT: not relevant – no registration required vPvB: not relevant – no registration required

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
HP Code	 : HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and ≤ 75°C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3kPa; water reactive waste: which, in contact with water, emits flammable gases in dependence.
	 dangerous quantities; – other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950



multicomp PRO

AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document d	-	1		r
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMEN- TALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, MARINE POLLUT- ANT/ENVIRONMENTAL- LY HAZARDOUS	UN 1950 Aerosols, flam- mable, 2.1, ENVIRON- MENTALLY HAZARD- OUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTAL- LY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTAL- LY HAZARDOUS
14.3. Transport hazard	class(es)			
2.1	2.1	2.1	2.1	2.1
14.4. Packing group	•	•	•	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental ha	azards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary inforr	nation available	•		
4.6. Special precaution	ns for user			
Overland transport				
lassification code (ADR) : 5F			
Special provisions (ADR)		, 344, 625		
imited quantities (ADR)	: 11	•		
Excepted quantities (ADF	R) : E0			
Packing instructions (ADI	,	200		
Special packing provision	,			
lixed packing provisions	· · · ·	,		
ransport category (ADR	· · ·			
Special provisions for				
arriage - Packages (ADI	R) : V14			
Special provisions for car	riage - Loading,			
inloading and handling (ADR : CV9, CV	12		
Special provisions for				
carriage - Operation (ADR) : S2				
unnel restriction code (A	ADR) : D			
ransport by sea				
Special provisions (IMDG) : 63, 190, 27		277, 327, 344, 381, 959		
imited quantities (IMDG) : SP277				
xcepted quantities (IMDG) : E0				
Packing instructions (IMDG) : P207, LP2				
Special packing provisions (IMDG) : PP87, L2				
EmS-No. (Fire)	: F-D			
EmS-No. (Spillage)	: S-U			
Stowage category (IMDG	G) : None			
Stowage and handling (IN	MDG) : SW1, SW			

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

multicomp PRO

multicomp PRO

Segregation (IMDG)	: SG69	
Air transport		
PCA Excepted quantities (IATA)	: E0	
PCA Limited quantities (IATA)	: Y203	
PCA limited quantity max		
net quantity (IATA)	: 30kgG	
PCA packing instructions (IATA)	: 203	
PCA max net quantity (IATA)	: 75kg	
CAO packing instructions (IATA)	: 203	
CAO max net quantity (IATA)	: 150kg	
Special provisions (IATA)	: A145, A167, A802	
ERG code (IATA)	: 10L	
Inland waterway transport		
Classification code (ADN)	: 5F	
Special provisions (ADN)	: 190, 327, 344, 625	
Limited quantities (ADN)	: 1 L	
Excepted quantities (ADN)	: E0	
Equipment required (ADN)	: PP, EX, A	
Ventilation (ADN)	: VE01, VE04	
Number of blue cones/lights (ADN)	: 1	
Rail transport		
Classification code (RID)	: 5F	
Special provisions (RID)	: 190, 327, 344, 625	
Limited quantities (RID)	: 1L	
Excepted quantities (RID)	: E0	
Packing instructions (RID)	: P207, LP200	
Special packing provisions (RID)	: PP87, RR6, L2	
Mixed packing provisions (RID)	: MP9	
Transport category (RID)	: 2	
Special provisions for		
carriage – Packages (RID)	: W14	
Special provisions for carriage - Loadin		
unloading and handling (RID)	: CW9, CW12	
Colis express (express parcels) (RID)	: CE2	
Hazard identification number (RID)	: 23	
14.7. Maritime transport in bulk acco	ording to IMO instruments	
Not applicable		

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations
15.1.1. EU-Regulations
REACH Annex XVII (Restriction List)
Contains no REACH substances with Annex XVII restrictions
REACH Annex XIV (Authorisation List)
Contains no REACH Annex XIV substances
REACH Candidate List (SVHC)
Contains no substance on the REACH candidate list

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

multicomp PRO

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and	acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	



OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	
Full text of H- and EUH	-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H361f	Suspected of damaging fertility.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Part Number MP-SC63-500

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

