

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE Supercedes date 10-May-2024 Revision date 29-Aug-2024

Revision Number 1.08

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Product Name	EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE			
Pure substance/mixture	Mixture			
1.2. Relevant identified uses of the	substance or mixture and uses advised against			
Recommended use	Sealant			
Uses advised against	None known			
1.3. Details of the supplier of the s	afety data sheet			
<b>Company Name</b> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36				
E-mail address	SDS.box-EU@bostik.com			
1.4. Emergency telephone number	_			
United Kingdom	Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111			
SECTION 2: Hazards identifi	cation			
2.1. Classification of the substance	e or mixture			
GB CLP (SI 2020/1567 as amended)	)			
This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]				
2.2. Label elements				

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

#### Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### **EU Specific Hazard Statements**

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

#### EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE Supercedes date 10-May-2024

Revision date 29-Aug-2024

Revision Number 1.08

### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

#### 2.3. Other hazards

No information available.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No (EU	CAS No	Classification	Specific	M-Factor	M-Factor	REACH
	Index No).		according to	concentration limit		(long-ter	registration
			Regulation (EC) No.	(SCL)		m)	number
			1272/2008 [CLP]				nambor
Benzene, 1,1'-oxybis-,	601-601-6	119345-04-9	Eye Dam. 1 (H318)				
tetrapropylene derivs.,	001-001-0	119345-04-9	Repr. 2 (H361fd)	-	-	-	-
sulfonated, sodium salts			Aquatic Chronic 2 (H411)				
0.1 - <0.3 %			Aqualic Chronic 2 ( $1411$ )				
Sodium hydroxide	215-185-5	1310-73-2	Skin Corr. 1A (H314)	Eve Irrit. 2 ::	-		01-2119457892-
0.1 - <0.3 %	(011-002-00-	1310-73-2	Eye Dam. 1 (H318)	0.5%<=C<2%	-	-	27-XXXX
0.1 - <0.3 %	(011-002-00- 6)		Met. Corr. 1 (H290)	Eve Dam. 1 :: C>=2%			21-777
	6)		Met. Con. 1 (H290)	Skin Corr. 1A ::			
				C>=5%			
				Skin Corr. 1B ::			
				2%<=C<5%			
				Skin Irrit. 2 ::			
				0.5%<=C<2%			
1,2-benzisothiazol-3(2H)	220-120-9	2634-33-5	Acute Tox. 4 (H302)	Skin Sens. 1A ::	1	1	01-2120761540-
-one [BIT]	(613-088-00-	2004-00-0	Acute Tox. 2 (H330)	C>=0.036%	l '		60-XXXX
0.01 < 0.036 %	(013-000-00- 6)		Skin Irrit. 2 (H315)	0>=0.030%			00-7777
0.01 < 0.030 /8	0)		Eve Dam. 1 (H318)				
			Skin Sens. 1A (H317)				
			Aquatic Acute 1 (H400)				
			Aquatic Chronic 1 (H410)				
reaction mass of	611-341-5	55965-84-9	Acute Tox. 3 (H301)	Eye Dam. 1 ::	100	100	
5-chloro-2-methyl-2H-iso	011-541-5	33303-04-3	Acute Tox. 2 (H310)	C>=0.6%	100	100	-
thiazol-3-one and			Acute Tox. 2 (H330)	Eve Irrit. 2 ::			
2-methyl-2H-isothiazol-3-			Skin Corr. 1C (H314)	0.06%<=C<0.6%			
one (3:1) [C(M)IT/MIT]			Eye Dam. 1 (H318)	Skin Corr. 1C ::			
<0.0015 %			Skin Sens. 1A (H317)	C>=0.6%			
0.0010 /0			Aquatic Acute 1 (H400)	Skin Irrit. 2 ::			
			Aquatic Chronic 1	0.06%<=C<0.6%			
			(H410)	Skin Sens. 1A ::			
			(EUH071)	C>=0.0015%			
				0/=0.001070	L		

Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE Supercedes date 10-May-2024

#### Revision date 29-Aug-2024

Revision Number 1.08

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	601-601-6	119345-04-9	-	-	-	-	-
Sodium hydroxide	215-185-5 (011-002-00-6)	1310-73-2	-	-	-	-	-
1,2-benzisothiazol-3(2 H)-one [BIT]	220-120-9 (613-088-00-6)	2634-33-5	450	-	=0.21 mg/L (ATE dust/mist)	0.21+	0.21 +
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT]		55965-84-9	66	141	0.17	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Notes

See section 16 for more information

Chemical name	Notes
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9	В

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand.		
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.		
Eye contact	Consult an ophthalmologist.		
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.		
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.		
4.2. Most important symptoms and	d effects, both acute and delayed		
Symptoms	No information available.		
Effects of Exposure	No information available.		
4.3. Indication of any immediate medical attention and special treatment needed			
Note to doctors	No information available.		

## SECTION 5: Firefighting measures

EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE Supercedes date 10-May-2024

Revision date 29-Aug-2024

Revision Number 1.08

### 5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Full water jet.
5.2. Special hazards arising from t	he substance or mixture
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Silicon dioxide.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

6.1. Personal precautions, protecti	ive equipment and emergency procedures
Personal precautions	Ensure adequate ventilation.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
6.3. Methods and material for cont	ainment and cleaning up
Methods for containment	Do not scatter spilled material with high pressure water streams.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Ensure adequate ventilation.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Protect from frost. Keep away from food, drink and animal feedingstuffs. Keep from freezing.
Recommended storage temperature	Keep at temperatures between 5 and 35 °C. Do not freeze.
7.3. Specific end use(s)	

EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE Supercedes date 10-May-2024 Revision date 29-Aug-2024

Revision Number 1.08

Specific use(s) Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information

Observe technical data sheet.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	United Kingdom
Silica, amorphous	-	TWA: 6 mg/m <sup>3</sup>
7631-86-9		TWA: 2.4 mg/m <sup>3</sup>
		STEL: 18 mg/m <sup>3</sup>
		STEL: 7.2 mg/m <sup>3</sup>
Sodium hydroxide	-	STEL: 2 mg/m <sup>3</sup>
1310-73-2		

### Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)	Derived No Effect Level (DNEL)				
Benzene, 1,1'-oxybis-, tetraprop	Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts (119345-04-9)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	4.4 mg/m³			
worker Long term Systemic health effects	Dermal	1.2 mg/kg			

1,2-benzisothiazol-3(2H)-one [BIT	1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Inhalation	6.81 mg/m³		
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d		

Derived No Effect Level (DN	Derived No Effect Level (DNEL)			
Benzene, 1,1'-oxybis-, tetrap	propylene derivs., sulfonate	d, sodium salts (119345-04-9)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Inhalation	1.1 mg/m <sup>3</sup>		
Consumer Long term Systemic health effects	Dermal	0.6 mg/kg		
Consumer Long term Systemic health effects	Oral	0.6 mg/kg		

EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE Supercedes date 10-May-2024

#### Revision date 29-Aug-2024

Revision Number 1.08

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m <sup>3</sup>	
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d	

## Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)				
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts (119345-04-9)				
Predicted No Effect Concentration (PNEC)				
0.031 mg/l				
0.003 mg/l				
1 mg/l				
3.24 mg/kg				
0.324 mg/kg				
0.63 mg/kg				

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	4.03 μg/l
Marine water	0.403 µg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 µg/l
Marine sediment	4.99 µg/l
Soil	3 mg/kg dry weight

### 8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

## Personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Wear suitable gloves. Recommended Use: Nitrile rubber. Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves must conform to standard EN 374
Skin and body protection Respiratory protection	Wear suitable protective clothing. Provide adequate ventilation.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste
Colour	White
Odour	Characteristic.

EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE

Supercedes date 10-May-2024

Revision date 29-Aug-2024

Revision Number 1.08

Property	Values	Remarks • Method
Melting point / freezing point	0°C	
Initial boiling point and boiling	100 °C	
range		
Flammability	No data available	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	Not applicable .	
Autoignition temperature	No data available	
Decomposition temperature		None known
рН	7 - 9	
pH (as aqueous solution)	No data available	
Kinematic viscosity	> 21 mm²/s	@ 40°C
Dynamic viscosity	No data available	
Water solubility	Partially soluble.	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Vapour pressure	No data available	
Relative density	No data available	
Bulk density	No data available	
Density	0.71 g/cm <sup>3</sup>	
Relative vapour density	No data available	
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
0.2 Other information		
9.2. Other information	No information available	
Solid content (%)	No information available	Nie dete evellebie
VOC content		No data available
9.2.1. Information with regards to p	hysical hazard classes	
Not applicable		
0.2.2 Other safety characteristics		
9.2.2. Other safety characteristics No information available		

#### SECTION 10: Stability and reactivity

10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	None.
10.3. Possibility of hazardous reac	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	

EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE Supercedes date 10-May-2024

Revision Number 1.08

Conditions to avoid	Protect from frost. Do no	Protect from frost. Do not freeze.			
0.5. Incompatible materials					
Incompatible materials	None known based on ir	None known based on information supplied.			
10.6. Hazardous decompositio	n products_				
Hazardous decomposition products	None under normal use	conditions. Stable under recomm	ended storage conditions.		
SECTION 11: Toxicologic	al information				
11.1. Information on hazard c	lasses as defined in Regulat	tion (EC) No 1272/2008			
Information on likely routes of	exposure				
Product Information					
Inhalation	Based on available data	, the classification criteria are not	met.		
Eye contact	Based on available data	, the classification criteria are not	met.		
Skin contact	Based on available data	, the classification criteria are not	met.		
Ingestion	Based on available data	, the classification criteria are not	met.		
Symptoms related to the physi	cal, chemical and toxicolog	ical characteristics			
Symptoms	No information available.				
Acute toxicity					
Numerical measures of toxicity	/				
The following values are calcu ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-dust/m ATEmix (inhalation-vapour	>2000 mg/kg >2000 mg/kg >20000 ppm ist) >5 mg/l	of the GHS document			
Component Information					
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50		
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-		
Sodium hydroxide	=325 mg/kg (Rattus)	= 1350 mg/kg (Oryctolagus cuniculus)	-		
1,2-benzisothiazol-3(2H)-one [BIT]	=450 mg/kg (ATE)	LD50 > 2000 mg/kg (Rattus)	-		
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat) OECD 402	= 0.33 mg/L (Rat) 4h		

EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE Supercedes date 10-May-2024

Revision Number 1.08

Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Skin corrosion/irritation	Based on available data, the classification criteria are not met.			
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.			
Respiratory or skin sensitisation	May produce an allergic reaction.			
Germ cell mutagenicity	Based on available data, the classification criteria are not met.			
Carcinogenicity	Based on available data, the classification criteria are not met.			
Reproductive toxicity	Based on available data, the classification criteria are not met.			
STOT - single exposure	Based on available data, the classification criteria are not met.			
STOT - repeated exposure	Based on available data, the classification criteria are not met.			
Aspiration hazard	Based on available data, the classification criteria are not met.			
11.2. Information on other hazard	<u>S</u>			
11.2.1. Endocrine disrupting properties				
Endocrine disrupting properties	No information available.			
11.2.2. Other information				
Other adverse effects	No information available.			

### **SECTION 12: Ecological information**

### 12.1. Toxicity

### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
	piants		microorganisms			(iong-term)
Sodium hydroxide	-	LC50:	-	-		
1310-73-2		=45.4mg/L (96h,				
		Oncorhynchus				
		mykiss)				
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	1
H)-one [BIT]	13mg/l (activated			mg/l (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		

## **EVO-STIK INSTANT PAINTABLE DECORATORS CAULK** WHITE

Supercedes date 10-May-2024

Revision date 29-Aug-2024

Revision Number 1.08

othiazol-3-one and	(Pseudokirchner	(Oncorhynchus	magna) (OECD	
2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD	202)	
3-one (3:1)	(OECD 201)	211)		
[C(M)IT/MIT]		,		
55965-84-9				

#### 12.2. Persistence and degradability

#### No information available. Persistence and degradability

#### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test	-	-	
(TG 301 B)			

#### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

#### **Component Information**

Chemical name	Partition coefficient
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	-2.68
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	0.7

#### 12.4. Mobility in soil

#### Mobility in soil No information available. 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium	The substance is not PBT / vPvB
salts	
Sodium hydroxide	The substance is not PBT / vPvB
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

#### Waste from residues/unused products

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE Supercedes date 10-May-2024 Revision date 29-Aug-2024

Revision Number 1.08

Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

### **SECTION 14: Transport information**

Note:	Keep from freezing.	
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	Not regulated - Not regulated Not applicable None	
IMDG14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group14.5Marine pollutant14.6Special precautions for user Special Provisions14.7Maritime transport in bulkaccording to IMO instruments Transport in bulk according to	Not regulated Not regulated Not regulated Not regulated NP None Annex II of MARPOL and the IBC Code	Not applicable
Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None	

### Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE Supercedes date 10-May-2024 Revision date 29-Aug-2024

Revision Number 1.08

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

#### Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### <u>REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the</u> <u>marketing and use of explosives precursors</u> Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

- H310 Fatal in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

#### Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Legend TWA

TWA (time-weighted average)

EVO-STIK INSTANT PAINTABLE DECORATORS CAULK WHITE Supercedes date 10-May-2024 Revision date 29-Aug-2024

Revision Number 1.08

STEL	STEL (Short Term Exposure Limit)	
Ceiling	Ceiling Limit Value	
Sk*	Skin designation	
SVHC	Substance(s) of Very High Concern	
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals	
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals	
STOT RE	Specific target organ toxicity - Repeated exposure	
STOT SE	Specific target organ toxicity - Single exposure	
EWC	European Waste Catalogue	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by	
	Road	
IMDG	International Maritime Dangerous Goods (IMDG)	
ΙΑΤΑ	International Air Transport Association (IATA)	
RID	Regulations concerning the International Transport of Dangerous Goods by Rail	
Key literature references and sources for data		

No information available Prepared By Revision date Indication of changes	Product Safety & Regulatory Affairs 29-Aug-2024
Revision note	SDS sections updated: 3, 15.
Training Advice	No information available
Further information	No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet