



## ISM 2.4 MHZ AND 5.9 MHZ PASSIVE CERAMIC PATCH ANTENNAS

TE Connectivity's (TE) ISM 2.4 MHz and 5.9 MHz passive ceramic patch antennas offer high performance and high reliability for wireless applications. TE is your trusted antenna partner to help you complete your system design.

### PRODUCT FACTS

- High performance, high efficiency
- Relatively small (50x50mm) ground plane
- 50Ω
- 2.4 MHz
  - 2400-2500 MHz frequency range
  - Wi-Fi / Bluetooth Low Energy (BLE) communication
  - Surface mount
  - 12x12x4mm
- 5.9 MHz
  - 5850-5925 GHz frequency range
  - Vehicle-to-Everything (V2X) communication
  - Dedicated Short Range Communications (DSRC)
  - Through hole mount
  - 12x12x4mm

### LEARN MORE

- [Landing Page](#)

### APPLICATIONS

- 2.4 MHz ISM (L000697-01)
  - High performance industrial applications in the 2.4GHz Wi-Fi, ISM, and Zigbee bands
  - Provides stable and efficient wireless communication for short-range applications
  - ISM applications, including industrial automation, medical devices, and scientific instruments
  - Can be enabled in Zigbee frequency band for smart home automation, lighting control, and energy management
- 5.9 MHz ISM (L000693-01)
  - Vehicle-to-Everything (V2X) Communication: Enhances vehicle safety by enabling communication between vehicles, infrastructure, and pedestrians. Supports applications like collision avoidance, traffic signal priority, and emergency vehicle notification
  - Dedicated Short Range Communications (DSRC): Facilitates high-speed, low-latency communication for vehicle safety applications. Used in applications such as intersection collision warning, cooperative adaptive cruise control, and platooning.
  - Cellular Vehicle-to-Everything (C-V2X): Provides robust communication for connected and autonomous vehicles. Supports applications like real-time traffic management, remote vehicle diagnostics, and over-the-air updates
  - Intelligent Transportation Systems (ITS): Integrates communication technologies to improve transportation efficiency and safety. Used in applications like smart traffic management, electronic toll collection, and public transportation systems

# ISM 2.4 MHZ AND 5.9 MHZ PASSIVE CERAMIC PATCH ANTENNAS

## PART NUMBERS

Part Number	Part Description
<a href="#">L000693-01</a>	5.9 MHz ISM Passive Ceramic Patch Antenna, 5850-5925 MHz, 12x12x4mm
<a href="#">L000693-80</a>	Evaluation Board for L000693-01, 5850-5925 MHz
<a href="#">L000697-01</a>	2.4 MHz ISM Passive Ceramic Patch Antenna, 2400-2500 MHz, 12x12x4mm
<a href="#">L000697-80</a>	Evaluation Board for L000697-01, 2400-2500 MHz

## te.com

TE, TE Connectivity, TE connectivity (logo), and EVERY CONNECTION COUNTS are trademarks owned or licensed by the TE Connectivity plc family of companies. Other product names, logos, and company names mentioned herein may be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. Antenna performance may vary. TE is a component manufacturer, and customer and/or end-user is responsible for all end-use compliance and regulatory requirements. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2024 TE Connectivity. All Rights Reserved.

