multicomp PRO

RoHS Compliant



Applications

Electronic Components - 5G, Aerospace, AI, AloT, AR/VR/MR/XR, Automotive, Consumer Devices, Datacom, Electric Vehicle, Electronic Products, Energy Storage, Industrial, Lighting Equipment, Medical, Military, Netcom, Panel, Power Electronics, Robot, Servers, Smart Home, Telecom, etc.

Storage:

Thermal grease has a shelf-life of 12 months from the date of manufacture, as indicated by the lot number, when stored in the original, unopened container at, or below 25° C.

Features

- High thermal conductivity
- Good leveling property & no overflow
- Effectively fills surface irregularities
- Low thermal impedance
- Silicone base, environmental friendly

Properties

Thermal Conductivity : 8 W/m•K



Specification

Properties	Unit	MPTG-AS808 / MPTG-S808	Tolerance	Test Method
Thermal Conductivity	W/m•K	8	±10%	ASTM D5470 Modified
Colour	-	Gray	-	-
Oil Dispersible	wt%	0.1	-	24hr @150°C
Weight Loss	wt%	0.1	-	ASTM E595 Modified
Viscosity	Pa·s	350	±100	Brookfield
Density	g/cm³	2.9	±5%	ASTM D792
Operating Temperature	°C	40~+200	-	-
Volume Resistivity	Ohm-m	10 ¹³	-	ASTM D257
Standard Package	_	Pot	-	-

If an oil layer occurs on top of the thermal grease, it belongs to a normal phenomenon. We suggest to stir it evenly before usage.

Please avoid any dust or impurity adhering to the thermal grease. This will increase the thermal resistance and reduce the effectiveness of heat dissipation.

Condition of storage once opened: Constant temperature or cold storage, temperature between +5°C~+15°C. Please consume it within six months.

Part Number Table

Description	Part Number	
Thermal Grease, 8W/mK, Pot, 30g	MPTG-AS808-30g	

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility for such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

