Temperature Humidity Meter

multicompPRO

Description

This series meters measure temperature and humidity with low power consumption and high precision. The measured data can be saved and exported to PC software for further analysis. These meters can be used in factories, food, health, environmental protection, and other fields.

Features

- °C/°F selection
- Response : me: around 1 second
- Humidity offset settings
- Temperature offset settings
- Dew point offset settings
- Wet-bulb temperature offset settings
- Auto power off
- Data hold/data recall
- MAX/MIN
- Auto record time setup
- LCD backlight
- USB interface for data and power

Characteristics

Standard accessories	: Batteries, USB interface cable, English manual
Power	: 1.5V battery (R03) x 4
Display	: 26.5mm × 35.5mm
Product size	: 185mm × 54.8mm × 33.8mm
Product net weight	: 130g
Standard individual packing	: Gift box, carrying bag
Standard quantity per carton	: 10pcs
Standard carton measurement	: 280mm × 275mm × 230mm
Standard carton gross weight	: 3.7kg

Newark.com/multicomp-pro
Farnell.com/multicomp-pro
sg.element14.com/b/multicomp-pro

multicompPRO

Page <1>   04/04/25   V1.0

Temperature Humidity Meter

multicomp PRO

Specification

Model	Range	MP781162
Certificates	CE, UKCA	
Temperature	-20°C~70°C	±0.3°C
Resolution	0.1°C	√
Humidity	0%RH~100%RH	±2%RH
Resolution	0.1%RH	√
Data storage		999

Part Number Table

Description	Part Number
Temperature Humidity Meter, 185mm × 54.8mm × 33.8mm	MP781162

Newark.com/multicomp-pro
Farnell.com/multicomp-pro
sg.element14.com/b/multicomp-pro

multicomp PRO

04/04/25   V1.0