

# DURATOOL



**Desoldering Pump 230V**  
**Model: D01849**

## IMPORTANT SAFETY INFORMATION

- When using electrical appliances basic safety precautions should always be followed.
- Check that the voltage indicated on the rating plate corresponds with that of the local network before connecting the appliance to the mains power supply.
- Do not operate the appliance with a damaged plug or cord, after a malfunction or after being dropped or damaged in any way.
- If the supply cord is damaged, it must be replaced by a qualified engineer in order to avoid injury or a hazard.
- There are no user-serviceable parts in this product. Refer servicing to qualified personnel.
- The tip of this tool become extremely hot during use. Let these parts cool down before touching.
- Do not expose to rain or moisture.
- Do not leave the appliance unattended when it is switched on.
- Do not use in the presence of an explosive atmosphere.
- A fire may result if the appliance is not used with care, therefore be careful when using the appliance in places where there are combustible materials. Be aware that heat may be conducted to combustible materials that are out of sight.
- This appliance is not intended for use by persons (including children) who are not mentally able, physically capable, experienced or do not understand the product. They should be given supervision and instruction in the use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- Do not apply heat to the same place for a long time.
- Ensure there is sufficient space and ventilation around the appliance to allow the escape of heat and/or fumes.
- Never place the product or part of it in water, or operate if your hands are wet.
- Always observe the safety instructions and applicable regulations.
- Always place the tool on its stand when not in use.
- Disconnect from the supply when not in use.

## OPERATION

- Connect the mains plug to a socket and turn on the mains power and allow the tip to fully heat up.
- Slide the spring loaded plunger downwards until it locks into place.
- Place the tip on the solder to be removed and when it melts press the yellow button to release the vacuum plunger and remove the solder.

**Note:** The waste container should be removed and emptied after several operations.

## SPECIFICATION

Supply Voltage	230V (220-240V) ~ 50Hz
Power	40W



### INFORMATION ON WASTE DISPOSAL FOR CONSUMERS OF ELECTRICAL & ELECTRONIC EQUIPMENT.

When this product has reached the end of its life it must be treated as Waste Electrical & Electronic Equipment (WEEE). Any WEEE marked products must not be mixed with general household waste, but kept separate for the treatment, recovery and recycling of the materials used. Contact your local authority for details of recycling schemes in your area.



Made in China.  
Faraday Drive, Preston, PR2 9PP (UK)  
Riverside One, Sir John Rogerson Quay, Dublin 2, D02 X576 (EU)  
Man Rev 2.0