



PRODUCT CHANGE NOTIFICATION

PCN No: PCN-1125

Issue Date: 7/7/2026

Parts Affected	RLP1-200-500	Old Rev.	E	New Rev.	F
	RLP1-200-650		E		F
	RLP1-200-800		E		F
	RLP1-400-500		E		F
	RLP1-400-650		E		F
	RLP1-400-800		E		F
	RLP1-600-500		E		F
	RLP1-600-650		E		F
	RLP1-600-800		E		F
	RLP2-200-500		E		F
	RLP2-200-650		E		F
	RLP2-200-800		E		F
	RLP2-400-500		E		F
	RLP2-400-650		E		F
	RLP2-400-800		E		F
	RLP2-600-500		E		F
	RLP2-600-650		E		F
	RLP2-600-800		E		F
	RLP3-200-500		E		F
	RLP3-200-650		E		F
	RLP3-200-800		E		F
	RLP3-400-500		E		F
	RLP3-400-650		E		F
	RLP3-400-800		E		F
	RLP3-600-500		E		F
	RLP3-600-650		E		F
	RLP3-600-800		E		F
	RLP4-200-500		E		F
	RLP4-200-650		E		F

These changes have been reviewed and approved by Bivar management per Bivar Procedure: Engineering Change Order and Part Change Notification, SOP-040, SOP-ENG-045

Please contact Bivar Inc. at www.bivar.com/contact or speak to a Bivar representative for any questions or support requirements within 30 days of issue date.

BV00-Q465 REV 92122



PRODUCT CHANGE NOTIFICATION

PCN No: PCN-1125

Issue Date: 7/7/2026

Parts Affected	RLP4-200-800	Old Rev.	E	New Rev.	F
	RLP4-400-500		E		F
	RLP4-400-650		E		F
	RLP4-400-800		E		F
	RLP4-600-500		E		F
	RLP4-600-650		E		F
	RLP4-600-800		E		F

Change Will Affect:

This change will affect the product specifications.

Description of Change:

The color options have been removed from the RLP1, RLP2, RLP3, and RLP4 series product offerings.

Effective Date of Change: July 7, 2026

Reason for Change: As part of our ongoing efforts to streamline our product offering and improve manufacturing efficiency, the dyed color options are no longer available.

These changes have been reviewed and approved by Bivar management per Bivar Procedure: Engineering Change Order and Part Change Notification, SOP-040, SOP-ENG-045






Please contact Bivar Inc. at www.bivar.com/contact or speak to a Bivar representative for any questions or support requirements within 30 days of issue date.

BV00-Q465 REV 92122

Item	Old Revision	New Revision	Disty Rec. Disposition
RLP1-200-500	E	F	Use-As-Is
RLP1-200-650	E	F	Use-As-Is
RLP1-200-800	E	F	Use-As-Is
RLP1-400-500	E	F	Use-As-Is
RLP1-400-650	E	F	Use-As-Is
RLP1-400-800	E	F	Use-As-Is
RLP1-600-500	E	F	Use-As-Is
RLP1-600-650	E	F	Use-As-Is
RLP1-600-800	E	F	Use-As-Is
RLP2-200-500	E	F	Use-As-Is
RLP2-200-650	E	F	Use-As-Is
RLP2-200-800	E	F	Use-As-Is
RLP2-400-500	E	F	Use-As-Is
RLP2-400-650	E	F	Use-As-Is
RLP2-400-800	E	F	Use-As-Is
RLP2-600-500	E	F	Use-As-Is
RLP2-600-650	E	F	Use-As-Is
RLP2-600-800	E	F	Use-As-Is
RLP3-200-500	E	F	Use-As-Is
RLP3-200-650	E	F	Use-As-Is
RLP3-200-800	E	F	Use-As-Is
RLP3-400-500	E	F	Use-As-Is

RLP3-400-650	E	F	Use-As-Is
RLP3-400-800	E	F	Use-As-Is
RLP3-600-500	E	F	Use-As-Is
RLP3-600-650	E	F	Use-As-Is
RLP3-600-800	E	F	Use-As-Is
RLP4-200-500	E	F	Use-As-Is
RLP4-200-650	E	F	Use-As-Is
RLP4-200-800	E	F	Use-As-Is
RLP4-400-500	E	F	Use-As-Is
RLP4-400-650	E	F	Use-As-Is
RLP4-400-800	E	F	Use-As-Is
RLP4-600-500	E	F	Use-As-Is
RLP4-600-650	E	F	Use-As-Is
RLP4-600-800	E	F	Use-As-Is

REV.	DESCRIPTION	DATE	APPROVED
B	Added Overall Height "K" Dim	03/04/11	T. Y.
C	Added Overall Snap Height Dimension	08/15/12	T. Y.
D	Added Color Options, Sheet #3	02/02/16	J. C.
E	ECO-1066: Updated Mounting Hole Dimensions	08/11/20	A. V.
F	ECO-1389: Removed Color Dye Options	06/19/26	A. V.









CUSTOMER USE DRAWING

STANDARD TOLERANCE (UNLESS OTHERWISE SPECIFIED)			
DECIMALS	ANGULAR		
.X ± .1	X° ± 1°	4 THOMAS, IRVINE, CA. 92618	
.XX ± .01		TEL: (949) 951-8808 FAX: (949) 951-3974	
.XXX ± .010		TITLE: RIGHT ANGLE LIGHT PIPE, 2.8MM, SINGLE STATION	
DESIGNED: R. Paje	DATE: 11/06/09	PART NO: RLP1-XXX-XXX	REVISION: F
REVISED: K. Baron	DATE: 06/19/26	SHEET SIZE A	CAGE CODE: 32559
CHECKED: R. Pereyra	DATE: 06/19/26	SCALE: 1:1	SHEET # 1 OF 2
CAD GENERATED DOCUMENT, DO NOT MEASURE DRAWING			

RLP1-XXX-XXX						
ASSY P/N	H	L	K	LPR1-XXX-XXX	RLPH1-XXX	FIGURE
RLP1-200-500	0.197 [5.0mm]	0.551 [14.0 mm]	0.287 [7.3mm]	LPR1-200-500	RLPH1-200	
RLP1-200-650		0.669 [17.0mm]		LPR1-200-650	RLPH1-200	
RLP1-200-800		0.787 [20.0mm]		LPR1-200-800	RLPH1-200	
RLP1-400-500	0.394 [10.0mm]	0.551 [14.0 mm]	0.484 [12.3mm]	LPR1-400-500	RLPH1-400	
RLP1-400-650		0.669 [17.0mm]		LPR1-400-650	RLPH1-400	
RLP1-400-800		0.787 [20.0mm]		LPR1-400-800	RPH1-400	
RLP1-600-500	0.591 [15.0mm]	0.551 [14.0 mm]	0.681 [17.3mm]	LPR1-600-500	RLPH1-600	
RLP1-600-650		0.669 [17.0mm]		LPR1-600-650	RLPH1-600	
RLP1-600-800		0.787 [20.0mm]		LPR1-600-800	RLPH1-600	

CUSTOMER USE DRAWING

REV.	DESCRIPTION	DATE	APPROVED
	SEE SHEET #1		



RLP3-XXX-XXX						
ASSY P/N	H	L	K	LPR3-XXX-XXX	RLPH3-XXX	FIGURE
RLP3-200-500	0.197 [5.0mm]	0.551 [14.0mm]	0.287 [7.3mm]	LPR3-200-500	RLPH3-200	
RLP3-200-650		0.669 [17.0mm]		LPR3-200-650	RLPH3-200	
RLP3-200-800		0.787 [20.0mm]		LPR3-200-800	RLPH3-200	
RLP3-400-500	0.394 [10.0mm]	0.551 [14.0mm]	0.484 [12.3mm]	LPR3-400-500	RLPH3-400	
RLP3-400-650		0.669 [17.0mm]		LPR3-400-650	RLPH3-400	
RLP3-400-800		0.787 [20.0mm]		LPR3-400-800	RPH3-400	
RLP3-600-500	0.591 [15.0mm]	0.551 [14.0mm]	0.681 [17.3mm]	LPR3-600-500	RLPH3-600	
RLP3-600-650		0.669 [17.0mm]		LPR3-600-650	RLPH3-600	
RLP3-600-800		0.787 [20.0mm]		LPR3-600-800	RLPH3-600	

CUSTOMER USE DRAWING


		BIVAR	
CAGE CODE:	32559	PART NO:	RLP3-XXX-XXX
SHEET SIZE:	A	SCALE:	1:1
		SHEET #	2 OF 2
CAD GENERATED DOCUMENT, DO NOT MEASURE DRAWING			

REVISION:
F

REV.	DESCRIPTION	DATE	APPROVED
B	Added Overall Height "K" Dim	03/04/11	T. Y.
C	Added Overall Snap Height Dimension	08/15/12	T. Y.
D	Added Color Options, Sheet #3	02/02/16	J. C.
E	ECO-1066: Updated Mounting Hole Dimensions	08/11/20	A. V.
F	ECO-1389: Removed Color Dye Options	06/19/26	A. V.







CUSTOMER USE DRAWING

STANDARD TOLERANCE (UNLESS OTHERWISE SPECIFIED)		 4 THOMAS, IRVINE, CA. 92618 TEL: (949) 951-8808 FAX: (949) 951-3974	
DECIMALS	ANGULAR		
.X ± .1	X° ± 1°	 TITLE: RIGHT ANGLE LIGHT PIPE, 2.8MM, 2 STATION	
.XX ± .01			
.XXX ± .010		PART NO: RLP2-XXX-XXX	
DESIGNED: R. Paje	DATE: 11/06/09	REVISION: F	
REVISED: K. Baron	DATE: 06/19/26	SHEET SIZE A	CAGE CODE: 32559
CHECKED: R. Pereyra	DATE: 06/19/26	SCALE: 1:1	SHEET # 1 OF 2
CAD GENERATED DOCUMENT, DO NOT MEASURE DRAWING			


RLP2-XXX-XXX						
ASSY P/N	H	L	K	LPR2-XXX-XXX	RLPH2-XXX	FIGURE
RLP2-200-500	0.197 [5.0mm]	0.551 [14.0mm]	0.287 [7.3mm]	LPR2-200-500	RLPH2-200	
RLP2-200-650		0.669 [17.0mm]		LPR2-200-650	RLPH2-200	
RLP2-200-800		0.787 [20.0mm]		LPR2-200-800	RLPH2-200	
RLP2-400-500	0.394 [10.0mm]	0.551 [14.0mm]	0.484 [12.3mm]	LPR2-400-500	RLPH2-400	
RLP2-400-650		0.669 [17.0mm]		LPR2-400-650	RLPH2-400	
RLP2-400-800		0.787 [20.0mm]		LPR2-400-800	RPH2-400	
RLP2-600-500	0.591 [15.0mm]	0.551 [14.0mm]	0.681 [17.3mm]	LPR2-600-500	RLPH2-600	
RLP2-600-650		0.669 [17.0mm]		LPR2-600-650	RLPH2-600	
RLP2-600-800		0.787 [20.0mm]		LPR2-600-800	RLPH2-600	


CUSTOMER USE DRAWING

REV.	DESCRIPTION	DATE	APPROVED
B	Added Overall Height "K" Dim	03/04/11	T. Y.
C	Added Overall Snap Height Dimension	08/15/12	T. Y.
D	Added Color Options, Sheet #3	02/02/16	J. C.
E	ECO-1066: Updated Mounting Hole Dimensions	08/11/20	A. V.
F	ECO-1389: Removed Color Dye Options	06/19/26	A. V.












CUSTOMER USE DRAWING



STANDARD TOLERANCE (UNLESS OTHERWISE SPECIFIED)		 4 THOMAS, IRVINE, CA. 92618 TEL: (949) 951-8808 FAX: (949) 951-3974	
DECIMALS	ANGULAR		
.X ± .1	X° ± 1°	 TITLE: RIGHT ANGLE LIGHT PIPE, 2.8MM, 4 STATION	
.XX ± .01			
.XXX ± .010		PART NO: RLP4-XXX-XXX	REVISION: F
DESIGNED: R. Paje	DATE: 11/06/09	SHEET SIZE A	CAGE CODE: 32559
REVISED: K. Baron	DATE: 06/19/26	SCALE: 1:1	SHEET # 1 OF 2
CHECKED: R. Pereyra	DATE: 06/19/26	CAD GENERATED DOCUMENT, DO NOT MEASURE DRAWING	

REV.	DESCRIPTION	DATE	APPROVED
	SEE SHEET #1		

RLP4-XXX-XXX						
ASSY P/N	H	L	K	LPR4-XXX-XXX	RLPH4-XXX	FIGURE
RLP4-200-500	0.197 [5.0mm]	0.551 [14.0mm]	0.287 [7.3mm]	LPR4-200-500	RLPH4-200	
RLP4-200-650		0.669 [17.0mm]		LPR4-200-650	RLPH4-200	
RLP4-200-800		0.787 [20.0mm]		LPR4-200-800	RLPH4-200	
RLP4-400-500	0.394 [10.0mm]	0.551 [14.0mm]	0.484 [12.3mm]	LPR4-400-500	RLPH4-400	
RLP4-400-650		0.669 [17.0mm]		LPR4-400-650	RLPH4-400	
RLP4-400-800		0.787 [20.0mm]		LPR4-400-800	RPH4-400	
RLP4-600-500	0.591 [15.0mm]	0.551 [14.0mm]	0.681 [17.3mm]	LPR4-600-500	RLPH4-600	
RLP4-600-650		0.669 [17.0mm]		LPR4-600-650	RLPH4-600	
RLP4-600-800		0.787 [20.0mm]		LPR4-600-800	RLPH4-600	

CUSTOMER USE DRAWING

		BIVAR	
CAGE CODE:	32559	PART NO:	RLP4-XXX-XXX
SHEET SIZE:	A	SCALE:	1:1
		SHEET #	2 OF 2
CAD GENERATED DOCUMENT, DO NOT MEASURE DRAWING			