



PRODUCT CHANGE NOTIFICATION

PCN No: PCN-1124

Issue Date: 7/7/2026

Parts Affected	LTM-120	Old Rev.	H	New Rev.	J
	LTM-130		H		J
	LTM-140		H		J
	LTM-150		H		J
	LTM-160		H		J
	LTM-170		H		J
	LTM-180		H		J
	LTM-190		H		J
	LTM-200		H		J
	LTM-210		H		J
	LTM-220		H		J
	LTM-230		H		J
	LTM-240		H		J
	LTM-250		H		J
	LTM-260		H		J
	LTM-270		H		J
	LTM-280		H		J
	LTM-290		H		J
	LTM-300		H		J
	LTM-310		H		J
	LTM-320		H		J
	LTM-330		H		J
	LTM-340		H		J
	LTM-350		H		J
	LTM-360		H		J
	LTM-370		H		J
	LTM-380		H		J
	LTM-390		H		J
	LTM-400		H		J

These changes have been reviewed and approved by Bivar management per Bivar Procedure: Engineering Change Order and Part Change Notification, SOP-040, SOP-ENG-045

Please contact Bivar Inc. at www.bivar.com/contact or speak to a Bivar representative for any questions or support requirements within 30 days of issue date.

BV00-Q465 REV 92122



PRODUCT CHANGE NOTIFICATION

PCN No: PCN-1124

Issue Date: 7/7/2026

Parts Affected	LTM-410	Old Rev.	H	New Rev.	J
	LTM-420		H		J
	LTM-430		H		J
	LTM-440		H		J
	LTM-450		H		J
	LTM-460		H		J
	LTM-480		H		J
	LTM-490		H		J
	LTM-500		H		J
	LTM-520		H		J
	LTM-550		H		J
	LTM-570		H		J
	LTM-600		H		J
	LTM-620		H		J
	LTM-650		H		J
	LTM-670		H		J
	LTM-700		H		J
	LTM-720		H		J
	LTM-750		H		J
	LTM-770		H		J
	LTM-800		H		J
	LTM-820		H		J
	LTM-850		H		J
	LTM-870		H		J
	LTM-900		H		J
	NTM-120		H		J
	NTM-130		H		J
	NTM-140		H		J
	NTM-150		H		J

These changes have been reviewed and approved by Bivar management per Bivar Procedure: Engineering Change Order and Part Change Notification, SOP-040, SOP-ENG-045

Please contact Bivar Inc. at www.bivar.com/contact or speak to a Bivar representative for any questions or support requirements within 30 days of issue date.

BV00-Q465 REV 92122



PRODUCT CHANGE NOTIFICATION

PCN No: PCN-1124

Issue Date: 7/7/2026

Parts Affected	NTM-160	Old Rev.	H	New Rev.	J
	NTM-170		H		J
	NTM-180		H		J
	NTM-190		H		J
	NTM-200		H		J
	NTM-210		H		J
	NTM-220		H		J
	NTM-230		H		J
	NTM-240		H		J
	NTM-250		H		J
	NTM-260		H		J
	NTM-270		H		J
	NTM-280		H		J
	NTM-290		H		J
	NTM-300		H		J
	NTM-310		H		J
	NTM-320		H		J
	NTM-330		H		J
	NTM-340		H		J
	NTM-350		H		J
	NTM-360		H		J
	NTM-370		H		J
	NTM-380		H		J
	NTM-390		H		J
	NTM-400		H		J
	NTM-410		H		J
	NTM-420		H		J
	NTM-430		H		J
	NTM-440		H		J

These changes have been reviewed and approved by Bivar management per Bivar Procedure: Engineering Change Order and Part Change Notification, SOP-040, SOP-ENG-045

Please contact Bivar Inc. at www.bivar.com/contact or speak to a Bivar representative for any questions or support requirements within 30 days of issue date.

BV00-Q465 REV 92122



PRODUCT CHANGE NOTIFICATION

PCN No: PCN-1124

Issue Date: 7/7/2026

Parts Affected	NTM-450	Old Rev.	H	New Rev.	J
	NTM-460		H		J
	NTM-480		H		J
	NTM-490		H		J
	NTM-500		H		J
	NTM-520		H		J
	NTM-530		H		J
	NTM-550		H		J
	NTM-570		H		J
	NTM-600		H		J
	NTM-620		H		J
	NTM-650		H		J
	NTM-670		H		J
	NTM-700		H		J
	NTM-720		H		J
	NTM-750		H		J
	NTM-770		H		J
	NTM-800		H		J
	NTM-820		H		J
	NTM-850		H		J
	NTM-870		H		J
	NTM-900		H		J

Change Will Affect:

This change will affect the product specifications.

Description of Change:

The 'DH' dimension for both LTM and NTM models with heights between 0.250 in and 0.290 in has been corrected from 0.185 (7.7 mm) to 0.185 (4.7 mm), as 7.7 mm was a typographical error.

These changes have been reviewed and approved by Bivar management per Bivar Procedure: Engineering Change Order and Part Change Notification, SOP-040, SOP-ENG-045

Please contact Bivar Inc. at www.bivar.com/contact or speak to a Bivar representative for any questions or support requirements within 30 days of issue date.

BV00-Q465 REV 92122



PRODUCT CHANGE NOTIFICATION

PCN No: PCN-1124

Issue Date: 7/7/2026

Effective Date of Change: July 7, 2026

Reason for Change: Typographical error in the datasheet.

These changes have been reviewed and approved by Bivar management per Bivar Procedure: Engineering Change Order and Part Change Notification, SOP-040, SOP-ENG-045

Please contact Bivar Inc. at www.bivar.com/contact or speak to a Bivar representative for any questions or support requirements within 30 days of issue date.

BV00-Q465 REV 92122

Item	Old Revision	New Revision	Disty Rec. Disposition
LTM-120	H	J	Use-As-Is
LTM-130	H	J	Use-As-Is
LTM-140	H	J	Use-As-Is
LTM-150	H	J	Use-As-Is
LTM-160	H	J	Use-As-Is
LTM-170	H	J	Use-As-Is
LTM-180	H	J	Use-As-Is
LTM-190	H	J	Use-As-Is
LTM-200	H	J	Use-As-Is
LTM-210	H	J	Use-As-Is
LTM-220	H	J	Use-As-Is
LTM-230	H	J	Use-As-Is
LTM-240	H	J	Use-As-Is
LTM-250	H	J	Use-As-Is
LTM-260	H	J	Use-As-Is
LTM-270	H	J	Use-As-Is
LTM-280	H	J	Use-As-Is

LTM-290	H	J	Use-As-Is
LTM-300	H	J	Use-As-Is
LTM-310	H	J	Use-As-Is
LTM-320	H	J	Use-As-Is
LTM-330	H	J	Use-As-Is
LTM-340	H	J	Use-As-Is
LTM-350	H	J	Use-As-Is
LTM-360	H	J	Use-As-Is
LTM-370	H	J	Use-As-Is
LTM-380	H	J	Use-As-Is
LTM-390	H	J	Use-As-Is
LTM-400	H	J	Use-As-Is
LTM-410	H	J	Use-As-Is
LTM-420	H	J	Use-As-Is
LTM-430	H	J	Use-As-Is
LTM-440	H	J	Use-As-Is
LTM-450	H	J	Use-As-Is
LTM-460	H	J	Use-As-Is

LTM-480	H	J	Use-As-Is
LTM-490	H	J	Use-As-Is
LTM-500	H	J	Use-As-Is
LTM-520	H	J	Use-As-Is
LTM-550	H	J	Use-As-Is
LTM-570	H	J	Use-As-Is
LTM-600	H	J	Use-As-Is
LTM-620	H	J	Use-As-Is
LTM-650	H	J	Use-As-Is
LTM-670	H	J	Use-As-Is
LTM-700	H	J	Use-As-Is
LTM-720	H	J	Use-As-Is
LTM-750	H	J	Use-As-Is
LTM-770	H	J	Use-As-Is
LTM-800	H	J	Use-As-Is
LTM-820	H	J	Use-As-Is
LTM-850	H	J	Use-As-Is
LTM-870	H	J	Use-As-Is


LTM-900	H	J	Use-As-Is
NTM-120	H	J	Use-As-Is
NTM-130	H	J	Use-As-Is
NTM-140	H	J	Use-As-Is
NTM-150	H	J	Use-As-Is
NTM-160	H	J	Use-As-Is
NTM-170	H	J	Use-As-Is
NTM-180	H	J	Use-As-Is
NTM-190	H	J	Use-As-Is
NTM-200	H	J	Use-As-Is
NTM-210	H	J	Use-As-Is
NTM-220	H	J	Use-As-Is
NTM-230	H	J	Use-As-Is
NTM-240	H	J	Use-As-Is
NTM-250	H	J	Use-As-Is
NTM-260	H	J	Use-As-Is
NTM-270	H	J	Use-As-Is
NTM-280	H	J	Use-As-Is

NTM-290	H	J	Use-As-Is
NTM-300	H	J	Use-As-Is
NTM-310	H	J	Use-As-Is
NTM-320	H	J	Use-As-Is
NTM-330	H	J	Use-As-Is
NTM-340	H	J	Use-As-Is
NTM-350	H	J	Use-As-Is
NTM-360	H	J	Use-As-Is
NTM-370	H	J	Use-As-Is
NTM-380	H	J	Use-As-Is
NTM-390	H	J	Use-As-Is
NTM-400	H	J	Use-As-Is
NTM-410	H	J	Use-As-Is
NTM-420	H	J	Use-As-Is
NTM-430	H	J	Use-As-Is
NTM-440	H	J	Use-As-Is
NTM-450	H	J	Use-As-Is
NTM-460	H	J	Use-As-Is


NTM-480	H	J	Use-As-Is
NTM-490	H	J	Use-As-Is
NTM-500	H	J	Use-As-Is
NTM-520	H	J	Use-As-Is
NTM-530	H	J	Use-As-Is
NTM-550	H	J	Use-As-Is
NTM-570	H	J	Use-As-Is
NTM-600	H	J	Use-As-Is
NTM-620	H	J	Use-As-Is
NTM-650	H	J	Use-As-Is
NTM-670	H	J	Use-As-Is
NTM-700	H	J	Use-As-Is
NTM-720	H	J	Use-As-Is
NTM-750	H	J	Use-As-Is
NTM-770	H	J	Use-As-Is
NTM-800	H	J	Use-As-Is
NTM-820	H	J	Use-As-Is
NTM-850	H	J	Use-As-Is

NTM-870	H	J	Use-As-Is
---------	---	---	-----------

NTM-900	H	J	Use-As-Is
---------	---	---	-----------




REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
E	Changed LTM Material from 44-BK to 56-BK	06/27/07	M. C.
F	Updated Note 3.	09/24/13	T. Y.
G	Chg LTM Material to Halogen Free	11/20/19	A.V.
H	Chg LTM Material to 15%GF, ECO 1026	11/22/19	A.V.
J	ECO-1388 Fixed Dual Dimension Typo	06/09/26	A.V.



SECTION A-A

PART NO.	H	DH	PART NO.	H	DH	PART NO.	H	DH
LTM / NTM-120	.120(3.1)	.060(1.5)	LTM / NTM-300	.300(7.6)	.185(4.7)	LTM / NTM-490	.490(12.5)	.310(7.9)
LTM / NTM-130	.130(3.3)		LTM / NTM-310	.310(7.9)		LTM / NTM-500	.500(12.7)	.435(11.1)
LTM / NTM-140	.140(3.6)		LTM / NTM-320	.320(8.1)		LTM / NTM-520	.520(13.2)	
LTM / NTM-150	.150(3.8)		LTM / NTM-330	.330(8.4)		LTM / NTM-550	.550(14.0)	
LTM / NTM-160	.160(4.1)		LTM / NTM-340	.340(8.6)		LTM / NTM-570	.570(14.5)	
LTM / NTM-170	.170(4.3)		LTM / NTM-350	.350(8.9)		LTM / NTM-600	.600(15.2)	
LTM / NTM-180	.180(4.6)		LTM / NTM-360	.360(9.1)		LTM / NTM-620	.620(15.8)	.560(14.2)
LTM / NTM-190	.190(4.8)		LTM / NTM-370	.370(9.4)		LTM / NTM-650	.650(16.5)	
LTM / NTM-200	.200(5.1)		LTM / NTM-380	.380(9.7)		LTM / NTM-670	.670(17.0)	
LTM / NTM-210	.210(5.3)		LTM / NTM-390	.390(9.9)		LTM / NTM-700	.700(17.8)	
LTM / NTM-220	.220(5.6)	.185(4.7)	LTM / NTM-400	.400(10.2)	.310(7.9)	LTM / NTM-720	.720(18.3)	.690(17.5)
LTM / NTM-230	.230(5.8)		LTM / NTM-410	.410(10.4)		LTM / NTM-750	.750(19.1)	
LTM / NTM-240	.240(6.1)		LTM / NTM-420	.420(10.7)		LTM / NTM-770	.770(19.6)	
LTM / NTM-250	.250(6.4)		LTM / NTM-430	.430(10.9)		LTM / NTM-800	.800(20.3)	
LTM / NTM-260	.260(6.6)		LTM / NTM-440	.440(11.2)		LTM / NTM-820	.820(20.8)	
LTM / NTM-270	.270(6.9)		LTM / NTM-450	.450(11.4)		LTM / NTM-850	.850(21.6)	
LTM / NTM-280	.280(7.1)		LTM / NTM-460	.460(11.7)		LTM / NTM-870	.870(22.1)	
LTM / NTM-290	.290(7.4)		LTM / NTM-480	.480(12.2)		LTM / NTM-900	.900(22.9)	



DETAIL B
SCALE 5:1

CUSTOMER USE DRAWING

2. NTM MATERIAL: NYLON 6/6, 94V-2, NATURAL. BIVAR MATERIAL CODE 03-NL.

1. LTM MATERIAL: PBT+15% GLASS FILLED, 94V-0, BLACK.

STANDARD TOLERANCE (UNLESS OTHERWISE SPECIFIED)		BIVAR® 4 THOMAS, IRVINE, CA. 92618 TEL: (949) 951-8808 FAX: (949) 951-3974	
DECIMALS	ANGULAR		
.X ± .1	X° ± 1°	TITLE: MOLDED, SELF-RETAINING LED MOUNT	
.XX ± .01			
.XXX ± .005		DRAWING NO: LTM-NTM-XXX	
DESIGNED: David Green	DATE: 01/06/03	REVISION: J	
REVISED: K. BARON	DATE: 6/9/2026	SHEET SIZE	A
CHECKED: R. PEREYRA	DATE: 6/9/2026	CAGE CODE: 32559	
		SCALE: NONE	SHEET # 1 OF 1
CAD GENERATED DOCUMENT, DO NOT MEASURE DRAWING			