



Product Change Notification: SYST-13LXCL317

Date:

17-Jul-2026

Product Category:

Clock And Timing - Oscillators

Notification Subject:

Data Sheet - DSC1101/21 - Low-Jitter Precision CMOS Oscillator

Affected CPNs:

[SYST-13LXCL317_Affected_CPN_07172026.pdf](#)

[SYST-13LXCL317_Affected_CPN_07172026.csv](#)

Notification Text:

SYST-13LXCL317

Microchip has released a new Datasheet for the DSC1101/21 - Low-Jitter Precision CMOS Oscillator of devices. If you are using one of these devices please read the document located at [DSC1101/21 - Low-Jitter Precision CMOS Oscillator](#).

Notification Status: Final

Description of Change:

Added a note at the end of the Package Marking Information section about frequency marking.

Impacts to Data Sheet: See above details.

Reason for Change: To Improve Productivity

Change Implementation Status: Complete

Date Document Changes Effective: 17 Jul 2026

NOTE: Please be advised that this is a change to the document only the product has not been changed.

Markings to Distinguish Revised from Unrevised Devices: N/A

Attachments:

DSC1101/21 - Low-Jitter Precision CMOS Oscillator

Please contact your local [Microchip sales office](#) with questions or concerns regarding this notification.

Terms and Conditions:

If you wish to receive Microchip PCNs via email please register for our PCN email service at our [PCN home page](#) select register then fill in the required fields. You will find instructions about registering for Microchips PCN email service in the [PCN FAQ](#) section.

If you wish to change your PCN profile, including opt out, please go to the [PCN home page](#) select login and sign into your myMicrochip account. Select a profile option from

Affected Catalog Part Numbers (CPN)

DSC1121AL5-010.0000T

DSC1121AL5-100.0000T

DSC1121AE5-010.0000T

DSC1121AL5-112.2400T

DSC1121AE5-022.5792T

DSC1121AE5-024.5760T

DSC1121AE1-040.0000T

DSC1121AL5-170.0000T

DSC1121AL5-024.5760T

DSC1121AL5-022.5792T

DSC1121AL5-125.0000T

DSC1121AE1-025.0000T

DSC1121AE1-024.0000T

DSC1121AE1-075.0000T

DSC1121AE2-025.0000T

DSC1121AE2-156.2500T

DSC1121AE2-075.0000T

DSC1121AL2-025.0000T

DSC1121AE1-125.0000T

DSC1121AE1-156.2500T

DSC1121AL5-050.0000T

DSC1121AE1-050.0000T

DSC1121NL1-025.0000T

DSC1121NE2-020.0000T

DSC1121DL2-024.7500T

DSC1121DL2-025.0000T

DSC1121DL2-008.0000T

DSC1121DL2-032.0000T

DSC1121DE1-050.0000T

DSC1121DL5-026.0000T

DSC1121DL1-025.0000T

DSC1121DL1-033.0000T

DSC1121DE2-025.0000T

DSC1121DL2-072.0000T

DSC1121DL1-040.0000T

DSC1121DL5-072.0000T

DSC1121DE5-072.0000T

DSC1121DE1-010.0000T

DSC1121DE3-150.3330T

DSC1121DL5-040.0000T

DSC1121DL5-020.0000T

DSC1121DL3-010.2400T

DSC1121DL5-035.0000T

DSC1121DE5-025.0000T

DSC1121CI2-014.7456T

DSC1121CI1-024.0000T

DSC1121CI1-125.0000T

DSC1121CI2-010.0000T

DSC1121CI2-012.2880T

DSC1121CI2-013.0000T

DSC1121CI2-024.0000T

DSC1121CI2-025.0000T

DSC1121CI1-025.0000T

DSC1121CI2-048.0000T

DSC1121CI2-050.0000T

DSC1121CI2-060.0000T

DSC1121CI2-066.6660T

DSC1121CI2-100.0000T

DSC1121CI2-031.2500T

DSC1121CI2-125.0000T

DSC1121CI2-133.3330T

DSC1121CI2-148.5000T
DSC1121CI2-168.0000T
DSC1121CI5-040.0000T
DSC1121CI5-022.5000T
DSC1121CI2-115.0000T
DSC1121CI5-049.1520T
DSC1121CI2-132.0000T
DSC1121CI2-024.5760T
DSC1121CI2-020.0000T
DSC1121CI2-030.0000T
DSC1121CI2-051.8400T
DSC1121CI1-050.0000T
DSC1121CI5-016.6667T
DSC1121CI5-025.0000T
DSC1121CI5-027.0000T
DSC1121CI5-066.0000T
DSC1121CI5-117.0000T
DSC1121CI2-027.0000T
DSC1121CI5-045.0000T
DSC1121CI5-016.0000T
DSC1121CI2-012.0000T
DSC1121CI2-066.6667T
DSC1121CI2-155.5200T
DSC1121CI2-008.0000T
DSC1121CI5-026.0000T
DSC1121CI2-080.0000T
DSC1121CI2-045.1580T
DSC1121CI2-049.1520T
DSC1121CI2-045.1584T
DSC1121CI2-014.3181T
DSC1121CI5-045.1584T
DSC1121CI5-024.0000T

DSC1121CI2-066.0000T
DSC1121CI2-156.0063T
DSC1121CI2-045.0000T
DSC1121CI2-055.0000T
DSC1121CI3-008.0000T
DSC1121CI5-033.3333T
DSC1121CI1-033.3333T
DSC1121CI5-017.1776T
DSC1121CI1-100.0000T
DSC1121CI2-006.0000T
DSC1121CI1-029.4912T
DSC1121CI5-100.0000T
DSC1121CI1-025.4000T
DSC1121CM1-027.0000T
DSC1121BI1-026.0000T
DSC1121BI2-010.0000T
DSC1121BI2-066.0000T
DSC1121BI1-014.8946T
DSC1121BI1-100.0000T
DSC1121BI2-014.7456T
DSC1121AI2-156.2500T
DSC1121AI2-148.5000T
DSC1121AI2-053.1250T
DSC1121AI1-025.0000T
DSC1121AI2-024.0000T
DSC1121AI2-025.0000T
DSC1121AI2-026.0000T
DSC1121AI2-029.4912T
DSC1121AI2-048.0000T
DSC1121AI2-050.0000T
DSC1121AI2-125.0000T
DSC1121AI1-002.5000T

DSC1121AI1-155.5200T

DSC1121AI2-156.2540T

DSC1121AI5-020.0000T

DSC1121AI5-050.0000T

DSC1121AI5-125.0032T

DSC1121AI1-125.0000T

DSC1121AI2-020.0000T

DSC1121AI1-027.0000T

DSC1121AI2-162.0000T

DSC1121AI2-012.2880T

DSC1121AI5-100.0000T

DSC1121AI5-027.0000T

DSC1121AI2-010.0000T

DSC1121AI2-061.4400T

DSC1121AI2-013.0000T

DSC1121AI3-025.0000T

DSC1121AI5-022.5792T

DSC1121AI2-008.0000T

DSC1121AI2-016.0000T

DSC1121AI2-066.6660T

DSC1121AI2-033.3330T

DSC1121AI1-156.2500T

DSC1121AI1-090.0000T

DSC1121AI5-008.0000T

DSC1121AI2-159.3750T

DSC1121AI2-081.0000T

DSC1121AI2-041.5000T

DSC1121AI5-041.5000T

DSC1121AI1-041.5000T

DSC1121AI1-100.0000T

DSC1121AI1-064.0000T

DSC1121AI2-150.0000T

DSC1121AI2-133.2500T

DSC1121AI3-054.8352T

DSC1121AI3-084.4032T

DSC1121AI2-122.8800T

DSC1121AI2-040.0000T

DSC1121AI3-062.8600T

DSC1121AI2-100.0000T

DSC1121AI2-162.7200T

DSC1121AI3-050.0000T

DSC1121NI1-100.0000T

DSC1121NI2-125.0000T

DSC1121NI2-025.0000T

DSC1121NI5-020.0000T

DSC1121NI2-020.0000T

DSC1121DI2-024.0000T

DSC1121DI1-025.0000T

DSC1121DI2-022.5792T

DSC1121DI2-011.0590T

DSC1121DI1-036.0000T

DSC1121DI2-024.5760T

DSC1121DI1-125.0000T

DSC1121DI2-027.0000T

DSC1121DI5-034.3680T

DSC1121DI5-044.0000T

DSC1121DI2-025.0000T

DSC1121DI2-125.0000B

DSC1121DI2-125.0000T

DSC1121DI5-010.0000T

DSC1121DI5-044.7360T

DSC1121DI1-026.6000T

DSC1121DI5-008.0000T

DSC1121DI2-156.2500T

DSC1121DI5-100.0000T
DSC1121DI5-072.0000T
DSC1121DI5-050.0000T
DSC1121DI5-032.0000T
DSC1121DI1-100.0000T
DSC1121DI2-010.0000T
DSC1121DI3-050.0000T
DSC1121DI2-100.0000T
DSC1121DI1-048.0000T
DSC1121DI5-125.0000T
DSC1121DI5-012.8000T
DSC1121DI5-NAN.0000T
DSC1121DI5-033.5544T
DSC1121DI1-080.0000T
DSC1121DI1-010.7625T
DSC1121DI5-112.0000T
DSC1121DI5-020.0000T
DSC1121DI2-008.0000T
DSC1121DI2-006.0000T
DSC1121DI5-048.0048T
DSC1121DI1-060.0000T
DSC1121DI3-124.0000T
DSC1121DI2-114.2850T
DSC1121CM1-010.0000T
DSC1121CM1-016.0000T
DSC1121CM1-020.0000T
DSC1121CM1-024.0000T
DSC1121CM1-025.0000T
DSC1121CM1-026.5625T
DSC1121CM1-048.0000T
DSC1121CM1-050.0000T
DSC1121CM1-075.0000T

DSC1121CM1-125.0000T

DSC1121CM2-033.3333T

DSC1121CM2-027.0000T

DSC1121CM2-062.2080T

DSC1121CM2-024.5454T

DSC1121CM2-040.0000T

DSC1121CM2-006.7800T

DSC1121CM1-012.0000T

DSC1121CM1-012.2880T

DSC1121CM1-040.0000T

DSC1121CM1-066.6660T

DSC1121CM1-100.0000T

DSC1121CM1-036.0000T

DSC1121CM1-018.0000T

DSC1121CM2-008.0000T

DSC1121CM2-025.0000T

DSC1121CM1-030.0000T

DSC1121CM1-014.7456T

DSC1121CM1-032.0000T

DSC1121CM2-003.1152T

DSC1121CM1-003.1152T

DSC1121CM1-005.5296T

DSC1121CM2-024.0000T

DSC1121CM3-025.0000T

DSC1121CM2-020.0000T

DSC1121CM2-010.0000T

DSC1121CM2-160.0000T

DSC1121CM2-100.0000T

DSC1121CM2-127.8720T

DSC1121BM2-007.3728T

DSC1121BM1-020.0000T

DSC1121AM1-025.0000T

DSC1121AM1-030.0000T
DSC1121AM1-050.0000T
DSC1121AM2-004.0000T
DSC1121AM2-010.0000T
DSC1121AM2-016.0000T
DSC1121AM2-024.0000T
DSC1121AM2-024.5760T
DSC1121AM2-025.0000T
DSC1121AM2-027.0000T
DSC1121AM2-033.3330T
DSC1121AM2-050.0000T
DSC1121AM2-066.6660T
DSC1121AM2-125.0000T
DSC1121AM1-100.0000T
DSC1121AM2-008.0000T
DSC1121AM1-010.0000T
DSC1121AM1-020.0000T
DSC1121AM1-027.0000T
DSC1121AM1-012.2880T
DSC1121AM1-032.7680T
DSC1121AM1-014.7456T
DSC1121AM1-041.5000T
DSC1121AM2-041.5000T
DSC1121AM1-029.4912T
DSC1121AM1-024.5760T
DSC1121AM1-033.0000T
DSC1121AM1-064.0000T
DSC1121AM1-026.0000T
DSC1121AM1-024.0000T
DSC1121AM2-127.8720T
DSC1121AM2-008.7040T
DSC1121NM1-100.0000T

DSC1121DM2-003.3333T

DSC1121DM2-007.3728T

DSC1121DM2-125.0000T

DSC1121DM2-025.0000B

DSC1121DM1-033.3333T

DSC1121DM1-030.0000T

DSC1121DM2-025.0000T

DSC1121DM2-033.0000T

DSC1121DM2-016.6400T

DSC1121DM2-014.7456T

DSC1121DM3-032.0000T

DSC1121DM2-026.0000T

DSC1121DM2-019.2000T

DSC1121DM3-025.0000T

DSC1121DM2-024.0000T

DSC1121DM2-127.8720T

DSC1121DM2-008.7040T

DSC1121DM1-002.5600T

DSC1101BI2-008.0000

DSC1101BI5-016.0000

DSC1101BI5-012.0000

DSC1101BI5-020.0000

DSC1101BI3-013.5600

DSC1101BI2-027.1200

DSC1101BI1-145.2000

DSC1101BE5-024.5760

DSC1101BM2-PROG

DSC1101BM2-025.0000

DSC1101BM2-100.0000

DSC1101BM2-074.2500

DSC1101BM2-027.0000

DSC1101BM2-050.0000

DSC1101BM2-054.0000

DSC1101BI5-022.5792

DSC1101BI5-024.5760

DSC1101BI5-050.0000

DSC1101BI5-133.0000

DSC1101BE5-022.5792

DSC1101BE1-012.0000

DSC1101BL3-PROG

DSC1101BL5-PROG

DSC1101BL5-024.0000

DSC1101BE3-024.0000

DSC1101BL5-018.4320

DSC1101BL5-022.1184

DSC1101BE1-050.0000T

DSC1101BE5-024.5760T

DSC1101BE5-022.5792T

DSC1101BE1-012.0000T

DSC1101BL3-PROGT

DSC1101BL5-PROGT

DSC1101BL5-024.0000T

DSC1101BE3-024.0000T

DSC1101BL5-018.4320T

DSC1101BL5-022.1184T

DSC1101BI5-050.0000T

DSC1101BI5-133.0000T

DSC1101BI2-125.0000T

DSC1101BI2-024.5760T

DSC1101BI2-125.0031T

DSC1101BI5-010.0000T

DSC1101BI3-025.0000T

DSC1101BI2-125.0037T

DSC1101BI2-008.0000T

DSC1101BI5-016.0000T
DSC1101BI5-012.0000T
DSC1101BI5-020.0000T
DSC1101BI3-013.5600T
DSC1101BI2-027.1200T
DSC1101BI1-145.2000T
DSC1101DI1-025.0000TV01
DSC1101DI1-125.0000TV03
DSC1101BM2-025.0000T
DSC1101BM2-100.0000T
DSC1101BM2-074.2500T
DSC1101BM2-027.0000T
DSC1101BM2-050.0000T
DSC1101BM2-054.0000T
DSC1101BM2-PROGT
DSC1101AM2-PROG
DSC1101DM2-PROG
DSC1101DM2-100.0000
DSC1101CM1-008.0000
DSC1101CM1-025.0000
DSC1101CM2-020.0000
DSC1101CM2-062.2080
DSC1101CM1-075.0000
DSC1101CM1-005.0000
DSC1101CM1-033.3333
DSC1101CM2-008.0000
DSC1101CM2-012.0000
DSC1101CM2-048.0000
DSC1101CM1-040.0000
DSC1101CM3-024.0000
DSC1101CM1-032.0000
DSC1101CM2-PROG

DSC1101CM1-010.0000

DSC1101CM3-PROG

DSC1101BM1-005.5296

DSC1101BM3-PROG

DSC1101AM1-160.0000

DSC1101AM2-004.0000

DSC1101AM2-100.0000

DSC1101AM3-PROG

DSC1101AM2-014.3950

DSC1101AM2-030.0000

DSC1101AM2-156.2500

DSC1101AM2-026.0000

DSC1101DM1-033.3330

DSC1101DM2-020.0000

DSC1101DM2-016.0000

DSC1101DM2-025.0000

DSC1101DM2-056.2500

DSC1101DM2-125.0000

DSC1101DM1-012.0000

DSC1101DM2-012.0000

DSC1101DM2-004.0000

DSC1101DM1-033.3333

DSC1101AI2-064.0000

DSC1101AI3-008.0000

DSC1101AI2-081.3600

DSC1101AI1-016.0000

DSC1101NI1-125.0062

DSC1101NI1-156.2500

DSC1101NI5-100.0000

DSC1101NI5-025.0000

DSC1101NI5-020.0000

DSC1101NI5-012.8000

DSC1101NI5-016.3840

DSC1101NI1-050.0000

DSC1101NI5-018.7500

DSC1101NI2-050.0000

DSC1101NI2-025.0000

DSC1101NI2-018.7500

DSC1101DI2-025.0000

DSC1101DI5-020.0000

DSC1101DI5-026.0000

DSC1101DI5-050.0000

DSC1101DI5-072.0000

DSC1101DI5-060.0000

DSC1101DI1-025.0000

DSC1101DI1-012.0000

DSC1101DI5-012.0000

DSC1101DI1-150.0000

DSC1101DI5-016.0000

DSC1101DI2-050.6880

DSC1101DI5-030.2400

DSC1101DI1-125.0000

DSC1101DI5-013.5288

DSC1101DI5-032.0000

DSC1101DI2-049.1520

DSC1101DI1-038.0000

DSC1101DI3-025.0000

DSC1101DI1-100.0000

DSC1101DI5-024.0000

DSC1101DI5-100.0000

DSC1101DI5-045.1584

DSC1101DI5-049.1520

DSC1101DI5-018.4320

DSC1101DI3-012.0000

DSC1101DI2-060.0000

DSC1101DI5-025.0000

DSC1101DI5-036.0000

DSC1101DI1-036.0000

DSC1101DI2-012.0000

DSC1101DI5-125.0000

DSC1101DI1-033.3330

DSC1101CE1-024.0000

DSC1101CL2-016.3840

DSC1101CL2-020.0000

DSC1101CL5-027.0000

DSC1101CL5-040.0000

DSC1101CL5-100.0000

DSC1101CL5-014.7456

DSC1101CL2-024.7500

DSC1101CL3-PROG

DSC1101CL5-PROG

DSC1101CE2-100.0000

DSC1101CE5-010.0000

DSC1101CL2-040.0000

DSC1101CE2-045.1584

DSC1101CE2-049.1520

DSC1101CL1-125.0000

DSC1101CL5-030.0000

DSC1101CE5-025.0000

DSC1101CE2-025.0000

DSC1101CE1-024.5790

DSC1101CE1-022.5792

DSC1101CE1-011.2896

DSC1101CL5-052.5000

DSC1101CE1-024.5760

DSC1101CE5-024.0000

DSC1101CE5-100.0000

DSC1101CE5-045.1854

DSC1101CE5-049.1520

DSC1101CE5-022.5792

DSC1101CE5-024.5760

DSC1101CL3-025.0000

DSC1101CE1-100.0000

DSC1101CE1-054.0000

DSC1101CL2-025.0000

DSC1101CL2-050.0000

DSC1101CL2-100.0000

DSC1101CL2-125.0000

DSC1101CE1-080.0000

DSC1101CE3-024.0000

DSC1101CE5-045.1584

DSC1101CL2-026.0000

DSC1101CL3-033.3300

DSC1101CE2-050.0000

DSC1101CL5-020.0032

DSC1101CE2-020.0000

DSC1101BE1-050.0000

DSC1101BL1-050.0000

DSC1101BL3-025.0000

DSC1101AE1-050.0000

DSC1101AE1-125.0000

DSC1101AE1-133.0000

DSC1101AE5-007.6800

DSC1101AE5-040.6080

DSC1101AE3-084.6720

DSC1101AE3-090.3168

DSC1101AE5-022.5792

DSC1101AE5-024.5760

DSC1101AL5-045.1584

DSC1101AL5-049.1520

DSC1101AE1-090.0000

DSC1101AE1-024.0000

DSC1101AE3-024.0000

DSC1101AL2-156.2500

DSC1101AL3-PROG

DSC1101AL5-PROG

DSC1101AE1-170.0000

DSC1101AL5-112.4400

DSC1101AE2-027.1200

DSC1101AE5-032.0000

DSC1101AE1-011.0000

DSC1101AE1-002.3000

DSC1101AE1-016.0000

DSC1101AE2-016.3840

DSC1101AE3-098.3040

DSC1101NL3-PROG

DSC1101NL5-PROG

DSC1101DE2-008.0000

DSC1101DL1-033.3330

DSC1101DL1-100.0000

DSC1101DL2-040.0000

DSC1101DL5-050.0000

DSC1101DL5-013.5600

DSC1101DL5-025.0000

DSC1101DL5-052.8000

DSC1101DL1-027.0000

DSC1101DL5-020.0000

DSC1101DL5-016.0000

DSC1101DL2-050.6880

DSC1101DL1-150.0000

DSC1101DL5-024.5760

DSC1101DL5-018.4320

DSC1101DE5-040.0000

DSC1101DE5-012.2880

DSC1101DE2-049.1520

DSC1101DE2-045.1584

DSC1101DL3-PROG

DSC1101DL5-PROG

DSC1101DE2-024.5760

DSC1101DE2-022.5792

DSC1101DE2-100.0000

DSC1101DE2-012.0000

DSC1101DL2-033.3300

DSC1101DL1-020.0000

DSC1101DL2-025.0000

DSC1101DL1-050.0000

DSC1101DL3-025.0000

DSC1101DE2-025.0000

DSC1101CE1-024.0000T

DSC1101CL2-016.3840T

DSC1101CL2-020.0000T

DSC1101CL5-027.0000T

DSC1101CL5-040.0000T

DSC1101CL2-002.5000T

DSC1101AI2-150.0000T

DSC1101AI5-080.0000T

DSC1101AI5-064.0000T

DSC1101AI2-027.0000T

DSC1101AI1-008.0000T

DSC1101AI5-060.0000T

DSC1101AI5-114.2850T

DSC1101AI3-125.0000T

DSC1101AI2-066.6666T

DSC1101AI1-025.0000T

DSC1101AI2-080.0000T

DSC1101AI2-040.0000T

DSC1101AI2-064.0000T

DSC1101AI3-008.0000T

DSC1101AI2-081.3600T

DSC1101AI1-016.0000T

DSC1101NI5-025.0000T

DSC1101NI5-020.0000T

DSC1101NI5-012.8000T

DSC1101NI5-016.3840T

DSC1101NI1-050.0000T

DSC1101NI5-018.7500T

DSC1101NI2-050.0000T

DSC1101NI2-025.0000T

DSC1101NI2-018.7500T

DSC1101DI2-025.0000T

DSC1101DI5-072.0000T

DSC1101DI5-020.0000T

DSC1101DI5-026.0000T

DSC1101DM2-025.0000T

DSC1101DI5-050.0000T

DSC1101DI5-060.0000T

DSC1101DL5-025.0000T

DSC1101DI1-025.0000T

DSC1101DI1-012.0000T

DSC1101DI5-012.0000T

DSC1101DI1-150.0000T

DSC1101DI5-016.0000T

DSC1101DI2-050.6880T

DSC1101DI5-030.2400T

DSC1101DI1-125.0000T

DSC1101DI5-013.5288T

DSC1101DI5-032.0000T

DSC1101DI2-049.1520T

DSC1101DI1-038.0000T

DSC1101DI3-025.0000T

DSC1101DI1-100.0000T

DSC1101DI5-024.0000T

DSC1101DI5-100.0000T

DSC1101DI5-045.1584T

DSC1101DI5-049.1520T

DSC1101DI5-018.4320T

DSC1101DI3-012.0000T

DSC1101DI2-060.0000T

DSC1101DI5-025.0000T

DSC1101DI5-036.0000T

DSC1101DI1-036.0000T

DSC1101DI2-012.0000T

DSC1101DI5-125.0000T

DSC1101DI1-033.3330T

DSC1101CM1-008.0000T

DSC1101CM1-025.0000T

DSC1101CM2-020.0000T

DSC1101CM2-062.2080T

DSC1101CM1-075.0000T

DSC1101CM1-005.0000T

DSC1101CM1-033.3333T

DSC1101CM2-008.0000T

DSC1101CM2-012.0000T

DSC1101CM2-048.0000T

DSC1101CM1-040.0000T

DSC1101CM3-024.0000T

DSC1101CM1-032.0000T

DSC1101CM2-PROGT

DSC1101CM1-010.0000T

DSC1101CM3-PROGT

DSC1101BM1-005.5296T

DSC1101BM3-PROGT

DSC1101AM2-PROGT

DSC1121AE1-004.0000T

DSC1121AL5-012.0000T

DSC1121AE5-025.0000T

DSC1121AE1-006.1440T

DSC1121AE5-020.0000T

DSC1121AE2-020.0000T

DSC1121AL2-020.0000T

DSC1101CL5-100.0000T

DSC1101CL5-014.7456T

DSC1101CL2-024.7500T

DSC1101CL3-PROGT

DSC1101CL5-PROGT

DSC1101CE2-100.0000T

DSC1101CE5-010.0000T

DSC1101CL2-040.0000T

DSC1101CE2-045.1584T

DSC1101CE2-049.1520T

DSC1101CL1-125.0000T

DSC1101CL5-030.0000T

DSC1101CE5-025.0000T

DSC1101CE2-025.0000T

DSC1101CE1-024.5790T

DSC1101CE1-022.5792T

DSC1101CE1-011.2896T

DSC1101CL5-052.5000T

DSC1101CE1-024.5760T

DSC1101CE5-024.0000T

DSC1101CE5-100.0000T

DSC1101CE5-045.1854T

DSC1101CE5-049.1520T

DSC1101CE5-022.5792T

DSC1101CE5-024.5760T

DSC1101CL3-025.0000T

DSC1101CE1-100.0000T

DSC1101CE1-054.0000T

DSC1101CL2-025.0000T

DSC1101CL2-050.0000T

DSC1101CL2-100.0000T

DSC1101CL2-125.0000T

DSC1101CE1-080.0000T

DSC1101CE3-024.0000T

DSC1101CE5-045.1584T

DSC1101CL2-026.0000T

DSC1101CL3-033.3300T

DSC1101CE2-050.0000T

DSC1101CL5-020.0032T

DSC1101CE2-020.0000T

DSC1101BL1-050.0000T

DSC1101BL3-025.0000T

DSC1101AE1-050.0000T

DSC1101AE1-125.0000T

DSC1101AE1-133.0000T

DSC1101AE5-007.6800T

DSC1101AE5-040.6080T

DSC1101AE3-084.6720T

DSC1101AE3-090.3168T

DSC1101AE5-022.5792T

DSC1101AE5-024.5760T

DSC1101AL5-045.1584T

DSC1101AL5-049.1520T

DSC1101AE1-090.0000T

DSC1101AE1-024.0000T

DSC1101AE3-024.0000T

DSC1101AL2-156.2500T

DSC1101AL3-PROGT

DSC1101AL5-PROGT

DSC1101AE1-170.0000T

DSC1101AL5-112.4400T

DSC1101AE2-027.1200T

DSC1101AE5-032.0000T

DSC1101AE1-011.0000T

DSC1101AE1-002.3000T

DSC1101AE1-016.0000T

DSC1101AE2-016.3840T

DSC1101AE3-098.3040T

DSC1101NL3-PROGT

DSC1101NL5-PROGT

DSC1101DE2-008.0000T

DSC1101DL1-033.3330T

DSC1101DL1-100.0000T

DSC1101DL2-040.0000T

DSC1101DL5-050.0000T

DSC1101DL5-013.5600T

DSC1101DL5-052.8000T

DSC1101DL1-027.0000T

DSC1101DL5-020.0000T

DSC1101DL5-016.0000T

DSC1101DL2-050.6880T

DSC1101DL1-150.0000T

DSC1101DL5-024.5760T

DSC1101DL5-018.4320T

DSC1101DE5-040.0000T

DSC1101DE5-012.2880T

DSC1101DE2-049.1520T

DSC1101DE2-045.1584T

DSC1101DL3-PROGT

DSC1101DL5-PROGT

DSC1101DE2-024.5760T

DSC1101DE2-022.5792T

DSC1101DE2-100.0000T

DSC1101DE2-012.0000T

DSC1101DL2-033.3300T

DSC1101DL1-020.0000T

DSC1101DL2-025.0000T

DSC1101DL1-050.0000T

DSC1101DL3-025.0000T

DSC1101DE2-025.0000T

DSC1101CI1-148.3516T

DSC1101CI1-148.5000T

DSC1101CI2-014.7456T

DSC1101CI2-025.0000T

DSC1101CI2-030.0000T

DSC1101CI2-050.0000T

DSC1101CI2-100.0000T

DSC1101CI5-020.0000T

DSC1101CI5-022.5791T

DSC1101CI5-024.5760T

DSC1101CI5-050.0000T

DSC1101CI5-010.0000T

DSC1101CI5-025.0000T

DSC1101CI1-025.0000T

DSC1101CI1-125.0000T
DSC1101CI1-008.0000T
DSC1101CI1-010.0000T
DSC1101CI5-125.0000T
DSC1101CI5-100.0000T
DSC1101CI5-027.0000T
DSC1101CI5-026.0000T
DSC1101CI1-012.0000T
DSC1101CI2-133.0000T
DSC1101CI5-032.0000T
DSC1101CI2-032.0000T
DSC1101CI1-050.0000T
DSC1101CI2-066.6667T
DSC1101CI2-125.0000T
DSC1101CI1-018.7500T
DSC1101CI5-048.0000T
DSC1101CI5-072.0000T
DSC1101CI1-085.2070T
DSC1101CI5-024.0000T
DSC1101CI2-020.0000T
DSC1101CI2-060.0000T
DSC1101CI2-036.0000T
DSC1101CI5-016.0000T
DSC1101CI5-008.0000T
DSC1101CI5-157.2864T
DSC1101CI1-024.0000T
DSC1101CI5-040.0000T
DSC1101CI2-027.0000T
DSC1101CI3-148.5000T
DSC1101BI5-022.5792T
DSC1101BI5-024.5760T
DSC1101BI5-040.0000T

DSC1101BI2-020.0000T

DSC1101AI2-148.5000T

DSC1101AI5-019.4400T

DSC1101AI2-125.0000T

DSC1101AI2-120.0000T

DSC1101AI5-099.7200T

DSC1101AI2-025.0000T

DSC1101AI5-156.2500T

DSC1101AI2-156.2500T

DSC1101AI5-056.3200T

DSC1101AI5-048.0000T

DSC1101AI5-032.0000T

DSC1101AI5-010.0000T

DSC1101AM3-PROGT

DSC1101AM1-160.0000T

DSC1101AM2-004.0000T

DSC1101AM2-100.0000T

DSC1101AM2-014.3950T

DSC1101AM2-030.0000T

DSC1101AM2-156.2500T

DSC1101AM2-026.0000T

DSC1101DM1-033.3330T

DSC1101DM2-020.0000T

DSC1101DM2-016.0000T

DSC1101DM2-056.2500T

DSC1101DM2-125.0000T

DSC1101DM2-004.0000T

DSC1101DM1-012.0000T

DSC1101DM2-012.0000T

DSC1101DM1-033.3333T

DSC1101DM2-033.3333T

DSC1101DM2-008.0000T

DSC1101DM2-024.0000T

DSC1101DM1-080.0000T

DSC1101DM2-007.3700T

DSC1101DM1-032.0000T

DSC1101DM1-007.3700T

DSC1101DM2-040.0000T

DSC1101DM2-048.0000T

DSC1101DM1-020.0000T

DSC1101DM2-PROGT

DSC1101DM3-PROGT

DSC1101DM2-050.0000T

DSC1101DM2-100.0000T

DSC1121BM1-008.0000

DSC1121BM1-025.0000

DSC1121BM1-030.0000

DSC1121BM1-048.0000

DSC1121BM1-100.0000

DSC1121BM2-007.3728

DSC1121BM1-010.0000

DSC1121BM1-024.0000

DSC1121BM1-050.0000

DSC1121BM2-016.0000

DSC1121BM2-030.0000

DSC1121BM1-024.5760

DSC1121BM1-060.0000

DSC1121BM1-016.0000

DSC1121BM1-026.0000

DSC1121BM1-012.2880

DSC1121BM2-131.0720

DSC1121BM2-020.0000

DSC1121BM2-025.0000

DSC1121BM2-032.0000

DSC1121BM1-032.0000

DSC1121BM1-014.7456

DSC1121BM1-005.5296

DSC1121BI2-025.0000

DSC1121BI2-050.0000

DSC1121BI2-080.0000

DSC1121BI2-012.2880

DSC1121BI2-025.0007

DSC1121BI2-156.2540

DSC1121BI2-100.0000

DSC1121BI2-125.0000

DSC1121BI2-022.5792

DSC1121BI2-114.2850

DSC1121BI2-024.5760

DSC1121BI2-033.3330

DSC1121BI1-008.0000

DSC1121BI2-156.2500

DSC1121BI2-016.3840

DSC1121BI2-020.0000

DSC1121BI2-131.0720

DSC1121BI2-008.0000

DSC1121BI5-022.5792

DSC1121BI5-024.5760

DSC1121BI3-100.0000

DSC1121BI5-024.0000

DSC1121BI2-012.0000

DSC1121BI5-045.1854

DSC1121BI5-049.1520

DSC1121BI1-020.0000

DSC1121BI5-125.0000

DSC1101DM2-033.3333

DSC1101DM2-008.0000

DSC1101DM2-024.0000
DSC1101DM1-080.0000
DSC1101DM2-007.3700
DSC1101DM1-032.0000
DSC1101DM1-007.3700
DSC1101DM2-040.0000
DSC1101DM2-048.0000
DSC1101DM1-020.0000
DSC1101DM3-PROG
DSC1101DM2-050.0000
DSC1101CI1-148.3516
DSC1101CI1-148.5000
DSC1101CI2-014.7456
DSC1101CI2-025.0000
DSC1101CI2-030.0000
DSC1101CI2-050.0000
DSC1101CI2-100.0000
DSC1101CI5-020.0000
DSC1101CI5-022.5791
DSC1101CI5-024.5760
DSC1101CI5-050.0000
DSC1101CI5-025.0000
DSC1101CI1-025.0000
DSC1101CI1-125.0000
DSC1101CI5-010.0000
DSC1101CI1-008.0000
DSC1101CI1-010.0000
DSC1101CI5-125.0000
DSC1101CI5-100.0000
DSC1101CI5-027.0000
DSC1101CI5-026.0000
DSC1101CI1-012.0000

DSC1101CI2-133.0000

DSC1101CI5-032.0000

DSC1101CI2-032.0000

DSC1101CI1-050.0000

DSC1101CI2-066.6667

DSC1101CI2-125.0000

DSC1101CI1-018.7500

DSC1101CI5-048.0000

DSC1101CI5-072.0000

DSC1101CI1-085.2070

DSC1101CI5-024.0000

DSC1101CI2-020.0000

DSC1101CI2-060.0000

DSC1101CI2-036.0000

DSC1101CI5-016.0000

DSC1101CI5-008.0000

DSC1101CI5-157.2864

DSC1101CI1-024.0000

DSC1101CI5-040.0000

DSC1101CI2-027.0000

DSC1101CI3-148.5000

DSC1101BI5-040.0000

DSC1101BI2-020.0000

DSC1101AI2-148.5000

DSC1101AI5-019.4400

DSC1101AI2-125.0000

DSC1101AI2-120.0000

DSC1101AI5-099.7200

DSC1101AI2-025.0000

DSC1101AI5-156.2500

DSC1101AI2-156.2500

DSC1101AI5-056.3200

DSC1101AI5-048.0000

DSC1101AI5-032.0000

DSC1101AI5-010.0000

DSC1101AI2-150.0000

DSC1101AI5-080.0000

DSC1101AI5-064.0000

DSC1101AI2-027.0000

DSC1101AI1-008.0000

DSC1101AI5-060.0000

DSC1101AI5-114.2850

DSC1101AI3-125.0000

DSC1101AI2-066.6666

DSC1101AI1-025.0000

DSC1101AI2-080.0000

DSC1101AI2-040.0000

DSC1101BI2-125.0000

DSC1101BI2-024.5760

DSC1101BI2-125.0031

DSC1101BI5-010.0000

DSC1101BI3-025.0000

DSC1101BI2-125.0037

DSC1121BI5-025.6000

DSC1121BI2-040.6800

DSC1121BI5-156.2500

DSC1121BI2-125.0037

DSC1121BE2-100.0000

DSC1121BE5-025.0000

DSC1121BE2-155.5200

DSC1121BL5-108.7200

DSC1121BL5-110.5400

DSC1121BE5-024.0000

DSC1121BL5-012.0000

DSC1121BL3-016.0000
DSC1121BL3-012.2880
DSC1121BE5-144.0800
DSC1121BL5-025.0000
DSC1121BE5-098.3040
DSC1121BL2-040.6800
DSC1121BE2-100.0000T
DSC1121BE2-155.5200T
DSC1121BL5-108.7200T
DSC1121BL5-110.5400T
DSC1121BE5-024.0000T
DSC1121BL5-012.0000T
DSC1121BL3-016.0000T
DSC1121BL3-012.2880T
DSC1121BE5-144.0800T
DSC1121BL5-025.0000T
DSC1121BE5-098.3040T
DSC1121BL2-040.6800T
DSC1121BI2-013.0000T
DSC1121BI2-025.0000T
DSC1121BI2-050.0000T
DSC1121BI2-120.0000T
DSC1121BI2-125.0037T
DSC1121BI2-150.0000T
DSC1121BI2-080.0000T
DSC1121BI2-012.2880T
DSC1121BI2-025.0007T
DSC1121BI2-156.2540T
DSC1121BI2-048.0000T
DSC1121BI2-100.0000T
DSC1121BI2-125.0000T
DSC1121BI2-022.5792T

DSC1121BI2-114.2850T

DSC1121BI2-024.5760T

DSC1121BI2-033.3330T

DSC1121BI1-008.0000T

DSC1121BI2-156.2500T

DSC1121BI2-016.3840T

DSC1121BI2-020.0000T

DSC1121BI2-131.0720T

DSC1121BI2-008.0000T

DSC1121BI5-022.5792T

DSC1121BI5-024.5760T

DSC1121BI3-100.0000T

DSC1121BI5-024.0000T

DSC1121BI2-012.0000T

DSC1121BI5-045.1854T

DSC1121BI5-049.1520T

DSC1121BI1-020.0000T

DSC1121BI5-125.0000T

DSC1121BI5-025.6000T

DSC1121BI5-125.0000B

DSC1121BI2-040.6800T

DSC1121BI5-156.2500T

DSC1121BM1-008.0000T

DSC1121BM1-025.0000T

DSC1121BM1-027.0000T

DSC1121BM1-030.0000T

DSC1121BM1-048.0000T

DSC1121BM1-100.0000T

DSC1121BM1-010.0000T

DSC1121BM1-024.0000T

DSC1121BM1-050.0000T

DSC1121BM2-016.0000T

DSC1121BM2-030.0000T

DSC1121BM1-024.5760T

DSC1121BM1-060.0000T

DSC1121BM1-016.0000T

DSC1121BM1-026.0000T

DSC1121BM1-012.2880T

DSC1121BM2-131.0720T

DSC1121BM2-020.0000T

DSC1121BM2-025.0000T

DSC1121BM2-032.0000T

DSC1121BM1-032.0000T

DSC1121BM1-014.7456T

DSC1121BM1-005.5296T

DSC1121CM1-010.0000

DSC1121CM1-016.0000

DSC1121CM1-024.0000

DSC1121CM1-025.0000

DSC1121CM1-026.5625

DSC1121CM1-027.0000

DSC1121CM1-075.0000

DSC1121CM1-050.0000

DSC1121CM2-033.3333

DSC1121CM2-024.5454

DSC1121CM2-027.0000

DSC1121CM2-062.2080

DSC1121CM1-020.0000

DSC1121CM1-048.0000

DSC1121CM1-125.0000

DSC1121CM2-040.0000

DSC1121CM2-006.7800

DSC1121CM1-012.0000

DSC1121CM1-012.2880

DSC1121CM1-040.0000
DSC1121CM1-066.6660
DSC1121CM1-100.0000
DSC1121CM1-036.0000
DSC1121CM1-018.0000
DSC1121CM2-008.0000
DSC1121CM2-025.0000
DSC1121CM1-030.0000
DSC1121CM1-014.7456
DSC1121CM1-032.0000
DSC1121CM2-003.1152
DSC1121CM1-003.1152
DSC1121CM1-005.5296
DSC1121CM2-024.0000
DSC1121CM3-025.0000
DSC1121CM2-020.0000
DSC1121CM2-010.0000
DSC1121CM2-160.0000
DSC1121CM2-100.0000
DSC1121CM2-127.8720
DSC1121BM1-027.0000
DSC1121BM1-020.0000
DSC1121AM1-025.0000
DSC1121AM1-030.0000
DSC1121AM1-050.0000
DSC1121AM2-004.0000
DSC1121AM2-010.0000
DSC1121AM2-016.0000
DSC1121AM2-024.0000
DSC1121AM2-024.5760
DSC1121AM2-025.0000
DSC1121AM2-027.0000

DSC1121AM2-033.3330
DSC1121AM2-050.0000
DSC1121AM2-066.6660
DSC1121AM2-125.0000
DSC1121AM1-100.0000
DSC1121AM2-008.0000
DSC1121AM1-010.0000
DSC1121AM1-020.0000
DSC1121AM1-027.0000
DSC1121AM1-012.2880
DSC1121AM1-032.7680
DSC1121AM1-014.7456
DSC1121AM1-041.5000
DSC1121AM2-041.5000
DSC1121AM1-029.4912
DSC1121AM1-024.5760
DSC1121AM1-033.0000
DSC1121AM1-064.0000
DSC1121AM1-026.0000
DSC1121AM1-024.0000
DSC1121AM2-127.8720
DSC1121AM2-008.7040
DSC1121NM1-100.0000
DSC1121DM2-003.3333
DSC1121DM2-007.3728
DSC1121DM2-125.0000
DSC1121DM1-033.3333
DSC1121DM1-030.0000
DSC1121DM2-025.0000
DSC1121DM2-033.0000
DSC1121DM2-016.6400
DSC1121DM2-014.7456

DSC1121DM3-032.0000
DSC1121DM2-026.0000
DSC1121DM2-019.2000
DSC1121DM3-025.0000
DSC1121DM2-024.0000
DSC1121DM2-127.8720
DSC1121DM2-008.7040
DSC1121DM1-002.5600
DSC1121CI2-014.7456
DSC1121CI2-010.0000
DSC1121CI1-024.0000
DSC1121CI1-025.0000
DSC1121CI2-024.0000
DSC1121CI2-012.2880
DSC1121CI1-125.0000
DSC1121CI2-025.0000
DSC1121CI2-048.0000
DSC1121CI2-031.2500
DSC1121CI2-066.6660
DSC1121CI2-050.0000
DSC1121CI2-100.0000
DSC1121CI2-115.0000
DSC1121CI2-125.0000
DSC1121CI2-132.0000
DSC1121CI2-148.5000
DSC1121CI2-168.0000
DSC1121CI5-016.0000
DSC1121CI5-022.5000
DSC1121CI5-040.0000
DSC1121CI5-045.0000
DSC1121CI5-049.1520
DSC1121CI2-013.0000

DSC1121CI2-024.5760

DSC1121CI2-020.0000

DSC1121CI2-051.8400

DSC1121CI1-050.0000

DSC1121CI5-016.6667

DSC1121CI5-025.0000

DSC1121CI5-027.0000

DSC1121CI5-066.0000

DSC1121CI5-117.0000

DSC1121CI2-027.0000

DSC1121CI2-133.3330

DSC1121CI2-060.0000

DSC1121CI2-012.0000

DSC1121CI2-030.0000

DSC1121CI2-066.6667

DSC1121CI2-155.5200

DSC1121CI2-008.0000

DSC1121CI5-026.0000

DSC1121CI2-080.0000

DSC1121CI2-045.1580

DSC1121CI2-049.1520

DSC1121CI2-045.1584

DSC1121CI2-014.3181

DSC1121CI5-045.1584

DSC1121CI5-024.0000

DSC1121CI2-066.0000

DSC1121CI2-156.0063

DSC1121CI2-045.0000

DSC1121CI2-055.0000

DSC1121CI3-008.0000

DSC1121CI5-033.3333

DSC1121CI1-033.3333

DSC1121CI5-017.1776

DSC1121CI1-100.0000

DSC1121CI2-006.0000

DSC1121CI1-029.4912

DSC1121CI5-100.0000

DSC1121CI1-025.4000

DSC1121BI2-013.0000

DSC1121BI2-120.0000

DSC1121BI2-150.0000

DSC1121BI2-048.0000

DSC1121BI1-026.0000

DSC1121BI2-010.0000

DSC1121BI2-066.0000

DSC1121BI1-014.8946

DSC1121BI1-100.0000

DSC1121BI2-014.7456

DSC1121AI2-156.2500

DSC1121AI2-148.5000

DSC1121AI2-053.1250

DSC1121AI1-025.0000

DSC1121AI1-125.0000

DSC1121AI2-025.0000

DSC1121AI2-029.4912

DSC1121AI2-048.0000

DSC1121AI2-026.0000

DSC1121AI2-050.0000

DSC1121AI2-125.0000

DSC1121AI1-002.5000

DSC1121AI1-155.5200

DSC1121AI2-156.2540

DSC1121AI5-020.0000

DSC1121AI5-050.0000

DSC1121AI5-125.0032
DSC1121AI2-020.0000
DSC1121AI1-027.0000
DSC1121AI2-162.0000
DSC1121AI2-012.2880
DSC1121AI5-100.0000
DSC1121AI5-027.0000
DSC1121AI2-010.0000
DSC1121AI2-061.4400
DSC1121AI2-013.0000
DSC1121AI3-025.0000
DSC1121AI5-022.5792
DSC1121AI2-008.0000
DSC1121AI2-016.0000
DSC1121AI2-066.6660
DSC1121AI2-033.3330
DSC1121AI1-156.2500
DSC1121AI1-090.0000
DSC1121AI5-008.0000
DSC1121AI2-159.3750
DSC1121AI2-081.0000
DSC1121AI2-041.5000
DSC1121AI5-041.5000
DSC1121AI1-041.5000
DSC1121AI1-100.0000
DSC1121AI1-064.0000
DSC1121AI2-150.0000
DSC1121AI2-133.2500
DSC1121AI3-054.8352
DSC1121AI3-084.4032
DSC1121AI2-122.8800
DSC1121AI2-040.0000

DSC1121AI3-062.8600

DSC1121AI2-100.0000

DSC1121AI2-024.0000

DSC1121AI2-162.7200

DSC1121AI3-050.0000

DSC1121NI2-018.4320

DSC1121NI1-100.0000

DSC1121NI2-125.0000

DSC1121NI2-025.0000

DSC1121NI5-020.0000

DSC1121NI2-020.0000

DSC1121DI2-024.0000

DSC1121DI1-025.0000

DSC1121DI1-036.0000

DSC1121DI1-125.0000

DSC1121DI2-011.0590

DSC1121DI2-022.5792

DSC1121DI2-024.5760

DSC1121DI2-027.0000

DSC1121DI5-034.3680

DSC1121DI5-044.0000

DSC1121DI5-044.7360

DSC1121DI2-125.0000

DSC1121DI5-010.0000

DSC1121DI2-025.0000

DSC1121DI1-026.6000

DSC1121DI5-008.0000

DSC1121DI2-156.2500

DSC1121DI5-100.0000

DSC1121DI5-072.0000

DSC1121DI5-050.0000

DSC1121DI5-032.0000

DSC1121DI1-100.0000

DSC1121DI2-010.0000

DSC1121DI3-050.0000

DSC1121DI2-100.0000

DSC1121DI1-048.0000

DSC1121DI5-125.0000

DSC1121DI5-012.8000

DSC1121DI5-NAN.0000

DSC1121DI5-033.5544

DSC1121DI1-080.0000

DSC1121DI1-010.7625

DSC1121DI5-112.0000

DSC1121DI5-020.0000

DSC1121DI2-008.0000

DSC1121DI2-006.0000

DSC1121DI5-048.0048

DSC1121DI1-060.0000

DSC1121DI3-124.0000

DSC1121DI2-114.2850

DSC1121CE1-016.0000

DSC1121CE1-025.0012

DSC1121CE1-075.0000

DSC1121CE5-012.2880

DSC1121CE5-024.5670

DSC1121CE2-025.0000

DSC1121CE2-100.0000

DSC1121CL2-024.7500

DSC1121CL2-025.0000

DSC1121CL2-050.0000

DSC1121CL5-050.0000

DSC1121CL5-024.0000

DSC1121CL5-048.0000

DSC1121CE1-025.0000

DSC1121CE1-133.3333

DSC1121CE5-050.0000

DSC1121CL2-040.0000

DSC1121CE1-125.0000

DSC1121CL5-150.0000

DSC1121CE1-033.3333

DSC1121CE5-033.3333

DSC1121CL1-024.0000

DSC1121CL1-028.6364

DSC1121CL1-027.0000

DSC1121CE1-025.6000

DSC1121CL5-040.0000

DSC1121CL5-080.0000

DSC1121CL5-033.3333

DSC1121CE5-002.4880

DSC1121CL1-050.0000

DSC1121CE1-030.0000

DSC1121CE2-030.0000

DSC1121CE5-025.0000

DSC1121CL5-027.0000

DSC1121CE1-124.2000

DSC1121CL2-020.5710

DSC1121CL5-125.0000

DSC1121CL2-024.0000

DSC1121CL5-003.3000

DSC1121CE5-048.0000

DSC1121CL5-061.4400

DSC1121CL2-027.0000

DSC1121CE5-160.0000

DSC1121CE5-100.0000

DSC1121AE5-012.0000

DSC1121AE1-010.0000
DSC1121AE5-005.2500
DSC1121AE2-004.9152
DSC1121AE2-133.0000
DSC1121AL5-041.5000
DSC1121AE2-041.5000
DSC1121AE5-041.5000
DSC1121AL2-041.5000
DSC1121AL1-041.5000
DSC1121AE1-041.5000
DSC1121AE1-004.0000
DSC1121AL5-012.0000
DSC1121AE5-025.0000
DSC1121AE1-006.1440
DSC1121AE5-020.0000
DSC1121AE2-020.0000
DSC1121AL2-020.0000
DSC1121AL5-010.0000
DSC1121AL5-100.0000
DSC1121AE5-010.0000
DSC1121AL5-112.2400
DSC1121AE5-022.5792
DSC1121AE5-024.5760
DSC1121AE1-040.0000
DSC1121AL5-170.0000
DSC1121AL5-024.5760
DSC1121AL5-022.5792
DSC1121AL5-125.0000
DSC1121AE1-025.0000
DSC1121AE1-024.0000
DSC1121AE1-075.0000
DSC1121AE2-025.0000

DSC1121AE2-156.2500

DSC1121AE2-075.0000

DSC1121AL2-025.0000

DSC1121AE1-125.0000

DSC1121AE1-156.2500

DSC1121AL5-050.0000

DSC1121AE1-050.0000

DSC1121NL1-025.0000

DSC1121NE2-020.0000

DSC1121DL2-024.7500

DSC1121DL2-025.0000

DSC1121DL2-008.0000

DSC1121DL2-032.0000

DSC1121DE1-050.0000

DSC1121DL5-026.0000

DSC1121DL1-025.0000

DSC1121DL1-033.0000

DSC1121DE2-025.0000

DSC1121DL2-072.0000

DSC1121DL1-040.0000

DSC1121DL5-072.0000

DSC1121DE5-072.0000

DSC1121DE1-010.0000

DSC1121DE3-150.3330

DSC1121DL5-040.0000

DSC1121DL5-020.0000

DSC1121DL3-010.2400

DSC1121DL5-035.0000

DSC1121DE5-025.0000

DSC1121CE1-016.0000T

DSC1121CE1-025.0000T

DSC1121CE1-025.0012T

DSC1121CE1-075.0000T

DSC1121CE5-012.2880T

DSC1121CE2-025.0000T

DSC1121CE2-100.0000T

DSC1121CE5-024.5670T

DSC1121CL2-024.7500T

DSC1121CL2-025.0000T

DSC1121CL2-050.0000T

DSC1121CL5-024.0000T

DSC1121CL5-048.0000T

DSC1121CE1-133.3333T

DSC1121CE5-050.0000T

DSC1121CL2-040.0000T

DSC1121CL5-050.0000T

DSC1121CE1-125.0000T

DSC1121CL5-150.0000T

DSC1121CE1-033.3333T

DSC1121CE5-033.3333T

DSC1121CL1-024.0000T

DSC1121CL1-028.6364T

DSC1121CL1-027.0000T

DSC1121CE1-025.6000T

DSC1121CL5-040.0000T

DSC1121CL5-080.0000T

DSC1121CL5-033.3333T

DSC1121CE5-002.4880T

DSC1121CL1-050.0000T

DSC1121CE1-030.0000T

DSC1121CE2-030.0000T

DSC1121CE5-025.0000T

DSC1121CL5-027.0000T

DSC1121CE1-124.2000T

DSC1121CL2-020.5710T

DSC1121CL5-125.0000T

DSC1121CL2-024.0000T

DSC1121CL5-003.3000T

DSC1121CE5-048.0000T

DSC1121CL5-061.4400T

DSC1121CL2-027.0000T

DSC1121CE5-160.0000T

DSC1121CE5-100.0000T

DSC1121BE5-025.0000T

DSC1121AE5-012.0000T

DSC1121AE1-010.0000T

DSC1121AE5-005.2500T

DSC1121AE2-004.9152T

DSC1121AE2-133.0000T

DSC1121AL5-041.5000T

DSC1121AE2-041.5000T

DSC1121AE5-041.5000T

DSC1121AL2-041.5000T

DSC1121AL1-041.5000T

DSC1121AE1-041.5000T

Low-Jitter Precision CMOS Oscillator

Features

- Low RMS Phase Jitter: <1 ps (typ.)
- High Stability: ± 10 ppm, ± 20 ppm, ± 25 ppm, ± 50 ppm
- Wide Temperature Range:
 - Automotive: -55°C to $+125^{\circ}\text{C}$
 - For AEC-Q100 qualified parts, refer to DSA11xx Family
 - Ext. Industrial: -40°C to $+105^{\circ}\text{C}$
 - Industrial: -40°C to $+85^{\circ}\text{C}$
 - Commercial: -20°C to $+70^{\circ}\text{C}$
- High Supply Noise Rejection: -50 dBc
- Wide Freq. Range: 2.3 MHz to 170 MHz
- Small Industry Standard Footprints
 - 2.5 mm $\times$ 2.0 mm, 3.2 mm $\times$ 2.5 mm, 5.0 mm $\times$ 3.2 mm, and 7.0 mm $\times$ 5.0 mm
- Excellent Shock and Vibration Immunity
 - Qualified to MIL-STD-883
- High Reliability
 - 20x Better MTF than Quartz Oscillators
- Low Current Consumption
- Supply Range of 2.25V to 3.6V
- Standby and Output Enable Function
- Lead-Free and RoHS Compliant

Applications


- Storage Area Networks
 - SATA, SAS, Fibre Channel
- Passive Optical Networks
 - EPON, 10G-EPON, V GPON, 10G-PON
- Ethernet
 - 1G, 10GBASE-T/KR/LR/SR, and FCoE
- HD/SD/SDI Video and Surveillance
- PCI Express
- Display Port

General Description

The DSC1101 and DSC1121 series of high performance oscillators utilize a proven silicon MEMS technology to provide excellent jitter and stability over a wide range of supply voltages and temperatures. By eliminating the need for quartz or SAW technology, MEMS oscillators significantly enhance reliability and accelerate product development, while meeting stringent clock performance criteria for a variety of communications, storage, and networking applications.

DSC1101 has a standby feature that allows it to completely power-down when EN pin is pulled low; whereas for DSC1121, only the outputs are disabled when EN is low. Both oscillators are available in industry standard packages, including the small 2.5 mm $\times$ 2.0 mm, and are “drop-in” replacements for standard 4-pin CMOS quartz crystal oscillators.

Functional Block Diagram



DSC1101/21

1.0 ELECTRICAL CHARACTERISTICS

Absolute Maximum Ratings †

Input Voltage, V_{IN} -0.3V to $V_{DD} + 0.3V$
 Supply Voltage -0.3V to +4.0V
 ESD Protection On All Pins 4000V HBM, 1500V CDM (max.)

† **Notice:** Stresses above those listed under “Absolute Maximum Ratings” may cause permanent damage to the device. This is a stress rating only and functional operation of the device at those or any other conditions above those indicated in the operational sections of this specification is not intended. Exposure to maximum rating conditions for extended periods may affect device reliability.

Note: 1000+ years of data retention on internal memory.

DC CHARACTERISTICS

Electrical Characteristics						
Parameters	Sym.	Min.	Typ.	Max.	Units	Conditions
Supply Voltage (Note 1)	V_{DD}	2.25	—	3.6	V	—
Supply Current	I_{DD}	—	—	0.095	mA	DSC1101, EN pin low, output is disabled
		—	20	22		DSC1121, EN pin low, output is disabled
		—	31	35		Output enabled, $C_L = 15$ pF, $f_0 = 100$ MHz
Frequency Stability (Including frequency variations due to initial tolerance, temp. and power supply voltage.)	Δf	—	—	± 10	ppm	Ext Comm. & Ind. only
		—	—	± 20		All temp ranges
		—	—	± 25		All temp ranges
		—	—	± 50		All temp ranges
Aging	Δf	—	—	± 5	ppm	1 year @ 25°C
Startup Time (Note 2)	t_{SU}	—	—	5	ms	$T = 25^\circ\text{C}$
Input Logic Levels Input Logic High Input Logic Low	V_{IH}	$0.75 \times V_{DD}$	—	—	V	—
	V_{IL}	—	—	$0.25 \times V_{DD}$		
Output Disable Time (Note 3)	t_{DS}	—	—	5	ns	—
Output Enable Time	t_{EN}	—	—	5	ms	DSC1101
		—	—	20	ns	DSC1121
Enable Pull-up Resistor (Note 4)	—	—	40	—	k Ω	Pull-up Resistor Exist
CMOS Output						
Output Logic Levels Output Logic High Output Logic Low	V_{OH}	$0.9 \times V_{DD}$	—	—	V	$I = \pm 6$ mA
	V_{OL}	—	—	$0.1 \times V_{DD}$		

- Note 1:** Pin 6 V_{DD} should be filtered with 0.1 μF capacitor.
Note 2: t_{SU} is time to 100 ppm of output frequency after V_{DD} is applied and outputs are enabled.
Note 3: Output Waveform and Test Circuit figures define the parameters.
Note 4: Output is enabled if pad is floated or not connected.

DC CHARACTERISTICS (CONTINUED)

Electrical Characteristics						
Parameters	Sym.	Min.	Typ.	Max.	Units	Conditions
Output Transition Time	t_R	—	1.1	2	ns	20% to 80% $C_L = 15$ pF
Rise Time	t_F	—	1.3	2		
Fall Time	t_F	—	1.3	2		
Frequency	f_0	2.3	—	170	MHz	$C_L = 15$ pF, -20°C to $+70^\circ\text{C}$ and -40°C to $+85^\circ\text{C}$
		3.3	—	170		$C_L = 15$ pF, -40°C to $+105^\circ\text{C}$ and -55°C to $+125^\circ\text{C}$
Output Duty Cycle	SYM	45	—	55	%	—
Period Jitter	J_{PER}	—	3	—	ps _{RMS}	$f_{OUT} = 125$ MHz
Integrated Phase Noise	J_{PH}	—	0.3	—	ps _{RMS}	200 kHz to 20 MHz @ 125 MHz
		—	0.38	—		100 kHz to 20 MHz @ 125 MHz
		—	1.7	2		12 kHz to 20 MHz @ 125 MHz

- Note 1:** Pin 6 V_{DD} should be filtered with 0.1 μF capacitor.
- 2:** t_{SU} is time to 100 ppm of output frequency after V_{DD} is applied and outputs are enabled.
- 3:** Output Waveform and Test Circuit figures define the parameters.
- 4:** Output is enabled if pad is floated or not connected.

TEMPERATURE SPECIFICATIONS

Parameters	Sym.	Min.	Typ.	Max.	Units	Conditions
Temperature Ranges (Note 1)						
Operating Temperature Range	T_A	-20	—	+70	°C	Ordering Option E
	T_A	-40	—	+85	°C	Ordering Option I
	T_A	-40	—	+105	°C	Ordering Option L
	T_A	-55	—	+125	°C	Ordering Option M
Junction Operating Temperature	T_J	—	—	+150	°C	—
Storage Temperature Range	T_S	-55	—	+150	°C	—
Soldering Temperature Range	—	—	—	+260	°C	40 sec. max

Note 1: The maximum allowable power dissipation is a function of ambient temperature, the maximum allowable junction temperature and the thermal resistance from junction to air (i.e., T_A , T_J , θ_{JA}). Exceeding the maximum allowable power dissipation will cause the device operating junction temperature to exceed the maximum +150°C rating. Sustained junction temperatures above +150°C can impact the device reliability.

2.0 NOMINAL PERFORMANCE CURVES

Note: The graphs and tables provided following this note are a statistical summary based on a limited number of samples and are provided for informational purposes only. The performance characteristics listed herein are not tested or guaranteed. In some graphs or tables, the data presented may be outside the specified operating range (e.g., outside specified power supply range) and therefore outside the warranted range.




FIGURE 2-1: Phase Jitter (Integrated Phase Noise).




FIGURE 2-2: Power Supply Rejection Ratio.

3.0 PIN DESCRIPTIONS

The descriptions of the pins are listed in [Table 3-1](#). Pin order and descriptions apply across all package types.

TABLE 3-1: PIN FUNCTION TABLE

Pin Number 7x5 w/ Pad	Pin Number 7x5 w/o Pad	Pin Number 5x3.2	Pin Number 3.2x2.5	Pin Number 2x2.5	Pin Name	Description
1	1	1	1	1	EN	Enable.
2	2	2	2	2	NC	Do not connect.
3	3	3	3	3	GND	Ground.
4	4	4	4	4	OUT	Output.
5	5	5	5	5	NC	Do not connect.
6	6	6	6	6	V _{DD}	Supply voltage.
PAD	—	—	—	—	PAD	Tie to ground.

TABLE 3-2: OUTPUT ENABLE MODES

EN Pin	DSC1101	DSC1121
High	Output Active	Output Active
NC	Output Active	Output Active
Low	Standby	Output Disabled

4.0 OUTPUT WAVEFORM




FIGURE 4-1: DSC1101/21 Output Waveform.

5.0 TYPICAL TERMINATION SCHEME




FIGURE 5-1: Typical Termination Scheme for DSC1101/21.

6.0 BOARD LAYOUT (RECOMMENDED)





FIGURE 6-1: DSC1101/21 Recommended Board Layout.

7.0 SOLDER REFLOW PROFILE




MSL 1 @ 260°C refer to JSTD-020C	
Ramp-Up Rate (200°C to Peak Temp)	3°C/Sec. Max.
Preheat Time 150°C to 200°C	60-180 Sec.
Time Maintained Above 217°C	60-150 Sec.
Peak Temperature	255-260°C
Time within 5°C of Actual Peak	20-40 Sec.
Ramp-Down Rate	6°C/Sec. Max.
Time 25°C to Peak Temperature	8 minutes Max.


8.0 PACKAGING INFORMATION

8.1 Package Marking Information

6-Lead VDFN*



Example




Legend:	XX...X	Product code, customer-specific information, or frequency in MHz without printed decimal point
	Y	Year code (last digit of calendar year)
	YY	Year code (last 2 digits of calendar year)
	WW	Week code (week of January 1 is week '01')
	SSS	Alphanumeric traceability code
	(e3)	Pb-free JEDEC® designator for Matte Tin (Sn)
	*	This package is Pb-free. The Pb-free JEDEC designator ((e3)) can be found on the outer packaging for this package.
	•, ▲, ▼	Pin one index is identified by a dot, delta up, or delta down (triangle)
Note:	In the event the full Microchip part number cannot be marked on one line, it will be carried over to the next line, thus limiting the number of available characters for customer-specific information. Package may or may not include the corporate logo.	
	Underbar (_) and/or Overbar (¯) symbol may not be to scale.	

Note: Devices may not include a top-line frequency marking. Product identity and output frequency are defined by the ordering code and accompanying documentation. Devices without a frequency marking remain fully compliant with all applicable datasheet specifications.

6-Lead Very Thin Dual Flatpack No-Leads (J7A) - 2.5x2.0 mm Body [VDFN]


Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Microchip Technology Drawing C04-1005-J7A Rev E Sheet 1 of 2

6-Lead Very Thin Dual Flatpack No-Leads (J7A) - 2.5x2.0 mm Body [VDFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	6		
Pitch	e	0.825 BSC		
Overall Height	A	0.80	0.85	0.90
Standoff	A1	0.00	0.02	0.05
Overall Length	D	2.50 BSC		
Overall Width	E	2.00 BSC		
Terminal Width	b1	0.60	0.65	0.70
Terminal Width	b2	0.20	0.25	0.30
Terminal Length	L1	0.60	0.70	0.80
Terminal Length	L2	0.665	0.765	0.865


Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Package is saw singulated
- Dimensioning and tolerancing per ASME Y14.5M
 - BSC: Basic Dimension. Theoretically exact value shown without tolerances.
 - REF: Reference Dimension, usually without tolerance, for information purposes only.

Microchip Technology Drawing C04-1005-J7A Rev E Sheet 2 of 2

6-Lead Very Thin Dual Flatpack No-Leads (J7A) - 2.5x2.0 mm Body [VDFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN


Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.825 BSC		
Contact Pad Width (X4)	X1			0.65
Contact Pad Width (X2)	X2			0.25
Contact Pad Length (X6)	Y			0.85
Contact Pad Spacing	C		1.45	
Space Between Contacts (X4)	G1	0.38		
Space Between Contacts (X3)	G2	0.60		

- Notes:
- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
 - For best soldering results, thermal vias, if used, should be filled or tented to avoid solder loss during reflow process

Microchip Technology Drawing C04-3005-J7A Rev E

6-Lead Very Thin Plastic Dual Flatpack No-Lead (H5A) - 3.2x2.5 mm Body [VDFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




Microchip Technology Drawing C04-1007-H5A Rev C Sheet 1 of 2

© 2024 Microchip Technology Inc.

6-Lead Very Thin Plastic Dual Flatpack No-Lead (H5A) - 3.2x2.5 mm Body [VDFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	6		
Pitch	e	1.05 BSC		
Overall Height	A	0.80	0.85	0.90
Standoff	A1	0.00	0.02	0.05
Overall Length	D	3.20 BSC		
Overall Width	E	2.50 BSC		
Terminal Width	b1	0.85	0.90	0.95
Terminal Width	b2	0.45	0.50	0.55
Terminal Length	L	0.65	0.70	0.75
Terminal Pullback	L1	0.10 REF		

Notes:

1. Pin 1 visual index feature may vary, but must be located within the hatched area.
2. Package is saw singulated
3. Dimensioning and tolerancing per ASME Y14.5M


BSC: Basic Dimension. Theoretically exact value shown without tolerances.

REF: Reference Dimension, usually without tolerance, for information purposes only.

Microchip Technology Drawing C04-1007-H5A Rev C Sheet 2 of 2

6-Lead Very Thin Plastic Dual Flatpack No-Lead (H5A) - 3.2x2.5 mm Body [VDFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E		1.05 BSC	
Contact Pad Spacing	C		1.60	
Contact Pad Width (X4)	X1			1.00
Contact Pad Width (X2)	X2			0.60
Contact Pad Length (X6)	Y			0.85
Space Between Contacts (X4)	G1	0.75		
Space Between Contacts (X3)	G2	0.25		
Pin 1 Index Chamfer (X4)	CH		0.25	

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M


BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-3007-H5A Rev C

© 2024 Microchip Technology Inc.

6-Lead Very Thin Plastic Dual Flat, No Lead Package (H7A) - 3.2x5.0 x0.9 Body [VDFN]

Note:	For the most current package drawings, please see the Microchip Packaging Specification located at http://www.microchip.com/packaging
--------------	--




Microchip Technology Drawing C04-1009-H7A Rev B Sheet 1 of 2

© 2024 Microchip Technology Inc.

6-Lead Very Thin Plastic Dual Flat, No Lead Package (H7A) - 3.2x5.0 x0.9 Body [VDFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	6		
Pitch	e	1.27 BSC		
Overall Height	A	0.80	0.85	0.90
Standoff	A1	0.00	0.02	0.05
Terminal Thickness	A3	0.203 REF		
Overall Length	D	5.00 BSC		
Overall Width	E	3.20 BSC		
Terminal Width	b	0.59	0.64	0.69
Terminal Length	L	0.90	1.00	1.10
Terminal 1 Index Chamfer	CH	0.25 REF		
Terminal-to-Terminal	K	1.20 REF		


Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Package is saw singulated
- Dimensioning and tolerancing per ASME Y14.5M
 BSC: Basic Dimension. Theoretically exact value shown without tolerances.
 REF: Reference Dimension, usually without tolerance, for information purposes only.

Microchip Technology Drawing C04-1009-H7A Rev B Sheet 2 of 2

6-Lead Very Thin Plastic Dual Flat, No Lead Package (H7A) - 3.2x5.0 x0.9 Body [VDFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Dimension Limits	Units	MILLIMETERS		
		MIN	NOM	MAX
Contact Pitch	E	1.27 BSC		
Contact Pad Spacing	C		2.30	
Contact Pad Width (X6)	X			0.64
Contact Pad Length (X6)	Y			1.10
Contact Pad to Contact Pad (X4)	G	1.20 REF		

Notes:


- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
- For best soldering results, thermal vias, if used, should be filled or tented to avoid solder loss during reflow process

Microchip Technology Drawing C04-3009-H7A Rev B

© 2024 Microchip Technology Inc.

6-Lead Very Thin Plastic Quad Flat, No Lead Package (H8A) - 7x5 mm Body [VDFN] With 2.8x1.8 mm Exposed Pad


Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Microchip Technology Drawing C04-1010A Sheet 1 of 2

6-Lead Very Thin Plastic Quad Flat, No Lead Package (H8A) - 7x5 mm Body [VDFN] With 2.8x1.8 mm Exposed Pad

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	6		
Pitch	e	2.54		
Overall Height	A	0.80	0.85	0.90
Standoff	A1	0.00	0.02	0.05
Overall Length	D	7.00 BSC		
Exposed Pad Length	D2	2.70	2.80	2.90
Overall Width	E	5.00 BSC		
Exposed Pad Width	E2	1.70	1.80	1.90
Terminal Width	b	1.35	1.40	1.45
Terminal Length	L	1.00	1.10	1.20
Terminal-to-Exposed-Pad	K	0.20 REF		

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Package is saw singulated
- Dimensioning and tolerancing per ASME Y14.5M


BSC: Basic Dimension. Theoretically exact value shown without tolerances.

REF: Reference Dimension, usually without tolerance, for information purposes only.

Microchip Technology Drawing C04-1010A Sheet 2 of 2

6-Lead Very Thin Plastic Quad Flat, No Lead Package (H8A) - 7x5 mm Body [VDFN] With 2.8x1.8 mm Exposed Pad

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Dimension Limits	Units	MILLIMETERS		
		MIN	NOM	MAX
Contact Pitch	E	2.54 BSC		
Optional Center Pad Width	X2			2.90
Optional Center Pad Length	Y2			1.90
Contact Pad Spacing	C		3.70	
Contact Pad Width (X6)	X1			1.50
Contact Pad Length (X6)	Y1			1.35
Contact Pad to Center Pad (X2)	G	0.20		
Thermal Via Diameter (X6)	V		0.33	
Thermal Via Pitch	EV		1.20	


Notes:

- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
- For best soldering results, thermal vias, if used, should be filled or tented to avoid solder loss during reflow process

Microchip Technology Drawing C04-3010A

6-Lead Very Thin Dual Flatpack, No Lead Package (HPA) - 7x5 mm Body [VDFN]


Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Microchip Technology Drawing C04-1227-HPA Rev B Sheet 1 of 2

6-Lead Very Thin Dual Flatpack, No Lead Package (HPA) - 7x5 mm Body [VDFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



		Units	MILLIMETERS		
Dimension Limits			MIN	NOM	MAX
Number of Terminals	N		6		
Pitch	e		2.54 BSC		
Overall Height	A		0.80	0.85	0.90
Standoff	A1		0.00	0.02	0.05
Overall Length	D		7.00 BSC		
Overall Width	E		5.00 BSC		
Terminal Width	b		1.30	1.40	1.50
Terminal Length	L		1.00	1.10	1.20
Pullback	L1		0.10 REF		


Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Package is saw singulated
- Dimensioning and tolerancing per ASME Y14.5M
 - BSC: Basic Dimension. Theoretically exact value shown without tolerances.
 - REF: Reference Dimension, usually without tolerance, for information purposes only.

Microchip Technology Drawing C04-1227-HPA Rev B Sheet 2 of 2

6-Lead Very Thin Dual Flatpack, No Lead Package (HPA) - 7x5 mm Body [VDFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E		2.54 BSC	
Contact Pad Spacing	C		3.90	
Contact Pad Width (X6)	X1			1.55
Contact Pad Length (X6)	Y1			1.40

- Notes:
1. Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
 2. For best soldering results, thermal vias, if used, should be filled or tented to avoid solder loss during reflow process

Microchip Technology Drawing C04-3227-HPA Rev B

APPENDIX A: REVISION HISTORY

Revision A (August 2017)

- Initial creation of document DSC1101/21 to Microchip data sheet template DS20005613A.
- Minor text changes throughout.

Revision B (December 2017)

- Military temperature range changed to Automotive in [Features](#) and [Product Identification System](#).
- Supply Current values updated in [DC Characteristics](#) table.
- Test Circuit section removed.
- Updated [Figure 6-1](#), Recommended Board Layout.

Revision C (December 2019)

- Corrected Input Logic Low value in [DC Characteristics](#) table.
- Updated 6-Lead VDFN 2.5 mm x 2.0 mm Package Outline and Recommended Land Pattern Package Drawing.

Revision D (September 2020)

- Updated the minimum storage temperate value in the [Temperature Specifications](#) table to correctly read -55°C.

Revision E (July 2025)

- Added DSA11xx reference to [Features](#) and the [Product Identification System](#) sections for customers seeking AEC-Q100 qualified parts.
- Updated all Package Outline Drawings with the most current versions.

Revision F (March 2026)

- Added notes regarding order quantities and packing options to the [Product Identification System](#) section.

Revision G (July 2026)

- Added a note at the end of the [Package Marking Information](#) section about frequency marking.

NOTES:

PRODUCT IDENTIFICATION SYSTEM

To order or obtain information, e.g., on pricing or delivery, contact your local Microchip representative or sales office.

PART NO.		X	X	X	-XXX.XXXX	X
Device		Package	Temperature Range	Stability	Frequency	Packaging Option
Device: (Note 1)	DSC1101:	Low-Power Precision CMOS Oscillator with Standby				
	DSC1121:	Low-Power Precision CMOS Oscillator				
Package:	A	=	6-Lead 7.0 mm × 5.0 mm VDFN			
	B	=	6-Lead 5.0 mm × 3.2 mm VDFN			
	C	=	6-Lead 3.2 mm × 2.5 mm VDFN			
	D	=	6-Lead 2.5 mm × 2.0 mm VDFN			
	N	=	6-Lead 7.0 mm × 5.0 mm VDFN (no center pad)			
Temperature Range:	E	=	-20°C to +70°C (Extended Commercial)			
	I	=	-40°C to +85°C (Industrial)			
	L	=	-40°C to +105°C (Extended Industrial)			
	M	=	-55°C to +125°C (Automotive)			
Stability:	1	=	±50 ppm			
	2	=	±25 ppm			
	3	=	±20 ppm			
	5	=	±10 ppm			
Frequency:	xxx.xxxx	=	2.3 MHz to 170 MHz (user-defined)			
Packing Option: (Note 2, Note 3, Note 4)	<blank>	=	110/Tube			
	T	=	1,000/Reel			

Examples:

a) DSC1101AM1-010.0000T:
Low-Power Precision CMOS Oscillator with Standby, 6-Lead 7.0 mm × 5.0 mm VDFN, Automotive Temperature Range, ±50 ppm, 10 MHz Output Frequency, 1,000/Reel

b) DSC1101BL2-030.0000:
Low-Power Precision CMOS Oscillator with Standby, 6-Lead 5.0 mm × 3.2 mm VDFN, Extended Industrial Temperature Range, ±25 ppm, 30 MHz Output Frequency, 110/Tube

c) DSC1101DE5-150.0000:
Low-Power Precision CMOS Oscillator with Standby, 6-Lead 2.5 mm × 2.0 mm VDFN, Extended Commercial Temperature Range, ±10 ppm, 150 MHz Output Frequency, 110/Tube

d) DSC1101AI2-075.0000T:
Low-Power Precision CMOS Oscillator with Standby, 6-Lead 7.0 mm × 5.0 mm VDFN, Industrial Temperature Range, ±25 ppm, 75 MHz Output Frequency, 1,000/Reel

Note

- 1: For AEC-Q100 qualified parts, please refer to the DSA11xx family.
- 2: Tape and Reel identifier only appears in the catalog part number description. This identifier is used for ordering purposes and is not printed on the device package. Check with your Microchip Sales Office for package availability with the Tape and Reel option.
- 3: On orders for bulk CPNs, product may be supplied in either cut tape (without a reel) or tube packaging, depending on availability.
- 4: For Tape & Reel orders that are <1000pcs, product may be supplied on cut tape (without a reel) depending on availability.

NOTES:

Microchip Information

Trademarks

The “Microchip” name and logo, the “M” logo, and other names, logos, and brands are registered and unregistered trademarks of Microchip Technology Incorporated or its affiliates and/or subsidiaries in the United States and/or other countries (“Microchip Trademarks”). Information regarding Microchip Trademarks can be found at <https://www.microchip.com/en-us/about/legal-information/microchip-trademarks>.

Legal Notice

This publication and the information herein may be used only with Microchip products, including to design, test, and integrate Microchip products with your application. Use of this information in any other manner violates these terms. Information regarding device applications is provided only for your convenience and may be superseded by updates. It is your responsibility to ensure that your application meets with your specifications. Contact your local Microchip sales office for additional support or, obtain additional support at www.microchip.com/en-us/support/design-help/client-support-services.

THIS INFORMATION IS PROVIDED BY MICROCHIP "AS IS". MICROCHIP MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WHETHER EXPRESS OR IMPLIED, WRITTEN OR ORAL, STATUTORY OR OTHERWISE, RELATED TO THE INFORMATION INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTIES RELATED TO ITS CONDITION, QUALITY, OR PERFORMANCE.

IN NO EVENT WILL MICROCHIP BE LIABLE FOR ANY INDIRECT, SPECIAL, PUNITIVE, INCIDENTAL, OR CONSEQUENTIAL LOSS, DAMAGE, COST, OR EXPENSE OF ANY KIND WHATSOEVER RELATED TO THE INFORMATION OR ITS USE, HOWEVER CAUSED, EVEN IF MICROCHIP HAS BEEN ADVISED OF THE POSSIBILITY OR THE DAMAGES ARE FORESEEABLE. TO THE FULLEST EXTENT ALLOWED BY LAW, MICROCHIP'S TOTAL LIABILITY ON ALL CLAIMS IN ANY WAY RELATED TO THE INFORMATION OR ITS USE WILL NOT EXCEED THE AMOUNT OF FEES, IF ANY, THAT YOU HAVE PAID DIRECTLY TO MICROCHIP FOR THE INFORMATION.

Use of Microchip devices in life support and/or safety applications is entirely at the buyer's risk, and the buyer agrees to defend, indemnify and hold harmless Microchip from any and all damages, claims, suits, or expenses resulting from such use. No licenses are conveyed, implicitly or otherwise, under any Microchip intellectual property rights unless otherwise stated.

Microchip Devices Code Protection Feature

Note the following details of the code protection feature on Microchip products:

- Microchip products meet the specifications contained in their particular Microchip Data Sheet.
- Microchip believes that its family of products is secure when used in the intended manner, within operating specifications, and under normal conditions.
- Microchip values and aggressively protects its intellectual property rights. Attempts to breach the code protection features of Microchip product is strictly prohibited and may violate the Digital Millennium Copyright Act.
- Neither Microchip nor any other semiconductor manufacturer can guarantee the security of its code. Code protection does not mean that we are guaranteeing the product is “unbreakable”. Code protection is constantly evolving. Microchip is committed to continuously improving the code protection features of our products.