

LQM2HPN2R2MG0L

● In Production

Multilayer type Inductor for Power Lines

LQM2HPN2R2MG0#

“#” at the end indicates the package specification code.



Size Code 2520 (1008) in mm (in inch), 1.0mm max. Thickness

LQM2HPN2R2MG0L,LQM2HPN2R2MG0B

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

LQM2HPN2R2MG0L

Applications

Unsuitable Applications	Please be sure to read and comply with these " <u>Precautions for use</u> ".
Specific Applications	<u>Consumer equipment,Industrial equipment except for transportation & facility & energy equipment,Medical equipment [GHTF A/B/C] except for implant & surgery & auto injector</u> Please refer to Our Website and specifications, etc. for information about the performance, functions, quality, management, and safety required for the above applications, and use Products after confirming the performance and reliability of the actual Product.
Recommended Applications	Consumer equipment


Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
 - 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current. Please download the latest datasheet of LQM2HPN2R2MG0L from the official website of Murata

<https://pim.murata.com/en-global/pim/details/?partNum=LQM2HPN2R2MG0L>

Appearance & Shape



Length	2.5mm ±0.2mm
Width	2mm ±0.2mm
Thickness	0.9mm ±0.1mm
Size code in mm(inch)	2520/1008

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

LQM2HPN2R2MG0L

Specifications

Inductance	2.2μH ±20%
Inductance Test Frequency	1MHz
Rated Current (Temperature Rise) / Max.	1.3A
Rated Current (Temperature Rise) / Max.(at 85°C)	1.3A
Rated Current (Temperature Rise) / Max.(at 125°C)	0.97A
DC Resistance(max.)	0.1Ω
DC Resistance	0.08Ω Typ.
Self-resonant frequency(min.)	40MHz
Operating Temperature	-55 ~ 125°C
Type of magnetic shield	Shielded (Ferrite Core)
Series	LQM2HPN_GO
Brand	Murata
Soldering Support	Reflow soldering,Flow soldering

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

LQM2HPN2R2MG0L

Notices

Please consider 'Notice (Rating).'

When rated current is applied to the products, the temperature rise caused by self-generated heat shall be limited to 40°C max.

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

Packaging

180 Embossed Tape

Bulk(Bag)

Standard Packing Quantity

3000

1000

Mass(Typ.)

1 piece

0.022g

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

LQM2HPN2R2MG0L

Notice For General

In operating temperatures exceeding +85°C, derating of current is necessary for this series.
Please apply the derating curve shown in the chart according to the operating temperature.

Derating of Rated Current




Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

LQM2HPN2R2MG0L

Basic

L-Current



LQM2HPN2R2MG0#,L-Current,-55degC

LQM2HPN2R2MG0#,L-Current,-40degC

LQM2HPN2R2MG0#,L-Current,-20degC

LQM2HPN2R2MG0#,L-Current,0degC

LQM2HPN2R2MG0#,L-Current,20degC

LQM2HPN2R2MG0#,L-Current,40degC

LQM2HPN2R2MG0#,L-Current,60degC

LQM2HPN2R2MG0#,L-Current,85degC

LQM2HPN2R2MG0#,L-Current,105degC

LQM2HPN2R2MG0#,L-Current,125degC


Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2. This datasheet has only typical specifications because there is no space for detailed specifications.
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

LQM2HPN2R2MG0L

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current. Please download the latest datasheet of LQM2HPN2R2MG0L from the official website of Murata
<https://pim.murata.com/en-global/pim/details/?partNum=LQM2HPN2R2MG0L>

Temp.rise



LQM2HPN2R2MG0#,Temp. rise,


Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

LQM2HPN2R2MG0L


Frequency Characteristic

L




LQM2HPN2R2MG0#,L,

Q



LQM2HPN2R2MG0#,Q,

|Z|




LQM2HPN2R2MG0# ,|Z|,

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2. This datasheet has only typical specifications because there is no space for detailed specifications.
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.


LQM2HPN2R2MG0L

Product Data




LQM2HPN2R2MG0L DC-Bias, 20

Impedance - Current Characteristics



LQM2HPN2R2MG0L

Inductance - Frequency Characteristics



LQM2HPN2R2MG0L DT_Current

Temperature Increase Characteristic

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2. This datasheet has only typical specifications because there is no space for detailed specifications. Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.