Product data sheet

Specifications



graphic display terminal HVAC, Altivar, IP55, with hand, off, auto keys

VW3A1121

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Altivar
Range Compatibility	Altivar HVAC ATH200 Altivar HVAC ATH600
Accessory / separate part category	Display and signalling accessory
Accessory / Separate Part Type	Display terminal
Accessory / separate part destination	Variable speed drive
Product Specific Application	To control, adjust and configure the drive
IP Degree of Protection	IP65

Complementary

User Language	Multi-language
Realtime clock	Built-in
Battery Size	CR2032
Battery life	10 year(s)
Display type	Backlit LCD screen white and red Backlit LCD screen white
Messages display capacity	8 lines
Pixel resolution	240 x 160
Net Weight	0.4 lb(US) (0.2 kg)

Environment

Ambient Air Temperature for Operation	5…140 °F (-15…60 °C)

Ordering and shipping details

Category	US1CP4D22201
Discount Schedule	CP4D
GTIN	3606487958529
Returnability	Yes
Country of origin	ID

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	2.165 in (5.500 cm)
Package 1 Width	5.315 in (13.500 cm)
Package 1 Length	7.283 in (18.500 cm)
Package weight(Lbs)	10.018 oz (284.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	20
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	14.209 lb(US) (6.445 kg)

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**Yes**
SCIP Number	**7161d12e-f65a-43f1-970c-ddc6260d9e62**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Take-back	**No**

Image of product / Alternate images

Alternative






PUSH


PUSH




ESC
AUTO
OK
OFF
RESET
HAND