Product change notification (PCN)

Title / short description	Change of appearance
Affected article category	PCB terminal blocks and PCB connectors
Change category	Form and appearance
Change number	CAA260102-00
Reason for PCN/PDN Revision	

Purpose/objective of the change

Change in appearance

Detailed description of the change

The skids located on the mating face of the connector plug have been aligned with the overall product portfolio. The skid height at both outer poles of the connector plug has been reduced. The attached drawing illustrates the position of the skids on the connector plug.

Identifying characteristics

Start of Production (SOP)	-	**Last Time Delivery (LTD)**	-
Effective date (EOP)	2027-01-01	**End of Service (EOSR)**	-
End of Sales (EOS)	-		

Short-term change (< 6 months) or discontinuation (< 12 months), due to:

- ☐ Software / Firmware Bugfix
- ☐ Short-term delivery stop by supplier
- ☐ Short-term recall by supplier
- ☐ Force majeure
- ☐ Product improvement with customer benefits
- ☒ Others

Internal Process Optimization

Attachments

- DrawingCAA.pdf
- Material_list.csv
- PCN-CAA260102-00_EN

2026-10-15 VDMA24903_1.0

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com

Material list

Item		Hardware / Firmware		Substitute item	
Item no.	Type	old	new	Item no.	Type
1431004	XPC 1,5/ 2-STF-3,5 BK	1	2		
1431006	XPC 1,5/ 3-STF-3,5 BK	1	2		
1431007	XPC 1,5/ 4-STF-3,5 BK	1	2		
1431008	XPC 1,5/ 5-STF-3,5 BK	1	2		
1431314	XPC 1,5/ 2-ST-3,5-LR BK	1	2		
1431315	XPC 1,5/ 3-ST-3,5-LR BK	1	2		
1431316	XPC 1,5/ 4-ST-3,5-LR BK	1	2		
1431317	XPC 1,5/ 5-ST-3,5-LR BK	1	2		
1464104	XPC 1,5/ 2-ST-3,5 BK	3	4		
1464105	XPC 1,5/ 3-ST-3,5 BK	3	4		
1464107	XPC 1,5/ 4-ST-3,5 BK	3	4		
1464108	XPC 1,5/ 5-ST-3,5 BK	3	4		

2026-10-15 VDMA24903_1.0

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com

Item no.	Type	old	new	Substitute item	Replacement product designation	eCl@ss 13.0
1431004	XPC 1,5/ 2-STF-3,5 BK	1	2			27460202
1431006	XPC 1,5/ 3-STF-3,5 BK	1	2			27460202
1431007	XPC 1,5/ 4-STF-3,5 BK	1	2			27460202
1431008	XPC 1,5/ 5-STF-3,5 BK	1	2			27460202
1431314	XPC 1,5/ 2-ST-3,5-LR BK	1	2			27460202
1431315	XPC 1,5/ 3-ST-3,5-LR BK	1	2			27460202
1431316	XPC 1,5/ 4-ST-3,5-LR BK	1	2			27460202
1431317	XPC 1,5/ 5-ST-3,5-LR BK	1	2			27460202
1464104	XPC 1,5/ 2-ST-3,5 BK	3	4			27460202
1464105	XPC 1,5/ 3-ST-3,5 BK	3	4			27460202
1464107	XPC 1,5/ 4-ST-3,5 BK	3	4			27460202
1464108	XPC 1,5/ 5-ST-3,5 BK	3	4			27460202



h: Height of skid