


3.40

3.10



Specifications:

Contact Plated

Current rating Voltage rating Maximum contact resistance Minimum insulation resistance Withstanding resistance Operating temperature range **Material and Finish:** Insulator

- : 1.0A ac/dc.
- : 125V ac/dc.

: 20mΩ.

- : 100MΩ.
- : 250V ac for one minute.
- : -40°C to +85°C.
- : High temperature plastic.
- : Copper alloy.
- : Tin plated.


Dimensions : Millimetres

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information suppled is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of th. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from personal injury resulting from use and or to presticitly of such loss or damage ariang) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2008.

TOLERANCES: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:	DRAW	ING TITLE:						
Veena	01/08/08	Right Angle Header - 5 Way							
CHECKED BY:	DATE:	SIZE	DWG NO.		ELECTRONIC FILE REV				
Suresh	01/08/08	A		M10001471	1251R-	A			
APPROVED BY:	DATE:	SCALE: NTS				SHEET: 1 OF 3			
G.Cook	15/08/08			U.O.M.: mm					

	PART NO.		REVISIONS							
	1251R-05-SM1	ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
		-	А	RELEASED	Veena	01/8/08	Suresh	01/8/08	G. C	15/8/08



PCB Layout


Dimensions : Millimetres

Specification Table

Number of Positions	Α	В	С	Part Number
5P	5.00	11.00	8.00	1251R-05-SM1

Dimensions : Millimetres

Part Number Explanation:



: 05= 5 Positions.

Number of Positions

http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

(the Group) or are incensed to it. No licence is granted to the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with- out notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the prod- ucts for their purpose and not make any assumptions based on information included or omitted. Lability for loss or damage resulting from any reliance on the Information or	TOLERANCES: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.	DRAWN BY: Veena	DATE: 01/08/08	DRAWING TITLE: Right Angle Header - 5 Way					
		CHECKED BY: Suresh	DATE: 01/08/08	SIZE DWG NO.	M10001471	ELECTRONIC FILE 1251R-XX-SM1_4_DWG	REV A		
		APPROVED BY: G.Cook	DATE: 15/08/08	SCALE: NTS	U.O.M.: mm	SHEET: 2 OI)F 3		