

swiss made 

tungsten carbide  
"barracuda" cutters

 ideal-tek s.a.  
manufacturer of high precision tools and instruments



ISO 9001  
BUREAU VERITAS  
Certification






reddot award 2014  
winner

Statement by Red Dot jury: Ergo-tek has excellent tactile qualities as a result of its high ergonomics and carefully thought-out material textures.

Following the User-Centered Design approach of one of the world's most respected research universities (University of Milan), over a two year period, Ideal-tek gained a full understanding of the needs, wants and frustrations of end users.

Subsequent painstaking attention to detail at every stage of the design process resulted in the creation of the ideal handles. Precision Swiss manufacture provides quality, accuracy and longevity. The addition of Italian design brings beauty and elegance.




**NEW** 2017

The new lighter weight **ERGO-TEK SLIM** range is designed especially for smaller hands while providing the same ergonomic, ESD safety standards, and technical advantages you expect from Ideal-tek.

Upgraded features:

- Revised ergonomic handle to provide enhanced operator comfort and reduce repetitive motion injuries
- Lighter weight
- Better accessibility and visibility in confined areas

With **Ergo-tek** AND **Ergo-tek slim**, users are now able to custom fit high precision tools to their personal preference and application. **No more, one line fits all!**





## IDEAL-TEK | TUNGSTEN CARBIDE “BARRACUDA” CUTTERS

Engineered for hard wires

Tungsten carbide blades

81 HRC hardness


Perfect symmetry

Dual leaf springs made of stainless steel

Lap joint with screw to achieve a high level of strength and precision

Nuts made of hardened alloy steel to resist high cutting load

Fine-pitched screw for perfect joint adjustment





2-Component ESD-safe Ergonomic handles with a soft comfortable gripping surface.

2 sizes: Ergo-tek (E) and Ergo-tek slim (ES)

For every handles production lot Ideal-tek performs the following tests:


- point to point resistance
- surface resistance
- decay time analysis






Application of Ideal-tek “barracuda” cutters line:

- Stents
- Braided mesh
- Catheters
- Single/Multiple fliers
- Guide wires
- Lateral/Internal cuts




# TUNGSTEN CARBIDE "BARRACUDA" CUTTER LINE

Small Oval




Tungsten Carbide Sharp Tip - Oval Diagonal Cutters

Large Tapered




Tungsten Carbide Sharp Tip - Tapered Diagonal Cutters

Small Tapered & Relieved



Tungsten Carbide Sharp Tip - Tapered & Relieved Diagonal Cutters

Large Tapered & Relieved



E = ERGO-TEK HANDLE

ES = ERGO-TEK SLIM HANDLE

Art. No.	Type	Head Shape	A[mm]	B[mm]	C[mm]	D[mm]	E[mm]	F[mm]	Cutting Edges	Copper*	Kovar*	Nickel*	Stainless*	Platinum*	Tungsten*	Piano Wire*	NiTinol*
<b>E140STX</b> <b>ES140STX</b>	Small	Oval	125 120	8	10	6.4	-	0.3	Semi-Flush	•	•	•	•	•	•	•	•
<b>E141TX</b> <b>ES141TX</b>	Small	Oval	125 120	10	10	6.4	-	-	Flush	•	•	•	•	•	•	•	•
<b>E141PTTX</b> <b>ES141PTTX</b>	Small	Oval	125 120	8.5	10	6.4	-	-	Flush	•	•	•	•	•	•	•	•
<b>E142TX</b> <b>ES142TX</b>	Small	Oval	125 120	10	10	6.4	-	-	Full-Flush	•	•	•	•	•	•	•	•
<b>E351TX</b> <b>ES351TX</b>	Large	Tapered	123 118	7.5	12.5	6.4	0.7	0.4	Flush	•	•	•	•	•	•	•	•
<b>E351UFTX</b> <b>ES351UFTX</b>	Large	Tapered	123 118	7.5	12.5	6.4	-	0.5	Flush	•	•	•	•	•	•	•	•
<b>E351PTTX</b> <b>ES351PTTX</b>	Large	Tapered	123 118	6.5	12.5	6.4	4,3	-	Flush	•	•	•	•	•	•	•	•
<b>E352TX</b> <b>ES352TX</b>	Large	Tapered	123 118	7.5	12.5	6.4	0.7	0.4	Full-Flush	•	•	•	•	•	•	•	•


\* Depending on the wire diameter



reddot award 2014  
winner


# TUNGSTEN CARBIDE "BARRACUDA" CUTTER LINE

Small Oval




Tungsten Carbide Sharp Tip - Oval Diagonal Cutters

Large Tapered




Tungsten Carbide Sharp Tip - Tapered Diagonal Cutters

Small Tapered & Relieved




Tungsten Carbide Sharp Tip - Tapered & Relieved Diagonal Cutters

Large Tapered & Relieved



Small Tapered & Angled head 50°



Tungsten Carbide Sharp Tip - Tapered Angled Cutters

**E = ERGO-TEK HANDLE**

**ES = ERGO-TEK SLIM HANDLE**

Art. No.	Type	Head Shape	A[mm]	B[mm]	C[mm]	D[mm]	E[mm]	F[mm]	G[mm]	Cutting Edges	Copper*	Kovar*	Nickel*	Stainless*	Platinum*	Tungsten*	Piano	NiTinol*
<b>E541TX</b> <b>ES541TX</b>	Small	Tapered & Relived	125 120	8.5	10	6.4	0.7	0.3	-	Flush	•	•	•	•	•	•	•	•
<b>E542TX</b> <b>ES542TX</b>	Small	Tapered & Relived	125 120	8.5	10	6.4	0.7	0.3	-	Full-Flush	•	•	•	•	•	•	•	•
<b>E551TX</b> <b>ES551TX</b>	Large	Tapered & Relived	125 120	8	12.5	6.4	0.7	0.3	-	Flush	•	•	•	•	•	•	•	•
<b>E552TX</b> <b>ES552TX</b>	Large	Tapered & Relived	125 120	8	12.5	6.4	0.7	0.3	-	Full-Flush	•	•	•	•	•	•	•	•
<b>ES248TX</b>	Small	Tapered & Angled head 50°	121	13	10	6.4	0.15	-	8.30	Full-Flush	•	•	•	•	•	•	•	•

\* Depending on the wire diameter



reddot award 2014  
winner



**Mail address**

Ideal-Tek SA · p.o. box 17  
6830 Chiasso · Switzerland

**Shipping address**

Ideal-Tek SA · via Motta 4  
6828 Balerna · Switzerland

**Phone** +41 91 683 32 29

**Fax** +41 91 683 03 71

**E-mail** [info@ideal-tek.com](mailto:info@ideal-tek.com)

**Web** [www.ideal-tek.com](http://www.ideal-tek.com)





 ideal-tek  
SWISS TECHNOLOGY AT YOUR FINGERTIPS