

# Final Product/Process Change Notification

Document #: FPCN24928ZA Issue Date: 28 Feb 2023

Title of Change:	Schottky Metallization Change And Lead Frame Modification for SOD 123 FL Package.	
Proposed Changed Material First Ship Date:	12 Feb 2024 or earlier if approved by customer	
Current Material Last Order Date:	N/A Orders received after the Current Material Last Order Date expiration are to be considered as orders for new changed material as described in this PCN. Orders for current (unchanged) material after this date will be per mutual agreement and current material inventory availability.	
Current Material Last Delivery Date:	N/A  The Current Material Last Delivery Date may be subject to change based on build an depletion of the current (unchanged) material inventory	
Product Category:	Active components – Discrete components	
Contact information:	Contact your local onsemi Sales Office or SitiNurhaza.MohdRamli@onsemi.com	
PCN Samples Contact:	Contact your local onsemi Sales Office to place sample order.  Sample requests are to be submitted no later than 45 days after publication of this chan notification.  Samples delivery timing will be subject to request date, sample quantity and special customer packing/label requirements.	
Sample Availability Date:	13 Mar 2023	
PPAP Availability Date:	20 Feb 2023	
Additional Reliability Data:	Contact your local onsemi Sales Office or MohdAzizi.Azman@onsemi.com	
Type of Notification:	This is a Final Product/Process Change Notification (FPCN) sent to customers. The change will be implemented at 'Proposed Change Material First Ship Date' in compliance to J-STD-46 or ZVEI, or earlier upon customer approval, or per our signed agreements. onsemi will consider this proposed change and it's conditions acceptable, unless an inquiry is made in writing within 45 days of delivery of this notice. To do so, contact PCN.Support@onsemi.com.	
Change Category		
Category	Type of Change	
Bare Die	New / change of backside metallization, New / change of frontside metallization	
Process - Assembly	Change in leadframe dimensions	

### **Description and Purpose:**

This is the final product change notification (FPCN) of IPCN24928Z, announcing that onsemi is qualifying Schottky Metallization Change and Leadframe modification on selected automotive qualified Orderable Part Numbers (OPNs) listed.

This changes already implement to commercial SOD 123 FL part number. Detail changes as below.

	From	То
Top metalization	TiW/NiV/Au	TiW/NiV/Ag
Back Metalization	Cr/Ni/Au	Ti/Ni/Ag


TEM001794 Rev. G Page 1 of 3




# Final Product/Process Change Notification

Document #: FPCN24928ZA Issue Date: 28 Feb 2023







Products had gone thru reliability testing as per automotive requirements and it's proven that device performances are not affected.

There is no product marking change as a result of this change.

Reason / Motivation for Change:	Quality improvement	
Anticipated impact on fit, form, function, reliability, product safety or manufacturability:	The device has been qualified and validated based on the same Product Specification. The device has successfully passed the qualification tests. Potential impacts can be identified, but due to testing performed by onsemi in relation to the PCN, associated risks are verified and excluded.  No anticipated impacts.	

#### Sites Affected:

onsemi Sites	External Foundry/Subcon Sites
onsemi Seremban, Malaysia	None
onsemi, ISMF Malaysia	

### **Reliability Data Summary:**

QV DEVICE NAME: NRVB2H100SFT3G

RMS: S72133

PACKAGE: SOD-123FL

Test	Specification	Condition	Interval	Results
HTRB	JESD22-A108	Ta=90°C, 100% max rated V	1008 hrs	0/231
PC	J-STD-020 JESD-A113	MSL 1 @ 260 °C, Pre IOL, TC, uHAST, H3TRB for surface mount pkgs only		0/924
IOL	MIL-STD-750 (M1037) AEC-Q101	Ta=+25°C, delta Tj=100°C On/off = 2 min	30000 cyc	0/231
TC	JESD22-A104	Ta= -55°C to +150°C, mount on board	1000 сус	0/231
H3TRB	JESD22-A110	85°C, 85% RH, bias	2016 hrs	0/231
uHAST	JESD22-A118	130°C, 85% RH, 18.8psig, unbiased	96 hrs	0/231
RSH	JESD22- B106	Ta = 265°C, 10 sec Required for through hole devices only		0/90
SD	JSTD002	Ta = 245°C, 5 sec		0/45

TEM001794 Rev. G Page 2 of 3



## Final Product/Process Change Notification

Document #: FPCN24928ZA Issue Date: 28 Feb 2023

#### NOTE: AEC-1pager is attached.

To view attachments:

- 1. Download pdf copy of the PCN to your computer
- 2. Open the downloaded pdf copy of the PCN
- 3. Click on the paper clip icon available on the menu provided in the left/bottom portion of the screen to reveal the Attachment field
- 4. Then click on the attached file.

### **Electrical Characteristics Summary:**

Electrical characteristics are not impacted.

### **List of Affected Parts:**

**Note:** Only the standard (off the shelf) part numbers are listed in the parts list. Any custom parts affected by this PCN are shown in the customer specific PCN addendum in the PCN email notification, or on the **PCN Customized Portal**.

Current Part Number	New Part Number	Qualification Vehicle
NRVB140SFT3G	SNRVB140SFT3G	NRVB2H100SFT3G
NRVB140SFT1G	SNRVB140SFT1G	NRVB2H100SFT3G

TEM001794 Rev. G Page 3 of 3